

F25040

2nd call of 4

Notes for Measure

Estimator: Colin

Mrs J Donlan, 10 Chelsea Embankment

Date of Measure: Thu, 7 Jul 16 *Juanna*

At: 10.00am-11.00am

Site Address:
10 Chelsea Embankment

Customer Address:
10 Chelsea Embankment

LONDON SW3 4LE

LONDON SW3 4LE

CONTACT: As customer details

Mobile	Home	Office
	020-7352-7672	

Email: *rob.donlan@gmail.com*

(Sons email)

Areas to be done and Description of Measure

Bathroom - Quote Nairn Classic 208882 £17.50m² or Ultragrip Elements Golden oak 169L £17.50m²

Instructions and Estimators comments

Bathroom - Inspect sub-floor prep that builders have installed

Must Read!

10.00am-11.00am

Office Ref: F25040

Mrs J Donlan, 10 Chelsea Embankment

Date of Measure Thu, 7 Jul 16

At 10.00am-11.00am

Floor: Wood / Concrete / other _____

S/edge: Wood/Concrete/No pin/existing (if existing, allow ___ sticks to supplement where necessary)

Sticking Req'd: Yes/No Type: Fastset/Other

Underlay: Re-use Existing / New required Plywood (no by builder is sanded down but leave gaps at edges & between sheets of Plywood)

Type: 42oz Felt / Fomalux / PU Foam / Luxury PU Foam / LowTog / Durafit

Doorbars: Alloy / Satin Ali / Polished Ali / Anod / Solid Brass / Chrome / Nisheen
Seam/Wood/T/Holds: colour _____

Door Clearance: OK / Low (advise on quote)

Uplift: No / Yes (if "Yes" - what type?) _____

Furniture: No/Yes (if YES, please specify the following) - 1 man / 2 men (Fitter to get paid) £ _____ total/per room

Parking Cost: Free / £ 3.50 per hour IN NEXT STREET (DILKE STREET) 100 YARDS AWAY

Parking Restrictions: (type) / £ 1.10 METERS

Congestion Zone: No / Yes

Access: Easy / Hard / 2 men req'd / Ground floor?

Runners: ~~Whipping~~ / Binding (if binding, specify type)

Tape size: ~~1 1/2" / 2" / 3" / 5"~~

Style: ~~Top taping / Side binding~~

Stairrods: Type _____ Nr _____ Size _____


SUGGEST FITTER TO HAVE A LOOK AT FRONT AND BACK BEFORE FITTING THIS JOB

Must Read: 10.00am-11.00am

Office Ref: F25040

Job No: F25040
 Name: DONLAN
 Address: 10 CHESTER EMBANKMENT SW3 4LE
 Tel:
 Sheet: 1 of 1

NOSING + 2 x MITRES ON CORNERS.
 ALLOW 150 METRES (INC MITRES)



Plywood Scares Down
 Large Gap Left At Landing
 + Around the wall + between
 stairs


Nairn Classic 208882

Bathroom 170 x 200m
 WC 150 x 200m

VINYL WILL BE VISIBLE INSIDE THE BEDROOM!!

SUBJECT TO SKIM JOINTS OF PLYWOOD + FILLING ALL OVER
 IF CUSTOMER VINYL SELECTED

Stair Tread Edges



Supplied cut to sizes requested.

Profiles:

- BN21/AN21 • BN20/AN20 • BN20/15/AN20/15

Maximum length: 3.2m

- AE32 2.715m maximum
- AE32/S 2.0m maximum

Finishes Available

Brass:

- Polished • Antique Bronze • Antique Brass
- Satin Brass

Aluminium:

- Mill • Satin • Polished

Chrome on Aluminium:

- AN21/C • AN20/C

Profiles to special order.

Maximum length 2.0m

Installation

When installing edging profiles a diminishing compound is required to level away from aluminium base prior to installing flooring.

Profiles supplied pre-drilled.




For further information on installation and fabrication please refer to stair nosing technical information section.

Edgings for resilient floorings

Carrier depth 2.5mm


Base gauge 1.5mm

Available in Brass and Aluminium




Edgings for ceramic floorings

AE32 Aluminium



AE32/S Aluminium



Description

Aluminium profile with stainless steel cover available in bright or brushed finish to special order.

