

Gripperods

50 years of floor covering expertise

Head Office Interfloor Limited Broadway
Haslingden Rossendale
Lancashire BB4 4LS
United Kingdom

UK Sales Tel +44 (0)1706 238 810
Fax +44 (0)1706 214 737

International Sales Tel +44 (0)1706 238 825
Fax +44 (0)1706 225 114

Email sales@interfloor.com

Web www.interfloor.com



Contents

Carpet Gripper

Flooring Adhesives

Metal Edgings

**Edgings and Trims
for Wood Floors**

DIY Edgings

Heat Seaming Tapes

**Single and Double
Sided Tapes**

**Tools, Blades
and Fixings**

**Miscellaneous
Flooring Products**



Welcome

to the new Gripperods Catalogue



Frank Jones
Commercial Manager

Our ranges continue to evolve with the changes in floor coverings - just as they have done since our first catalogue over 50 years ago.

Over the next 32 pages you'll find a number of new products and, in response to customer feedback, improved specifications on many of our ranges:

- A new clip-down edging range for wood floor transitions, designed so that one product is suitable for all applications up to 24mm thickness
- A new spray contact adhesive suitable for application of carpet and hard PVC upstands and cappings
- A new contact double sided tape suitable for application of flexible PVC and other coverings
- Golden Gripper has been upgraded to re-establish its top of the range, value for money reputation
- The standard lengths and pack sizes of our metals have been modified to meet the change in specifications for door sizes in new-builds
- To suit today's décor preference towards silver we have improved the polished finish and protection of our aluminium edgings
- Packs for all metals now include the necessary screws and nails
- We have improved the cartons used for packing short length metals to ensure a tighter, more resilient pack

In total with new products and product amendments, over 30% of our range has been improved since the previous catalogue.

We have significantly changed the layout and presentation within this new catalogue:

- Colour coding of pages for each major product range
- Tabular page layout allowing easy identification of product and part number
- A contents listing at the front and an alphabetical index at the back
- 'Top Tips' features highlighting unique or special Gripperods products
- A quarterly competition for installers to win some of the 'Top Tips' products

In addition to product range enhancement and this new catalogue we also continue to improve the overall service that we offer through:

- A consistently high level of stock availability across the ranges
- Increasing reliability of on-time deliveries
- Rapid, expert response to technical enquiries
- A quick turnaround of product sample requests
- A one shop supply of all your accessories and underlay requirements through the range of Interfloor brands

Thank you for your past support. We're committed to constantly improving. If you have any suggestions on how we could further improve the accessories range and the catalogue please let me know.

By fax: **01387 721 114**

Email: frank.jones@interfloor.com

What's New

New Clip-down Edgings

NEW



New clip-down edging. One item does all joints.

(See Page 16)

Contact Adhesives and Tapes

NEW



New contact spray adhesive and contact tapes.

(See Page 7 & 23)

Improved Polish Finish

NEW



Improved metal finishes, fixings and packaging.

(See Page 8)

Golden Gripper


NEW



Gripperods Golden specification gripper is a recently upgraded range.

(See Page 2)

Contents (see inside back cover for full product listing)



Contact us

Head Office

Interfloor Limited Broadway
Haslingden Rossendale
Lancashire BB4 4LS
United Kingdom

UK Sales

Tel: +44 (0)1706 238 810

Fax: +44 (0)1706 214 737


International Sales

Tel: +44 (0)1706 238 825

Fax: +44 (0)1706 225 114

Email: sales@interfloor.com

Web: www.interfloor.com



Gripperods is the only manufacturer of carpet gripper in the UK

To order call 01706 238 810

Carpet Gripper 02

NEW Golden Gripper, Tackfast and Contract gripper in specifications suitable for every carpet and sub-floor. Floorworks gripper and tapes for the tension fitting of felt backs. Blind gripper to give a neat edge to single and double stick installations.

Flooring Adhesives 06

Multipurpose, Tackifiers and Latex for direct stick-down, single and double stick installations, carpet tiles. Acrylic for vinyls. Multipurpose, Vinyl and NEW Contact Spray adhesives. Cartridge adhesives for fixing gripper and edgings.

Metal Edgings 08

An edging for every textile and smooth floor covering. Available in IMPROVED polished Aluminium as well as Simbrass and Solid Brass finishes. REVISED range of standard lengths and pack sizes to suit all doorway widths. IMPROVED packaging and inclusion of all fixings.

Edgings and Trims for Wood Floors 14

An edging to suit all wood and laminate floors including NEW Clip-Down edging suitable for all floor thicknesses up to 25mm. Available in a variety of metal finishes to complement floor covering décors. Quadrants in the popular décors. Natural wood thresholds and pipe collars suitable for staining to match floor décor.

DIY Edgings 18

A selection of the most popular trade sections packaged for consumer display and EPOS including bar coding.

Heat Seaming Tapes 20

Quality specifications for every type of carpet and traffic conditions. Economy versions for lower traffic conditions. Silvaseam ironless seaming system.

Single and Double Sided Tapes 22

NEW double sided contact tape for upstands including flexible vinyls. Underlay joining tapes for stretch and single/double stick applications. Double sided tapes for all carpets and vinyls. Vapour Barrier tape and strip for joining underlays beneath wood and laminate floors.

Tools, Blades and Fixings 24

A broad selection of tools for floor preparation, adhesive and screed application, measuring and marking, cutting and trimming, fixing, seaming, stretching and vinyl installation. Blades and fixings for all applications. Tool kits, knee pads and carpet carriers.

Miscellaneous Flooring Products 32

Anti-Slip matting for Rugs, Paper Felt and Interlay, Stair Rods and Brackets, Vinyl Carpet Protector.

A comprehensive range of carpet grippers for any type of installation



New Golden Gripper For Stretch Installation

NEW



The Original 1" Wide Strip

Wider plywood strip* giving greater stability on the floor in nail down applications.

Higher bond strength in stick down applications. More space between nails and skirtings.

More Floor Nails

10% more floorholding nails.*

Better holding in all types and qualities of subfloor. Higher strength in heavy stretch installations.

More Carpet Holding Pins

9% more carpet holding pins.*

Better holding power on all installations. Higher strength in heavy stretch installations.

*Compared to previous Golden Gripper products.

Our range of carpet grippers are based on the best raw materials available

- 5 ply resin bonded Russian birch plywood; a hardwood plywood of consistent density giving excellent pin holding strength, sourced from only four mills in Russia (out of over fifty mills available) that we have worked with for over twenty years.
- Precision made pins designed for the carpet holding strength required.
- Precision floor nails made to exacting hardness standards, to penetrate and hold in any sub-floor.

Gripperods TACKFAST specification gripper is based on a 21mm wide strip with a pronounced bevel edge for an easy and consistent roll edge finish. It is available in all pin height and floor nail specifications.

Gripperods GOLDEN specification gripper is a recently upgraded range based on a 1" wide strip (25mm). It has more carpet holding pins and floor nails per strip than the TACKFAST specification.

Gripperods CONTRACT specification gripper is a specialist product for particularly heavy stretch installations. It is 42mm wide and has 3 rows of carpet holding pins, compared to the standard 2 rows in the other specifications.

In addition to products for traditional stretch carpet fitting we also offer specialist items for tension fitting of felt back carpets and for providing a neat roll edge to single and double stick installations. All of these specifications are detailed on the following pages.



Gripperods is the only manufacturer of carpet gripper in the UK

Golden Gripper®

Available in all three pin heights with wood or concrete floor nails or with no nails for stickdown application.
100 x 1.52m (5') Lengths
152.3m (500') Per Carton
Costs less than 50p a room extra!
(Based on a 4m x 4m room)

	Long Pin 6.4mm (1/4") For heavy reinforced backed carpets used in commercial situations.	Medium Pin 4.8mm (3/16") The more usual pin length, suitable for most types of carpets.	Short Pin 3.2mm (1/8") For cord carpeting and some low tuft carpets.
		Stick Down Medium Pin 2110	
	Wood Long Pin 2220	Wood Medium Pin 2120	Wood Short Pin 2020
	Grippercrete Long Pin 2240	Grippercrete Medium Pin 2140	

For stretch installations

Gripperods TACKFAST range of gripper is based on a 21mm wide strip with a pronounced bevel edge for an easy and consistent roll edge finish. It is available in pin heights suitable for any carpet and nail specifications suitable for any sub-floor.

Tackfast™

Stick Down

Standard TACKFAST is applied to concrete or other hard surface floors by fixing with either a suitable adhesive or by using masonry nails or 'Tap-Its'.
100 x 1.52m (5') Lengths
152.3m (500') Per Carton

Pre-Nailed for wood floors

Pre-nailed for ease and speed of installation when fitted to boarded or suspended timber floors, with specially tempered nails (threaded for holding power), pre-driven into the gripper.
100 x 1.52m (5') Lengths
152.3m (500') Per Carton

Grippercrete

Designed for ease of installation to concrete floors. Pre-nailed with masonry nails. 20mm (3/4") long for a firm fixing.
100 x 1.52m (5') Lengths
152.3m (500') Per Carton

Dual Purpose

Pre-nailed with 20mm dual purpose nails. Suitable for most wood and concrete based floors.
152.3m (500') Cartons
Also available in medium pin in a pre-pack for retail display.
GR3185
12 x (8 x 1.52m Lengths)
146m (480') Per Carton

	Long Pin 6.4mm (1/4") For heavy reinforced backed carpets used in commercial situations.	Medium Pin 4.8mm (3/16") The more usual pin length, suitable for most types of carpets.	Short Pin 3.2mm (1/8") For cord carpeting and some low tuft carpets.
		 3110 Medium Pin	
	 3220 Long Pin	 3120 Medium Pin	 3020 Short Pin
	 3240 Long Pin	 3140 Medium Pin	
	 3270 Long Pin	 3170 Medium Pin	

Contract Gripper

Gripperods CONTRACT gripper is a specialist product for particularly heavy stretch installations. It is 42mm wide and has 3 rows of carpet holding pins compared to the two rows in other gripper specifications. It is available in medium pin height only and without floor nails. This allows the fitter to install by nailing or adhering the gripper to the floor, depending on the installation.

See Page 7 for adhesives.
See Page 28 for nails and fixings.
50 x 1.52m (5') Lengths
76m (250') Per Carton

Medium Pin

CONTRACT
6942 Medium Pin

Custom Printed Gripper

For the most popular TACKFAST gripper specifications we offer custom printing of the plywood (item numbers 3110, 3120, 3140 and 3170).

Please contact your Sales Representative or our Sales Office for details of how to order gripper printed to your requirements.

For felt backed carpet installation

With the growth in felt backed carpets, retailers should still aim to benefit from the additional profit margin of an underlay sale. Felt backed carpet installations benefit from the use of underlay in the same way that traditional carpets do. The Floorworks System allows the installer to achieve a tension fit resulting in better appearance retention and better wear characteristics.

Consumers also benefit from distinctly improved carpet appearance, retention and walking comfort when a rubber underlay is used beneath a felt backed carpet. Floorworks Easy Gripper is designed for the installation of felt backs with underlay in all areas. Easy Grip tape is available for fitting felt backs without underlay.

For suitable underlays please contact your Sales Representative or our Sales Office.

Floorworks Microplast™ Easy Gripper For Flat Areas



Designed for use with underlay to give the best finished appearance to the installation and the best wear characteristics. Microplast™ tape top surface and dual purpose floor pre-nails for fast, good finish, tension fit installations on underlay.

FW007 100 x 1.52m (5'), 152m (500') Cartons

Floorworks Microplast™ Easy Gripper For Stairs



Specially designed for use on stairs. A combination of Microplast™ tape and standard profile gripper pins. The pins prevent the aggressive Microplast™ tape from gripping the felt back prematurely prior to the carpet being tucked into the stair gully.

Once tucked in, the pins combine with the Microplast™ tape to give the high holding strength required on stairs.

FW008 100 x 1.52m (5'), 152m (500') Cartons

Floorworks Easy Grip Microplast™ Tape



A specially designed tape, with fine hooks on the top surface to grip the felt back and pressure sensitive adhesive on the bottom surface to stick to the floor. The tape is for use without underlay and is applied around the edge of the room. The carpet can be tensioned onto the tape using a knee kicker. Available in two widths, 22mm and 50mm. Standard 22mm wide tape for use in lower wear areas such as bedrooms.

FW001 8 x 22mm x 25m Cartons

A 50mm wide tape for use in higher wear areas such as the lounge (but not on the stairs).

FW003 8 x 50mm x 25m Cartons

Other products for installing felt backed carpets

Standard Seaming Tape



This tape is designed for use in the fitting of felt backed carpets. The lower melt temperature of the adhesive prevents damage to the carpet backing. The ribbed adhesive profile is designed specifically for use with the THS002 Super Heat Seam Iron.

This enables the tape to be centred automatically and ensures that the exact amount of adhesive is delivered for seam sealing. This tape also provides a lower cost alternative to Multiline tape for seaming conventional woven or secondary jute backed carpets in light traffic areas.

6702B 20m x 10 Per Carton

Super Heat Seam Iron



An exceptional seaming iron ideally suited to seaming felt backed carpets when used with 6702 Standard Seaming Tape. The iron features a unique welding head that applies a controlled amount of hot melt adhesive to the carpet seam edges. This welds together the felt backing across the seam line as the heat seaming tape is being applied.

- Easily adjusted, top mounted dial for setting temperature
- Three position cable controller allowing trailing cable to be kept out of the way
- 900W heating element for fast heat up
- Tough, non-stick coating on ribbed base
- Patented Teflon Carpet Guard system prevents distortion of sensitive backings
- Cut away at front of iron ensures backing is pre-heated
- Two light safety indicator - red light 'caution, power on, iron is hot', green indicator lights up when selected temperature is reached
- Super cool handle and sturdy steel tray

THS002

Other Tools

Easy Trim	TCT006	See Page 26	Super Knee Kicker	TST005	See Page 30
Seam Roller Smooth	THS004	See Page 29	Easy Tucker	TST009	See Page 30
Seam Weight	THS005	See Page 29			

Interfloor strongly recommend the use of a quality underlay in all felt backed carpet installations.

For single & double stick installations

Blind gripper is just one of several specialist items available from our range that enable the installer to achieve a perfect finish on single and double stick installations.

Wood Neat Edge (Blind Gripper)



This gripper enables the installer to create the perfect finished appearance around the wall for single and double stick installations. Based on Tackfast gripper with dual purpose pre-nails, but no pins.

3370 100 x 1.52m (5') Lengths 152.3m (500') Per Carton

WIN OVER £250 WORTH OF TOP TIP PRODUCTS!*

- One box (200m) of Gold Line Seaming Tape
- One box (1.53m) of Golden Gripper (Wood Nail, Medium Pin)
- One tube (12m) of Karpetedge™
- One Invisiseamer complete with 6ft extension

For a chance to win simply write or email telling us:

1. How many years you've been installing.
2. Your Top 3 products from our catalogue.
3. One other product you'd like to see in the catalogue.

At the end of every 3 months for the next year, replies received during the period will go into a hat. The winners will be the first 3 names drawn and will each win all of the four products.

*For more details and full Terms & Conditions see Page 32.

Other products for single and double stick installations

Glider (See Page 25)



A heavy metal glider for ensuring perfect adhesion of underlay to sub floor and floor coverings to underlay.

TAS013

Trowels (See Page 25)



For application of adhesives in single and double stick installations.

Invisiseamer (See Page 28)



The definitive tool for cutting carpets prior to seaming. Invaluable for borderwork. Supplied with a 73cm (2'5") base. Longer bases available.

TMM013

TMM015 1.83m (6') base only
TMM016 3.66m (12') base only

Multi-Purpose & Tackifier Adhesive (See Page 6)



Recommended for use with Interfloor underlays for single and double stick installations.

3755 Multi-Purpose
3770 Tackifier

Non Waterproof Single Sided Tape (See Page 22)



For the perfect lasting finish to single and double stick installations. The underlay seams should be taped before applying the top adhesive. If the standard waterproof seaming tape is used the top adhesive will not adhere to it. In time this is likely to cause a shadow line where the carpet is not stuck to the underlay. This tape eradicates this problem by ensuring strong adhesion between carpet and underlay across the underlay joins.

6461

Gripperrods flooring adhesives



Gripperrods flooring adhesives are specifically formulated for reliability, speed and ease of application. A comprehensive range of quality controlled and tested products to cover all requirements of the professional installer. A full technical service is available for information on specification and recommendations. Material Safety Data Sheets are available for all products. All Gripperrods flooring adhesives should be stored within a temperature of 5°C - 30°C and should be protected from frost. Shelf life - 12 months when stored at the correct temperature in unopened containers.

Multi-Purpose Fast Grab Adhesive and Multi-Purpose Adhesive

Coverage: 30 - 54m² (depending on trowel size and sub-floor conditions)

Two multi-purpose adhesives differing only in speed of wet grab and open time.

High temperature grade rubber resin flooring adhesives developed to give good wet grab and strong final bond for permanent adhesion of a wide range of floor coverings. It is water based, has low odour and is easy to spread. It is suitable for use over normal underfloor heating systems and will withstand normal wet cleaning techniques.

The adhesives have been tested to stringent flammability, smoke and toxicity standards and are fully compliant with the IMO Fire Test Procedures Code: Annex 1, Part 5 and Annex 2.

Where ambient temperatures are lower than ideal, or where fast, strong wet grab is preferable, Multi-Purpose Fast Grab should be chosen. If a longer open time is beneficial (e.g. border work), or if ambient temperatures are higher than normal, Multi-Purpose should be chosen.

Gripperrods Multi-Purpose adhesives are recommended for the bonding of:

- Carpet to Durafit, System Ten and Technics underlay
- Carpets: jute, polypropylene Action-Bac, synthetic woven backed, mineral felt backed, woven and tufted carpets, needlepunch/fibrebonded carpets and carpets backed with bitumen, latex foam, gel foam and vinyl
- Vinyls - sheet vinyls, foam cushion and some linoleums

Not suitable for urethane backed carpets.

3735 15ltr Fast Grab
3755 15ltr Multi-Purpose

Tackifier Adhesive

Coverage: 45 - 135m²

An acrylic polymer emulsion flooring adhesive which dries to form a translucent, permanently tacky coating. It is water based, solvent free, has low odour and is easy to spread by trowel or roller.

The adhesive was developed to provide a peelable bond for a wide range of floor coverings which need to be easily lifted when required, without significant damage to either the floor covering or the sub-floor. When used as a wet-lay adhesive a strong permanent bond can be achieved.

Gripperrods Tackifier adhesive is suitable for the bonding of:

- Durafit, System Ten and Technics underlays
- Carpets: jute, polypropylene, Action-Bac, urethane, bitumen, rubber and vinyl backed carpets including needlepunch/fibrebonded and carpet tiles
- Vinyls: Sheet vinyl, cushion vinyls and most smooth backed floor coverings

3770 15ltr

Acrylic HP Adhesive

Coverage: 45 - 60m²

An acrylic emulsion-based flooring adhesive with excellent PVC plasticiser resistance designed for the permanent bonding of vinyl floor coverings.

Recommended for the permanent bonding of sheet vinyl, vinyl tiles, cushion vinyls and other vinyl-backed floor coverings. Also suitable for some linoleum tiles and cork floor coverings, plus many carpets and needlepunch floor coverings where a totally solvent-free system is specified.

3789 15ltr

Standard Multi-Purpose Adhesive

Coverage: 30 - 54m²

A cost effective latex/resin emulsion flooring adhesive designed for the permanent bonding of a wide range of carpets and some vinyls. As with the Multi-Purpose adhesives, Standard Adhesive is water-based, has low odour, is easy to spread and is suitable for use over normal underfloor heating systems.

3711 15ltr

Supertack Adhesive

Coverage: 90 - 195m²

A modified acrylic polymer emulsion flooring adhesive which dries to form a translucent, permanently tacky coating with low aggression.

It is solvent-free, has low odour and is easy to spread by either trowel or roller.

The adhesive was developed so that when laid into dry, it provides a releasable bond for a wide range of floor coverings without significant damage to either the floor covering or the subfloor. When used as a wet-lay adhesive, a strong permanent bond can be achieved.

Supertack Adhesive is recommended for Durafit, System Ten and Technics systems.

3736 15ltr

Latex Adhesive

Coverage: 8 - 12m²

A natural rubber latex flooring adhesive developed to provide a permanent bond to edges and seams of carpets and underlays. It is water-based, solvent free, has a slight ammonia odour and is easy to apply by either brush or suitable applicator for applying a bead of adhesive.

3722 5ltr

Spray adhesives

Multi-Purpose Spray Adhesive



Coverage: Approx 1.5m² per can

Synthetic rubber, solvent based, aerosol spray which is easily applied for light bonding work on a wide range of substrates. Ideal for fixing carpet tiles and for domestic application of foam back materials. (Not suitable for use with plasticised PVC or expanded polystyrene).

GR5018 12 x 500ml

Vinyl Spray Adhesive



Coverage: Approx 1.5m² per can

Specially formulated for use with vinyl floor tiles or sheets, including vinyl backed floor coverings.

GR5020 12 x 500ml

Contact Spray Adhesives

NEW



Coverage: Approx 7-10m² per can
12 x 750ml aerosol can

We are pleased to introduce the new Gripperrods Contact Spray Adhesive.

Designed for the fast and trouble free application of carpet upstands, hard PVC cappings and upstands and other materials. Supplied in an aerosol with 3 way nozzle, this adhesive:

- Forms a high strength bond
- Is fast drying to give a high fast tack surface with a long open time
- Reduces installation time
- Has improved heat resistance
- Is ideal for hard PVC coving, cappings, sit on and set in skirtings

Not recommended for soft or highly plasticised PVCs for which the new Gripperrods Contact Tape is the recommended, trouble free installation method, see Page 23.

GR5022 12 x 750ml

Adhesives to fix gripper, edgings and nosings

Rapidbond Adhesive



Coverage per cartridge: 40m (linear) @ 3mm bead diameter

A solvent free, one component, fast curing polyurethane adhesive in gunnable cartridge form. Permanently bonds carpet gripper, metal edgings and stair nosings to concrete, timber, metal and terrazzo floors.

Use with applicator gun TAS010 (Page 25).

6616 12 x 310ml

Gripper Adhesive



Coverage per cartridge: 14m (linear) @ 6mm bead diameter

A high quality, synthetic rubber, gunnable cartridge adhesive ideal for bonding carpet gripper, metal edgings and stair nosings to concrete, timber and terrazzo floors. Gripper adhesive also has gap filling properties. Where a fast bond is required use Rapidbond Adhesive 6616.


Use with applicator gun TAS010 (Page 25).

GR6613 12 x 310ml

WIN OVER £250 WORTH OF TOP TIP PRODUCTS!

See Page 32 for details.

A comprehensive range of high quality edgings with a choice of finishes



PRODUCT IMPROVEMENTS

NEW



Improved polish finish

The past few years have seen a swing in popularity away from simbrass finish edgings toward aluminium finish. Five years ago simbrass represented almost 70% of the market; aluminium is now close to 50% of demand. This change has been due to the increasing popularity of aluminium, chrome and steel door furniture, light fittings and appliance trims in the home.

In order for you to take best advantage of this trend we have improved our polishing methods to give a consistently higher level of finish on our polished aluminium profiles. These can easily be identified by their Gripperrods branded release tape, there to protect the surface until removed following installation.

Fixings provided with all edgings

Gripperrods metal edgings are now supplied complete with all required fixings:

- Dual purpose floor nails for stretch fit edgings
- Screws to match the metal finish for all cover strips & lino edges

Improved packaging

All edgings are covered with protective tape following surface treatment in the factory. This keeps the showface protected right through until the installation is complete and the protective tape removed.

We have also redesigned the cartons that we use for our short length metals to give a tighter, more compact pack. We trust you will find that these changes ensure a much improved protection of the product from factory to installation.

- Polished aluminium
- Simbrass, a hardwearing, anodised aluminium finish, simulating brass
- Matt silver, a hardwearing, anodised aluminium finish
- Polished solid brass for top quality domestic and commercial use

New standard lengths for metal profiles

Changes in building regulations over recent years to accommodate wheelchair access in all new houses have resulted in a minimum door width requirement of 2'10" (0.864m). The 2'8" (0.81m) traditional door bar length, whilst ideal for the existing housing stock, is obviously not suitable for new houses.

We have revised our standard lengths of metal profiles to 2.7m and 0.9m to suit these changing market requirements. We continue to offer the most popular profiles in 0.81m lengths to meet the demand for replacement door bars for the existing housing stock.

We no longer offer 8' lengths.

We have also changed our standard pack content to 40.5m.

As always there are a few exceptions offered in smaller pack sizes to keep the price per pack at a sensible level e.g. solid brass.


With these size changes we have also simplified our product codes, retaining the initial 4 or 5 digits which our customers know as the profile identification, but dropping the final three digits which were historically linked to pack content.

We trust that the way we have amended the product selection part of this metal edgings presentation will allow you more easily to identify product codes for the items you select.

This new standard pack contains:

- Either 15 pieces of 2.7m length (8' 10 1/2")
- Or 45 pieces of 0.9m length (2' 11 1/2")
- Or 50 pieces of 0.81m length (2' 8")

Single edgings - flat base




Neat-Trim has a flat base, making it ideal for use on solid floors, either mechanically fixed, or installed using 6616 Rapidbond adhesive (See Page 7).

The angle and sharpness of the teeth ensure the firmest grip of the carpet backings.

Dual purpose fixing nails supplied in the pack.

	Finish	0.81m x 50 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube
Neat-Trim Domestic (economy version) High lustre finishes in both simbrass and polished aluminium. The lighter, economy version of Neat-Trim Standard.					
	Aluminium	1202	1203	1209	-
	Simbrass	1572	1573	1579	-
Neat-Trim Standard High lustre finishes in both simbrass and polished aluminium.					
	Aluminium	-	1213	1219	-
	Simbrass	-	1673	1679	-
Neat-Trim Fluted As Neat-Trim Standard, but with fluting to give a rich tone against the carpet (see image at top of page).					
	Aluminium	-	-	1229	-
	Simbrass	-	-	1429	-
Neat-Trim Solid Brass For the highest class finish, polished natural brass.					
	Solid Brass	-	-	-	1259
Neat-Trim Without Teeth Neat-Trim Standard without teeth. Suitable for double stick installations, foam backed carpets and carpet tiles.					
	Aluminium	-	-	1219A	-
Carpet Tile Edging Specifically designed to protect the exposed edges of loose laid carpet tiles where no wall line exists.					
	Aluminium	-	-	7119	-
	Simbrass	-	-	7419	-





Single edgings - raised base





The best type of single edge for carpets fitted with underlay. The underlay is cut so that it butts up to the lip of the profile, giving a smoother transition to the finished installation.

The angle and sharpness of the teeth ensure the firmest grip on the carpet backing.


Dual purpose fixing nails supplied in the pack.

	Finish	1.21m x 10 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube
Metledge Standard With a high lustre finish in both simbrass and polished aluminium.					
	Aluminium	-	-	1019	-
	Simbrass	-	-	1619	-
Metledge Solid Brass For the highest class finish; polished natural brass.					
	Solid Brass	-	-	-	1059
Square Edge Can be used for a variety of installations, as a carpet capping or finishing to open plan areas; easily mitred to form an access panel. Finished with a fine ribbed design which will keep its appearance even when subjected to heavy traffic.					
	Aluminium	-	4153	4159	-
	Simbrass	-	4573	4579	-
Karpetedge™ Used in conjunction with carpet gripper, Karpetedge™ provides a perfect, rolled edge finish to the carpet on flush surfaces in low traffic areas. It is ideal for providing a finish to open landings or coved skirtings.					
	Aluminium	7011	-	-	-

Z Section

	Finish	0.81m x 50 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube
Z Section 8mm Gives a smooth transition between laminate and adjacent stretch carpet installation. Top of section should be lightly dressed down using a rubber mallet after fitting, to ensure a snug fit to edges of both floor coverings.					
	Aluminium	-	9313	9319	-
	Simbrass	-	9363	9369	-
	Matt Silver	-	9353	9359	-
Z Section 14mm As Z Section 8mm but without teeth. Can be used in conjunction with wooden gripper for laminate to carpet installations.					
	Simbrass	-	-	-	94069

Double edgings - Dualgrip™








The perfect edgings for the joint between two carpets fitted with underlay.

Available in various designs to suit every installation requirement.


The angle and sharpness of the teeth ensure the firmest grip on the carpet backing.

Dual purpose fixing nails supplied in the pack.






	Finish	0.81m x 50 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube
Dualgrip™ Standard The industry standard with a full 20mm top and 50mm base, available in high lustre finishes in both simbrass and polished aluminium.					
	Aluminium	4022	4023	4029	-
	Simbrass	4162	4163	4169	-
Dualgrip™ Raised Base Raised base is the best type of double edge for carpets fitted with underlay, which is cut to butt up to the lips of the profile giving the smoothest transition to the finished installation. High lustre simbrass finish.					
	Simbrass	-	-	4179	-
Dualgrip™ Heavy Duty Raised Base This heavy duty version of the raised base Dualgrip is designed to secure the heavier grade of contract carpet. Recommended for the best installations. The wider top and the high lustre simbrass gives that 'quality' finish that can't be achieved using the standard product.					
	Simbrass	-	-	-	4239
Dualgrip™ Clip-on The polished solid brass 'T' section clips onto an aluminium Dualgrip base. This allows the carpet to be set on the pins before applying the brass 'T' section.					
	Solid Brass	-	-	-	4439
Dualgrip™ Raised Base Solid Brass A high quality solid brass profile for the highest class finish.					
	Solid Brass	-	-	-	4469

To order call 01706 238 810

Cover strips - adjacent flooring at the same height



A comprehensive range of edgings for joins between two floor coverings at the same height. Precision drilled and countersunk. Screws provided in colours to complement the metal finish.

	Finish	0.81m x 50 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube
Carpet Cover Strips	The angled ribs extruded on the underside lock into the carpet pile and draw the two edges together when the strip is screwed to the floor. Suitable for use with all types of carpet. High lustre finish in both simbrass and polished aluminium.				
	Aluminium	7062	7063	7069	-
	Simbrass	7462	7463	7469	-
Cover Strip Wide	Designed for use with low pile carpets, carpet tiles or resilient floor coverings. High lustre finish in both simbrass and polished aluminium.				
	Aluminium	8052	8053	8059	-
	Simbrass	8322	8323	8329	-
Cover Strip Solid Brass	High quality, solid brass profile suitable for heavy traffic areas on carpet or resilient floors.				
	Solid Brass	-	-	-	1759
Linoedge Cover Strip Narrow	Conceals and protects joins between all grades and thicknesses of resilient floor coverings. High lustre finish in both simbrass and polished aluminium.				
	Aluminium	-	-	8049	-
	Simbrass	-	-	8449	-
Cover Strip Extra Wide	The widest cover strip in the range to cover difficult joins between any floor coverings.				
	Aluminium	-	-	9279	-
	Simbrass	-	-	9479	-

TOP TIP Fit the best gripper available


Gripperods New Golden Gripper costs less than 50p a room extra! (Based on a 4m x 4m room)

- New improved design
- Full 1" wide strip. Higher bond strength in stick down installations
- 10% more floor nails than previous specification
- 9% more holding pins than previous specification







See Page 2 for details.

To WIN a box of Golden Gripper & other products see Page 32.

Vinyl & lino edgings - adjacent flooring at different heights



A range produced from high quality extrusions and designed to protect the exposed edges of various grades of resilient floor coverings. Precision drilled, countersunk and supplied with fixing screws.

	Finish	0.81m x 50 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube
Linoedge Small	For resilient floor coverings up to 4mm thick. Has a high lustre finish in both simbrass and polished aluminium.				
	Aluminium	-	-	8019	-
	Simbrass	-	-	8409	-
Linoedge Medium	For resilient floor coverings up to 5mm thick. Has a high lustre finish in both simbrass and polished aluminium.				
	Aluminium	-	8023	8029	-
	Simbrass	-	8413	8419	-
Linoedge Large	The largest section in the vinyl/linoedge range, suitable for resilient floor covering up to 7mm thickness. High lustre finish in polished aluminium.				
	Aluminium	-	-	8039	-
Angle edges					
Small Angle Section	For applications requiring a right angled finish. Plain one edge, ribbed on the other. Undrilled.				
	Aluminium	-	-	7079	-
	Simbrass	-	-	7479	-
Matwell Edging	For any application where a 'right angled' edging is required and offering a higher quality finish than the small angle section. Particularly suitable for mat wells, where the ridged surface provides a non-slip finish to the installation. Undrilled.				
	Aluminium	-	-	7059	-
	Simbrass	-	-	7459	-
Stair nosings					
Stair Nosing (with separate insert)	Stair nosings with anti slip black ribbed vinyl insert; ideal for light commercial or domestic use. Inserts included separately in the tube, to be fitted after the metal nosing has been fixed to the stair.				
	Aluminium	-	-	-	19419
	Gold effect	-	-	-	19439
	Solid Brass	-	-	-	19409

To order call 01706 238 810


Edgings for laminate and wood floors



Edgings for every application. Designed for ease of installation and allowing for the expansion of wooden floor covering. See Page 16 for our new clip-down edgings for wood floors.


	Finish	0.81m x 50 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube															
Z Section 8mm																				
Gives a smooth transition between laminate and an adjacent stretch carpet installation. Top of section should be lightly dressed down using a rubber mallet after fitting, to ensure a snug fit to edges of both floor coverings. High lustre finish in both simbrass and polished aluminium. Also available in matt silver where this type of contrast to the laminate décor is preferred.																				
<table border="1"> <tr> <td>Aluminium</td> <td>-</td> <td>9319</td> <td>9319</td> <td>-</td> </tr> <tr> <td>Simbrass</td> <td>-</td> <td>9363</td> <td>9369</td> <td>-</td> </tr> <tr> <td>Matt Silver</td> <td>-</td> <td>9353</td> <td>9359</td> <td>-</td> </tr> </table>						Aluminium	-	9319	9319	-	Simbrass	-	9363	9369	-	Matt Silver	-	9353	9359	-
Aluminium	-	9319	9319	-																
Simbrass	-	9363	9369	-																
Matt Silver	-	9353	9359	-																
Z Section 14mm																				
As Z Section 8mm but without teeth. Can be used in combination with wooden gripper for laminate to carpet installations.																				
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>94069</td> </tr> </table>						Simbrass	-	-	-	94069										
Simbrass	-	-	-	94069																
Edge Cap 8mm																				
To give a neat square edge against which to butt other floor coverings. Also effective for finishing around French windows or raised thresholds. Fits over edge of laminate. No screws or fixings required.																				
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>11069</td> </tr> <tr> <td>Matt Silver</td> <td>-</td> <td>-</td> <td>-</td> <td>11059</td> </tr> </table>						Simbrass	-	-	-	11069	Matt Silver	-	-	-	11059					
Simbrass	-	-	-	11069																
Matt Silver	-	-	-	11059																
Edge Cap 14mm																				
14mm version of the edge cap.																				
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>11269</td> </tr> </table>						Simbrass	-	-	-	11269										
Simbrass	-	-	-	11269																
Ramp Edge 8mm																				
Gives a smooth transition down to resilient floorings. Drilled, countersunk and supplied with screws. Available in high lustre simbrass finish.																				
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>11469</td> </tr> </table>						Simbrass	-	-	-	11469										
Simbrass	-	-	-	11469																
Ramp Edge 14mm																				
14mm version of the ramp edge. Drilled, countersunk and supplied with screws.																				
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>11669</td> </tr> </table>						Simbrass	-	-	-	11669										
Simbrass	-	-	-	11669																

Edgings for laminate and wood floors



	Finish	0.81m x 50 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube										
Round Edge 8mm															
Gives a smooth transition down to adjacent resilient flooring. Fits over edge of laminate. Allows for expansion. No screws or fixings required. Available in high lustre simbrass finish or matt silver where this type of contrast to the laminate décor is preferred.															
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>11769</td> </tr> <tr> <td>Matt Silver</td> <td>-</td> <td>-</td> <td>-</td> <td>11759</td> </tr> </table>						Simbrass	-	-	-	11769	Matt Silver	-	-	-	11759
Simbrass	-	-	-	11769											
Matt Silver	-	-	-	11759											
Round Edge 14mm															
14mm version of the round edge.															
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>11869</td> </tr> </table>						Simbrass	-	-	-	11869					
Simbrass	-	-	-	11869											
Joint Cover 8mm															
Gives a pleasing finish covering the joint between two areas of laminate. Fits over two adjacent laminate edges allowing for expansion. No screws or fixings required. Available in high lustre simbrass or matt silver where this type of contrast to the laminate décor is preferred.															
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>96069</td> </tr> <tr> <td>Matt Silver</td> <td>-</td> <td>-</td> <td>-</td> <td>96059</td> </tr> </table>						Simbrass	-	-	-	96069	Matt Silver	-	-	-	96059
Simbrass	-	-	-	96069											
Matt Silver	-	-	-	96059											
Joint Cover 14mm															
14mm version of the joint cover.															
<table border="1"> <tr> <td>Simbrass</td> <td>-</td> <td>-</td> <td>-</td> <td>98069</td> </tr> </table>						Simbrass	-	-	-	98069					
Simbrass	-	-	-	98069											

Edgings for laminate and wood floors



New clip-down edgings

We are pleased to introduce the Gripperods clip-down edging for joints between:


- Wood or laminate and wood or laminate
- Wood or laminate and carpet or carpet tiles
- Wood or laminate and vinyl or lino
- Wood or laminate and ceramic or natural stone tiles

The one product is suitable for thicknesses of floor covering installation (floor coverings plus underlay) of between 6mm and 24mm with a difference in height between the two floor coverings of up to 12mm.

This product comprises of

- An aluminium base with a pre-applied adhesive strip for fixing to the floor.
- A decorative aluminium cover strip available in a pearl brass or pearl silver finish. These slightly subdued lustres give a pleasant contrast to wood and laminate décors.
- Sets of three different height clips. The clips to be used depend on the overall height differences across the joint. These are specified in the instructions.

Each length is packed in a plastic sleeve containing all of the fixings required and detailed fitting instructions.



	Finish	0.81m x 50 Per Carton	0.90m x 45 Per Carton	2.70m x 15 Per Tube	2.70m x 10 Per Tube
Clip-down 	Pearl Brass	-	-	-	99069
	Pearl Silver	-	-	-	99059

Other finishing items for wood and laminate floors

Display packed threshold strips, quadrants and pipe collars.



	Finish	6 x 0.81m (2'8") 4.86m (16'0") Carton	10 x 2.0m (6'6"), 20m (65'7") Pack
Threshold Single Edge 	Light Wood	GR7701D	-
Threshold Double Edge 	Light Wood	GR7801D	-
Quadrants 	White	-	WKWHIQR
	Oak	-	WKOAKQR
	Beech	-	WKBEEQR
	Maple	-	WKMAPQR
	Mahogany	-	WKMAHQUR

Manufactured from solid, natural wood

Pipe Collars In Natural Wood			
Easily installed collars for radiators and other pipes, giving the perfect finish on wooden floors. With 19mm diameter hole to fit standard domestic central heating pipes.			
5 packs/1 pair per pack, 10 collars per carton			
Oak	Beech	Maple	
WKOAKPCR	WKBEEPCR	WKMAPPCR	

TOP TIP



The fastest way to fit quadrants and edgings

Gripperods Rapidbond Adhesive is a solvent free, one component, fast curing polyurethane in a handy 310ml cartridge.

See Page 7 for details.

TOP TIP




A perfect cut for the perfect joint

To ensure perfect joints when fitting quadrants use Gripperods' Mitre Gripper Shears to cut mitres to an exact angle.

See Page 27 for details.

To order call 01706 238 810

DIY edgings



A comprehensive range of metal profiles, individually shrink wrapped and bar coded. Produced specifically for retail display by the EPOS (Electronic Point of Sale) user. Available in high lustre finish in both Simbrass and Polished Aluminium. Also available in Matt Silver where this type of contrast to the laminate décor is preferred.

	Finish	0.81m x 10 Per Carton	2.44m x 6 Per Tube
Neat Trim Carpet To Smooth Floor 	Aluminium Simbrass	GR9010D GR9200D	- -
Dualgrip Carpet To Carpet 	Simbrass	GR9450D	-
Carpet Cover Strip 	Aluminium Simbrass	GR9760D GR9780D	GR7108.048D GR7468.048D
Cover Strip Smooth Floors 	Aluminium Simbrass	GR9790D GR9796D	- -
Cover Strip Extra Wide 	Aluminium Simbrass	GR9272D GR9472D	- GR9478.048D
Medium Vinyl Edge 4.5mm 	Aluminium Simbrass	GR9820D GR9860D	- -

OTHER DIY TOP SELLERS

Spray adhesives for carpets and vinyls

Two products comprising:

Multi-Purpose Spray Adhesive for carpets, carpet tiles and a whole range of other materials except vinyls.

Vinyl Spray Adhesive specially formulated for applying vinyl materials.

- Retail unit for both products is a 500ml spray can
- Supplied in cartons containing 12 cans
- Packaged and bar coded ready for display

See Page 7 for details.

OTHER DIY TOP SELLERS

Cartridge adhesive for installing gripper and edgings

A high quality gap filling adhesive for bonding carpet gripper and metal edgings to the subfloor.

- Retail unit is a 310ml cartridge (fits a standard cartridge applicator gun)
- Supplied in a carton containing 12 cartridges
- Packaged and bar coded ready for display

See Page 7 for details.

DIY edgings



	Finish	0.81m x 10 Per Carton	2.44m x 6 Per Tube
Z Section 8mm 	Aluminium Simbrass Matt Silver	GR9302D GR9362D GR9352D	GR9308.048D GR9368.048D -
Square Edge 8mm 	Simbrass Matt Silver	GR1106D GR1105D	GR1106.048D -
Ramp Edge 8mm 	Simbrass	GR1146D	GR1146.048D
Round Edge 8mm 	Simbrass Matt Silver	GR1176D GR1175D	GR1176.048D -
Joint Cover 8mm 	Simbrass Matt Silver	GR9606D GR9605D	- -

OTHER DIY TOP SELLERS

Double sided tapes

A range of qualities for all carpet, carpet tile and vinyl floor applications.

- Available in a variety of roll sizes to suit any size of project
- Packaged and bar coded ready for display

See Page 22 for details.

OTHER DIY TOP SELLERS

Single sided underlay joining tapes

The range comes packaged and bar coded ready for display and comprises:

- A waterproof single sided tape for carpet underlay seams (45m roll size)
- A single sided tape for wood and laminate underlay seams that creates a moisture barrier (25m roll size)

See Page 22 for details.

OTHER DIY TOP SELLERS

Carpet gripper

Tackfast™ medium pin with dual purpose floor nails.

- Room size retail pack comprises eight 5ft lengths
- Supplied in carton containing 12 retail packs
- Packaged and bar coded ready for display

See Page 3 for details.

To order call 01706 238 810

Heat seam tapes - Heatac™




Manufactured in our UK factory in a quality controlled environment, which ensures the very high standards that have made Gripperods the market leader in this product sector. All tapes feature a woven scrim with a glass fibre weft and a polyester warp. The glass fibre gives maximum strength across the seam, with no stretch, the polyester allows some stretch along the length. The scrim is stitched to the paper backing to ensure stability. The potential strength of the tape in the finished seam will depend on the density of glass fibre weft (stitches per inch in the scrim), the formulation of the adhesive and the amount of adhesive.

We offer a range of different specification tapes to suit your various requirements. All are designed to give a strength of finished seam in excess of British Standards. The finished seam strength will also depend on selecting the right tape for the job and using the best of tools.

For recommended equipment, See Page 29.

Gold Line



Conventional woven or secondary jute backed carpets and Action-Bac

Our top of the range tape is recommended for use in high traffic areas. Instead of the regular crepe paper backing it features a metallised gold foil that offers additional installation benefits:

- Reduces heat loss into the floor, giving a faster adhesive melt rate when the iron is applied and a faster seaming speed if required
- Slows down the adhesive cooling rate, allowing more working time for pattern matching etc
- Allows better control at lower temperatures for sensitive carpet piles and backings

6736B 20m x 10 Per Carton

Seamwell




Conventional woven or secondary jute backed carpets and Action-Bac

This tape offers an adhesive formulation and weight designed for high traffic installations and particularly for more difficult backings such as Action-Bac. The adhesive system is designed specifically to achieve good overall contact with these more rigid, uneven textured backings.

6734B 20m x 10 Per Carton

6735B 100m x 2 Per Carton

Seamwell Flat




Conventional woven or secondary jute backed carpets and Action-Bac

This tape is designed for the same heavy wear areas and difficult backings as Seamwell but is for those installations where a flat adhesive profile is preferred.

6727B 20m x 10 Per Carton

6728B 100m x 2 Per Carton

Multiline



Conventional woven or secondary jute backed carpets


Designed for traditional backed carpets installed in moderate traffic areas.

6712B 20m x 10 Per Carton

6713B 100m x 2 Per Carton

Heat seam tapes - Heatac™

Standard Gold




Conventional woven or secondary jute backed carpets

A lower cost alternative to Gold Line tape.

It offers the same installation benefits but is designed for light traffic areas only.

6730B 20m x 10 Per Carton

Standard



Felt backed carpet, conventional woven or secondary jute backed carpets

This tape is designed for use in the fitting of felt backed carpets. The lower melt temperature of the adhesive prevents damage to the carpet backing.

The ribbed adhesive profile is designed specifically for use with the THS002 Super Heat Seam Iron. (See Page 29 for details).

This enables the tape to be centred automatically and ensures that the exact amount of adhesive is delivered for seam sealing.

This tape also provides a lower cost alternative to Multiline tape for seaming conventional woven or secondary jute backed carpets in light traffic areas.

6702B 20m x 10 Per Carton

Technical detail and recommended use guide

KEY: H = High Traffic M = Moderate Traffic
L = Light Traffic NR = Not Recommended

Cat. No.	Stitches Per Inch	Backing Type	Adhesive and Profile	Jute	Woven	Poly-propylene	Felt Back
6736B	6-7	Foil	Supreme Ribbed	H	H	H	NR
6734/5B	6-7	Crepe Paper	Supreme Ribbed	H	H	H	NR
6727/8B	6-7	Crepe Paper	Supreme Flat	H	H	H	NR
6712/3B	5-6	Crepe Paper	Standard Ribbed	M	M	NR	NR
6730B	3-4	Foil	Standard Ribbed	L	L	NR	NR
6702B	3-4	Crepe Paper	Super LT & Special Rib	L	L	NR	M

Caution: In some cases of secondary backings and heat set yarns, the heat transfer from seaming can cause delamination and/or pile reversal. If in doubt, a sample test should be carried out prior to installation.

Silvaseam®

Silvaseam Tape



Conventional woven contract and domestic carpets

Designed for use with the THS007 Silvaseam Machine (see Page 29) or similar compatible designs.

An alternative to conventional heat seaming, this top of the range system can be used for seaming 10m of carpet at a time. Longer seams can be made quickly & efficiently by the use of Silvaseam Probes & Plates (THS007P).

Benefits of the system include:

- No iron, enabling the fitter to use both hands for pattern matching
- Adhesive can be re-melted to remake seam if required

2000 50m x 5 Per Tub

Pressure sensitive tapes



We are pleased to offer a comprehensive range of tape systems:

- Double sided pressure sensitive tapes for every floor covering requirement, including display packed products
- Single sided pressure sensitive underlay tapes
- Specialist composite tapes for the tension fitting of felt backed carpets (see Page 4)
- Vapour barrier tapes for wood/laminate underlay
- New impact tape for fixing covings and upstands

Double sided tapes	Trade packed			Display packed and bar coded			
	50mm x 50m Per Roll	50mm x 50m 5 Per Carton	50mm x 25m 5 Per Carton	50mm x 50m 12 Per Carton	50mm x 10m 12 Per Carton	50mm x 5m 24 Per Carton	44mm x 25m 12 Per Carton
Premier Gold	6492	-	-	-	-	-	-
A contract grade double sided tape with a very heavy coating of aggressive synthetic rubber resin adhesive and easily tearable woven cotton carrier, providing high initial tack and subsequent bond strength. Flexible and conformable to all floor surfaces. Excellent gap fill and adhesion to heavily textured carpet backings. Suitable for installing rubber, foam-backed carpets, traditional, polyurethane and woven polypropylene backings.							
Premier Silver	-	6493P	-	-	-	-	GR6496DIY
A heavy domestic grade tape with a high coating of synthetic rubber resin adhesive on a woven cotton scrim and siliconised kraft paper liner which can be easily removed. Flexible and conformable to all floor surfaces. Good gap fill and adhesion to textured surfaces. Suitable for foam-backed and polyurethane backed carpets.							
Premier Bronze	-	6494P	-	GR6494DIY	GR6541	-	GR6498DIY
A medium duty carpet tape with a thin film carrier and outstanding tack and adhesion. Suitable for flat, even subfloors. No ridges or tramlines on thin floor coverings. Suitable for use with carpets and carpet tiles.							
Premier Green PMR	-	-	6495P	-	-	GR6544	-
A high technology product formulated from a special adhesive system to withstand the rigours of plasticiser attack. Specified by many manufacturers of PVC backed textile and PVC resilient floor coverings.							

Single sided tapes	50mm x 50m Per Roll	43mm x 50m Per Roll	43mm x 45m 24 Per Carton
	Waterproof Premier	6462	-
A premium quality single sided tape with a heavy adhesive coating for joining underlay in stretch installations.			
Waterproof Standard	-	-	GR6456
A standard quality single sided tape for joining underlay in stretch installations.			
Non Waterproof	-	-	6461
A specially designed tape for joining underlay in double stick installations. The non waterproof property ensures a good bond is achieved between underlay and carpet across the underlay joints. Traditional waterproof single sided tapes can lead to non-adhesion between carpet and underlay and subsequent shadow lines on stick down installations.			

Vapour barriers	250mm x 50m Per Roll	75mm x 25m 24 Per Carton
	Vapour Tape	-
A self adhesive seaming tape for use with Timbermate Excel, Silentfloor Gold and Boardwalk underlays. The tape creates a moisture barrier and strengthens underlay joints.		
Vapourstop Sealing Strip	6929	-
Ensures the integrity across the underlay joints of the moisture resistant barrier when used with Timbermate Excel or Silentfloor Gold underlays for wood and laminate floors.		

Tape not right for your job?
See our full range of Gripperods adhesives for your installation requirement on Pages 6 & 7.

New contact tape



We are pleased to introduce the new range of Gripperods contact tapes. Designed for the rapid and trouble free application of flexible vinyl and other dimensionally stable, smooth backed upstands to a variety of wall surfaces (plaster, concrete, ceramic tile, wood, metal).

The specialist properties of the tape are:

- A construction grade impact adhesive coating giving a fast tack, high strength two way bond
- A very fine web carrier that leaves no ridges or tramlines when applying thinner materials
- A white easy release liner
- The PMR properties of adhesive make it the only recommended application method for soft PVC covings and upstands
- It can be applied precisely to the surfaces required without any overspray, unlike wet adhesives
- It is low odour and non-hazardous in normal use
- It is available in three widths to suit all heights of upstand

Contact Tape 25mm

6470P 25mm x 50m 28 Roll Box

Contact Tape 50mm

6471P 50mm x 50m 12 Roll Box

Contact Tape 85mm

6472P 85mm x 50m 8 Roll Box

See also the new Gripperods contact spray adhesive for application of hard PVC covings and cappings on Page 7.

To order call 01706 238 810

Flooring tools to make the job easier



Innovative installation tools from around the world, to meet the requirements of today's professional installers. Tools are divided into usage categories with corresponding item codes:

- Floor stripping and preparation TSP
- Adhesive and screed application TAS
- Measuring and marking TMM
- Cutting and trimming TCT
- Fixing TFX
- Heat seaming THS
- Stretching TST
- Vinyl and Lino installation TVL
- Handling and protection THP

Floor stripping and preparation

Hand Scraper



Robust scraper with soft comfortable grip, suitable for all kinds of stripping on floors and walls. The blade is set at an angle for maximum efficiency.

TSP001
Spare blade (10 pieces) TSP001A

Carpet Claw



Designed to assist the installer when removing stuck down materials from a subfloor. Powerful jaws operate on the lever system - the harder they are pulled, the tighter they grip. Can be used on all types of floor covering.

TSP003

Tack and Moulding Lifter



Manufactured from high carbon forged steel, ideal for removing gripper, metals or timber mouldings. Notched at both ends for removal of tacks and nails.

TSP010

Long Handled Floor-Scraper



A very stable and heavy duty floor scraper, ideal for removing all types of adhered floor covering.

Length: 1.53m (5').

TSP002
Spare blade (1 piece) TSP002A

Carborundum Stone and Handle



A 20cm x 10cm grinding stone with a D-shaped handle which allows the installer to work more quickly and efficiently to remove trowel marks or high spots from screeds.

TSP007

TOP TIP

A perfect finish


Wood Neat Edge (Blind Gripper) is a Tackfast™ width gripper with dual purpose floor nails and no pins.

- The essential gripper for the perfect finish to single and double stick installations
- Blind gripper enables a traditional tucked edge to be achieved around the walls

See Page 5 for details.

Adhesive and screed applications

Adhesive Applicator Gun



For use in the application of cartridge based adhesives.

TAS010

Glider



A heavy metal glider for ensuring perfect adhesion of underlay to subfloor and floor coverings to underlay backing in stick down installations.

TAS013

Applicator Bottle



This handy 8oz dispenser bottle enables the installer to apply adhesives quickly and accurately.


TAS009B Pack of 10 Bottles

Tackifier Trowel



Unique notch dimensions specifically designed for use with Interfloor Tackifier 3770, with a beech handle. Notches 5mm depth x 20mm centre, with 1mm notch.

TAS017



Adhesive Trowel B1 Notching



Traditional tempered steel trowel, notched four sides with hard wood handle. Notches 1.5mm deep x 5mm centres.

TAS007



Spare blade B1 notching TAS007B1

Adhesive Trowel B2 Notching




Traditional tempered steel trowel, notched four sides with hard wood handle. Notches 2mm depth x 6mm centres.

TAS008



Spare blade B2 notching TAS008B2

Screed Trowel




Traditional tempered steel trowel with hard wood handle.

TAS001

TOP TIP

A neat idea for a neat edge



Gripperods Karpetedge™ is the easy way to create a perfect rolled edge to a stretch installation when there's no upstand for tucking - it's ideal for open landings.

Using Karpetedge™ is easy:

1. Position gripper on Karpetedge™ and nail through Karpetedge™ into sub-floor.
2. Stretch carpet on to gripper (use the appropriate gripper for the carpet and sub-floor).
3. Trim carpet allowing sufficient to tuck under Karpetedge™.
4. Dress down Karpetedge™ to give a neat, tight rolled edge.









See Page 10 for details.

To WIN a pack of Karpetedge™ and other products see Page 32.









Cutting and trimming

<p>Easy Trim</p>  <p>Wall trimmer for all types of floor coverings. Easy adjustment of blade position and angle of cut enables accurate trimming of different thicknesses of floor covering. Turning over the tool with no further adjustment allows immediate finishing of corners.</p> <p>TCT006</p> <p>Spare blade carrier TCT006.01 Spare blade TCTB009</p>	<p>Dream Seam Cutter</p>  <p>The most versatile carpet cutter that we could find. Cast aluminium body with shaped grip gives it a solid, durable feel compared to the many plastic based cutters now available. Cuts from front or back of carpet with two blade positions. Adjustable stainless steel nose plate allows row tracking and cutting for any depth of pile.</p> <p>TCT008</p> <p>Spare blade TCTB006</p>	<p>Carpet & Vinyl Trimmer</p>  <p>An inexpensive plastic moulded wall trimmer specifically designed for thinner floor coverings. Pack of six.</p> <p>GR6261</p> <p>Spare blade GR6262</p>	<p>Dolphin Knife</p>  <p>The most popular knife. Comfortable, positive grip. Easy blade replacement with thumbscrew opening, integral blade holder and magnetic blade retainer to hold blade in place whilst closing and locking. Supplied with belt clip and holder.</p> <p>TCT001</p> <p>See chart below for blades</p>
--	---	--	--

Blade selection chart

<p>Normal Duty</p>  <p>Pack Size: 100</p> <p>TCTB001</p> <p>Use with: TCT001, TCT002, TCT026</p>	<p>Heavy Duty</p>  <p>Pack Size: 100</p> <p>TCTB002</p> <p>Use with: TCT001, TCT026</p>	<p>Hooked</p>  <p>Pack Size: 100</p> <p>TCTB003</p> <p>Use with: TCT001, TCT002, TCT026</p>	<p>Concave</p>  <p>Pack Size: 100</p> <p>TCTB004</p> <p>Use with: TCT001, TCT002, TCT026</p>
<p>Trimmer Blade</p>  <p>Pack Size: 5</p> <p>TCTB006</p> <p>Use with: TCT004, TCT008</p>	<p>Easy Trimmer Blade</p>  <p>Pack Size: 100</p> <p>TCTB009</p> <p>Use with: TCT006</p>	<p>Trimmer Blade</p>  <p>Pack Size: 50 (10 packs of 5 blades)</p> <p>GR6262</p> <p>Use with: TCT007, GR6261</p>	<p>HD Slotted</p>  <p>Pack Size: 100</p> <p>TCTB008</p> <p>Use with: TCT008</p>

Cutting and trimming

<p>Small Napping Shear</p>  <p>Wide blade, blue cushion grip handle, for fast trimming. Now with enlarged finger ring.</p> <p>TCT012</p>	<p>Large Napping Shear</p>  <p>Offset blue cushion comfort grip handle with large bottom ring to minimise hand and wrist fatigue.</p> <p>TCT013</p>	<p>Super Carpet Shear 10"</p>  <p>Blue cushion grip handle and durable knife edges ensure easy cutting of textile floor coverings.</p> <p>TCT014</p>	<p>Super Carpet Shear 12"</p>  <p>Blue cushion grip handle and durable knife edges ensure easy cutting of textile floor coverings.</p> <p>TCT015</p>
<p>Lightweight Carpet Shear</p>  <p>A 10" lightweight shear pressed from stainless steel with comfortable, large ring handles.</p> <p>TCT017</p>	<p>Gripper Shears</p>  <p>Ideal for fast accurate cutting of wooden gripper to fit the contours of any room. The anvil blade provides a firm base on which to rest the gripper when cutting. Moulded, plastic coated handles for a firm comfortable grip.</p> <p>TCT018</p> <p>Spare blade and anvil TCT018A</p>	<p>Mitre Gripper Shears</p>  <p>High quality gripper shears with mitre guide for accurate cutting to any angle.</p> <p>TCT019</p> <p>Spare blade TCT019A Mitre guide TCT019B</p>	<p>Metal Snips</p>  <p>Built with powerful leverage to provide effortless metal cutting. Well designed, vinyl covered handles assure comfort and protection.</p> <p>TCT020</p>

TOP TIP

Perfect borders, mitres and seams every time

The unique **Inviseamer** from Gripperods enables the installer to create perfect borders, mitres and seams. Code: **TMM013**

It comes with a 73cm (2'5") base but longer bases are available to achieve the same perfect results over bigger areas:

- 1.83m (6ft) base only **TMM015**
- 3.66m (12ft) base only **TMM016**

See Page 28 for details.

To WIN an Inviseamer and other products see Page 32.

Measuring, marking and fixing

Chalk Line & Reel



Allows the installer to make accurate and distinct marking on floor covering prior to cutting.

TMM001

Chalk refill, white. 8oz bottle TMM001A

Steel Measuring Tape



Strong, flexible steel tape housed in a tough high visibility casing. Features a wrist strap, belt clip, auto lock device and return spring. Clearly marked in both metric and imperial measurements.

TMM002

Roll Up Straight Edge 2.1m



Flexible steel rule manufactured from 0.5mm thick flat steel. Can be rolled up by using the clip fastener provided. Length: 2.1m (6'10") Width: 80mm (3 3/16")

TMM003

Roll Up Straight Edge T-square 4.1m



The rule is made from creased, 0.5mm tempered steel. The head (600mm x 40mm x 5mm) is attached firmly at 90° using the knurled screw clamp.

TMM004

Invisiseamer



The definitive tool for cutting carpets prior to seaming. Invaluable for borderwork. Supplied with a 73cm (2'5") base. Longer bases available.

TMM013

1.83m (6') base only TMM015
3.66m (12') base only TMM016

Staple Hammer



Designed specifically for stapling underlay to timber floors with ease and speed. Only four moving parts, with good balance and comfortable vinyl hand grip. Rear loaded magazine holds 150 staples.

TFX001

Staples, 11/9mm, pack 5000 TFX001A

Awl



Traditional design for ease of use and durability. Varnished hardwood handle and forged steel point.

TFX010

Nail Driving Bar



Gives easy access to fix carpet gripper under radiators and other overhangs, or where the hammer head needs to be kept away from glass or other easily damaged surfaces.

TFX004

Magnetised Tack Hammer



Standard tack hammer with steel shaft, comfortable rubber handle grip, tack removal claw and a magnetised head.

TFX005

Tap-It Nylon Plugs

Faster, stronger and more efficient method of fixing Golden Gripper, metal edgings or stair nosings on a variety of problem surfaces. Tap-It 6794 is a nylon expansion shell with a threaded carbon steel drive screw. For Metledge or stair nosings, we recommend 6795, with a flush head. No need for marking or screwing in; Tap-Its can be used to overcome many 'on-site' problems. Rust-proof, vibration and shock proof.

6794 Tap-It countersunk head 25mm (1"), Boxes of 100
6795 Tap-It flush head 25mm (1"), Boxes of 100

Nails & Screws



- 6762P** Silvergrip masonry nails 20mm (3/4"), Pack of 5 x 1kg tubs
- 6763P** Silvergrip masonry nails 25mm (1"), Pack of 4 x 1kg tubs
- 6772P** Ring shank pre-nails 20mm (3/4"), Pack of 4 x 1kg tubs
- 6786** Blued tacks 25mm (1"), 2.5kg, boxes
- 6791P** Zinc screws 25mm (1"), Pack of 4 x 1kg tubs
- 6793P** Brass plated screws 25mm (1"), Pack of 4 x 1kg tubs

Heat seaming

Heat Seam Iron Grooved




From the same source as our Super Heat Seam Iron, this is a robust, well designed iron. Features:

- 900W heating element for fast heat up
- Five setting thermostat
- Three position cable controller allowing trailing cable to be kept out of the way
- Light indicating when iron is up to temperature
- Sturdy steel tray

THS001

Seam Weight



A specially designed tool to apply even, downward pressure across the seam as it cools. Installers often use their tool box for this purpose; this doesn't do the job properly but does indicate the need for a tool!

- Heavy cast iron top plate (17lb/7.7kg) ensures uniform pressure over whole area (6" x 12"/15 cm x 30 cm)

- Flat, durable Teflon base with perforations to allow proper cooling by allowing heat and moisture to escape through the carpet surface
- Top handle combined with Teflon base allows easy movement with no discolouration

An essential tool for professional installers seeking to make consistently high quality seams.

THS005

Super Heat Seam Iron



An exceptional seaming iron with many features that make it ideal for seaming all carpet types, including felt backs. 900W heating element for fast heat up. Tough, non-stick coating on ribbed base. Patented Teflon Carpet Guard system prevents distortion of sensitive backings. Cut away at the front of the iron to ensure backing is pre-heated. Two light safety indicator; red light 'caution, power on, iron is hot'. Green indicator lights up when selected temperature is reached. Easily adjusted, top mounted dial for setting temperature with table showing setting and temperature. Three position cable controller allowing trailing cable to be kept out of the way. Super cool handle and sturdy steel tray.

Heat Seam Tape (item 6702B) is designed specifically for use with this iron when seaming felt backs. Seams and seals in one operation. See Page 21.

THS002

Seam Roller Starwheel



Helps produce a better seam when using Heatac tapes. When used behind the iron, angled roller wheels tend to pull the nap of the carpet together, achieving better penetration between carpet backing and hot thermoplastic adhesive. For sensitive piles, use THS004 smooth roller.

THS003

Silvaseam® Seaming System



Enables the fitter to quickly and efficiently create an extremely strong seam on conventionally woven carpets. Suitable for contract and domestic use. Ideal for contract seaming.

THS007

Probe & Plate Pack

Set of two additional probes and plates allowing longer seams (greater than 10m) to be created quickly and efficiently.

THS007P

Silvaseam Tape

For use with the THS007 machine. See Page 21.

2000

Seam Roller Smooth



For seaming carpets with sensitive pile which might burst using a starwheel roller. Smooth roller enhances a good finished seam without leaving wheel marks in the pile.

THS004

TOP TIP



Choose our top seaming tape for high traffic areas

Ideal for any carpet seam in even the heaviest traffic conditions, Gripperods Gold Line Heat Seam Tape is the top of our heat seam tape range.

- Supreme quality adhesive with high density glass fibre yarn combine to give the strongest possible seam
- Gold foil enables close control of the seaming process (temperature and speed) for more difficult carpets

For details of this and our full range of Heat Seam Tapes see Pages 20 & 21.

For copies of our Heat Seam Tape Presenter and details of all tapes and associated tools contact your Sales Representative.

To WIN a carton of Gold Line Heat Seam Tape and other products see Page 32.

Stretching

Swivel-Lock Power Stretcher




- Built in swivel lock. The head has a 60° range of free swivel for stretching patterned carpet. By depressing the built-in lock pin, you can lock the swivel in five convenient positions. Lock in the straight position for square stretching or at 15° for most angle stretching. There's even a 30° setting for extreme angles found in L-shaped rooms
- Adjustable locking power head. Just a touch with your finger and the power head locks in place to allow you to take partial stretches. Gives you complete control over the amount of stretch applied
- Speed roller rail block. A unique 14" wide tail block that is equipped with wheels to run along the skirting. Also features tension control on the tail block to aid control
- Pin adjustment bar. Set-up the pin depth exactly to suit each installation


A power stretcher is a big investment for any installer. Rather than have a basic stretcher at the lowest price, it must be worth spending more for the most versatile stretcher around. We are pleased to offer the Swivel-Lock Stretcher.

Comes complete with three extension tubes, auto lock tube and one transfer tube. These make up to 7m maximum length.

TST001



60° of free swing for pattern matching.



15° locks parallel to wall for normal angle stretches.

30° lock for extreme angles found in living rooms or dining rooms.

Super Knee Kicker



This knee kicker features the widest head, the largest bumper pad and one of the longest extensions of any kicker on the market. This combination allows you to move one third more carpet with every kick. The rubber hand grip and large rubber bumper pad also make this the most comfortable kicker to use. However, the big secret is in the head. Unique, hardened stainless steel teeth replace the traditional pin plate. These allow vastly improved bite into the carpet with negligible clogging up with yarn fibre. It has simple extension and tooth depth adjustments.

TST005

- TST005A** Set of 2 shark teeth inserts
- TST005B** Spike plate

Conventional Knee Kicker



Our standard extendable knee kicker is of robust precision die-cast construction, with an easy extension mechanism, three Nap Grip inserts and adjustable pin plate with hardened steel pins. Pin depth is easily but precisely adjusted by turning the dial. Moulded buffer pad.

TST004

- 6083.01** Set of 3 Nap Grip inserts
- 6083.02** Bumper assembly
- 6083.03** Spike plate

Lino Knife/Tucker



For those who prefer the traditional tucker, this must be the best one around. Thick resilient blade. Comfortable rubberised handle.

TST008

Corner Support For Swivel-Lock Stretcher



Stretch with confidence off outside corners (such as in L-shaped rooms). A simple Z shape design to work from left or right on corners. Heavy duty steel construction with 1/8" rubber skin to prevent damage. Enables you to stretch that 'awkward' area quickly and confidently.

TST003

Stair Tool



Forged chrome steel stair tool with 70mm (2 2/8") wide blade to drive the carpet into the stair crotch.

TST010

Easy Tucker



For faster tucking than the conventional tool.

- Tucks into all door bars
- Sets carpet onto gripper pins
- Creases carpet for trimming and gives an excellent smooth tuck
- Shape and grip makes it easy to use when kicking
- Smooth action wheel

TST009

Wide Stair Tool



Wider version of TST010 with a 90mm (3 1/2") blade.

TST011

Vinyl and lino welding kit

Hot Weld Kit and Case



Complete kit for the welding of resilient floor coverings.

Kit contains:

- 1 x Leister Triac S hot air welding gun
- Voltage:** 230V~, 50/60Hz
- Power Consumption:** 1600W, 7A
- Temperature:** 20 - 700°C, infinitely controlled
- Air Flow:** max.230 l/min
- Air Pressure:** 3000Pa (30mbar) after about 24h operating time
- Weight:** 1.3Kg with 3m cord
- Size:** ø100mm x 300mm
- Handle** ø56mm

- 1 x Spare element
- 1 x Quarter moon knife
- 1 x Trimming guide
- 1 x Nozzle brush
- 1 x 'U' form grooving tool
- 1 x Sharpening stone
- 1 x Rapid nozzle

Supplied in metal carrying case (50cm x 19cm x 11.5cm).

TVL001

Handling and protection

Carpet Carrier



Sturdy, tubular steel frame, large pneumatic tyres and smooth roller bearings absorb heavy loads in the warehouse or showroom. Maximum safe working load 400 kilos.

THP001

Knee Pads



Extremely comfortable and sturdy knee pads eliminate problems often experienced from constant kneeling on cold, hard surfaces. Single pair.

THP006

TOP TIP

Choose the right adhesive for your vinyl installation

Gripperrods has an adhesive for every vinyl floor covering application:

- For large areas of vinyl floor covering we recommend our **Acrylic HP Adhesive** (See Page 6).
- For smaller areas we suggest our specially formulated **Vinyl Spray Adhesive** (See Page 7).
- For vinyl coverings, cappings and upstands we offer two alternative systems, **Contact Adhesive** (See Page 7), and **Contact Tape** (See Page 23).

Carpet fitting tool kit

Gripperrods Tool Kit



A complete carpet fitting tool kit, including all the tools required for a professional carpet fitter.

This comprehensive kit is supplied in a handy Gripperrods toolbag as featured above.

THP007

Tools include:

- TST004** Conventional Knee Kicker
- TST011** Wide Stair Tool
- TFX001** Staple Hammer
- TCT001** Dolphin Knife
- TCT017** Lightweight Carpet Shears
- TSP010** Tack and Moulding Lifter
- TMM001** Chalk Line and Reel
- THP006** Knee Pads
- TCT018** Gripper Shears

