

**FURLONG**  
WOOD FLOORING

# Unique & Timeless

Natural hardwood flooring





The  
beauty  
of nature  
in your home  
forever.

We provide some of the most beautiful species of hardwood flooring that can be enjoyed throughout your home - floors that never go out of style, should never need replacing and will grow in value in each passing year.

Our hardwood floors are taken from trees of great beauty and age, sourced from forests across Europe. Many of these trees have been nurtured throughout generations, planted by our Great, Great Grandfathers, and cared for over the past 100 years.

## Key



**TONGUE  
& GROOVE  
FITTING**



**TONGUE &  
GROOVE GLUED  
INSTALLATION**



**SECRET  
NAILED  
SYSTEM**



**LOCKING  
SYSTEM  
FITTING**



**FULLY ADHERED  
INSTALLATION**



**NATURAL  
OIL FINISH**



**UV  
PROTECTIVE  
COATING**



**INSTALLATION  
OVER UNDERFLOOR  
HEATING**

# FURLONG

WOOD FLOORING

Most of our collections are oak, a highly versatile wood giving floors of light, smooth, even grain but by careful selection different characters and profiles can be created from a rustic cottage feel to a contemporary finish.

From tree to high technology. Keeping the beauty and a unique character that can only be produced by nature the wood is processed and enhanced for the modern home. Backing added to some ranges to allow it to expand and contract with the temperature differences of under floor heating. The surface coated in the most modern oils, lacquers and varnished to give subtle variations of sheen and hue. The varnishes give protection and strength to help prevent damage from sunlight and every day wear.

Generations to create; many life times to enjoy.



# Caring for the environment

Furlong Wood Flooring takes most of its woods from the huge forests of Europe, taking advantage of the variety and quality of the oak trees that are grown there.

We are keen to take part in sustainable forest management and attach particular importance to the traceability of our floors, from the growing of the raw material in the forests to its sale in the shop.





A photograph of a living room interior. In the foreground, a red sofa is partially visible on the left. The floor is made of wide, light-colored wooden planks with a natural grain. In the background, there is a black vase with dried flowers, a black coffee table, and a framed picture on the wall. A semi-transparent white rounded rectangle is overlaid on the image, containing the text "Solid Wood".

**Solid Wood**

## VIRGINIA

An eternal solid oak flooring that will never fade or weather, available in a variety of widths.




1000

**Oak Rustic** Lacquered 90



1002

**Oak Rustic** Lacquered 120



1003

**Oak Rustic** Lacquered 150




1004

**Oak Rustic** Oiled 90



1006

**Oak Rustic** Oiled 120



1007

**Oak Rustic** Oiled 150



**Solid**



- 20 year residential guarantee
- Can be secret nailed or fully adhered
- Pre-finished with UV Lacquer
- Provisional coat of Natural Oil (requires further coat upon installation)
- The oil used is natural and left to be air dried
- Micro bevelled on 4 sides
- Random lengths
- Not recommended to be installed with an underfloor heating system

<b>LENGTH</b>	300mm - 1200mm
<b>WIDTH</b>	90mm / 120mm / 150mm
<b>THICKNESS</b>	18mm
<b>PACK SIZE</b>	2.37m <sup>2</sup> / 2.11m <sup>2</sup> / 2.31m <sup>2</sup>
<b>PALLET SIZE</b>	90mm - 45 packs = 106.65m <sup>2</sup> 120mm - 52 packs = 109.72m <sup>2</sup> 150mm - 42 packs = 97.02m <sup>2</sup>
<b>SPECIES</b>	Oak

A photograph of a room with a wooden floor. In the foreground, a black bag sits on the floor with several magazines on top of it. One magazine is titled "Manager" and another one has "RESPECT SIEMENS" on the cover. In the background, there is a table with a bowl of oranges on it. The image has a semi-transparent purple overlay in the upper left corner containing the text "Milled Single Strip".


# Milled Single Strip

# NEXT STEP 125


Beautiful, high quality wood flooring designed to have the authentic looks and characteristics of solid wood.



**Oak Rustic**  
Matt Lacquered



**Oak Rustic**  
UV Oiled




**Oak Rustic**  
Brushed & UV Oiled



**Coffee**  
Brushed & UV Oiled



**Nutmeg**  
Brushed & UV Oiled




**Dark Smoked**  
Brushed & UV Oiled



**Jatoba Luxus**  
Lacquered



**Black American Walnut**  
Lacquered



**5mm nominal hardwood top**  
**Multiply**



- 20 year residential guarantee
- Can be secret nailed to load bearing ply, entirely glued or floated
- Pre-finished with UV Lacquer or UV Oil
- Micro bevelled on 4 sides
- Random lengths
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	400mm - 1700mm / *400mm-1800mm
<b>WIDTH</b>	125mm
<b>THICKNESS</b>	18mm
<b>PACK SIZE</b>	2.1m <sup>2</sup> / * 2.2m <sup>2</sup>
<b>PALLET SIZE</b>	52 packs = 109.2m <sup>2</sup> *52 packs = 114.4m <sup>2</sup>
<b>SPECIES</b>	Oak / Jatoba / Black American Walnut

NEXT  
STEP  
189

The same unique flooring as Next Step but with a wider plank that gives a truly antique rustic appearance.



6510

**Oak Rustic**  
Matt Lacquered



6511

**Oak Rustic**  
UV Oiled



6512

**Oak Rustic**  
Brushed & UV Oiled



6513

**Nutmeg**  
Brushed & UV Oiled



6514

**Coffee**  
Brushed & UV Oiled



6515

**Dark Smoked**




6832\*

**Black American Walnut**  
Lacquered



6517

**Buckskin**  
Brushed & UV Oiled



**5mm nominal hardwood top**  
**Multiply**



- 20 year residential guarantee
- Can be secret nailed to load bearing ply, entirely glued or floated
- Pre-finished with UV Lacquer or UV Oil
- Micro bevelled on 4 sides
- Random lengths
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation


<b>LENGTH</b>	400mm - 1700mm / *400mm - 1800mm
<b>WIDTH</b>	189mm
<b>THICKNESS</b>	18mm
<b>PACK SIZE</b>	1.66m <sup>2</sup> / *1.58m <sup>2</sup>
<b>PALLET SIZE</b>	65 packs = 107.9m <sup>2</sup> *65 packs = 102.7m <sup>2</sup>
<b>SPECIES</b>	Oak / Black American Walnut






## ASPECT

Hardwood floors that can be enjoyed throughout the ages, offering a style and sophistication that is unmatched.




5180

**Clear Satin Oak**  
Brushed & UV Oiled



5786

**Black Stained Oak**  
Brushed & UV Oiled




5789

**White Stained Oak**  
Brushed & UV Oiled




5788

**Walnut Stained Oak**  
Brushed & UV Oiled




5785

**Antique Stained Oak**  
Brushed & UV Oiled



5787

**Unfinished Oak**



**6mm nominal hardwood top**  
**Multiply**



- 20 year residential guarantee
- Can be secret nailed, entirely glued or floated
- Pre-finished with UV OSMO Oil
- Micro bevelled on 4 sides
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	2200mm
<b>WIDTH</b>	180mm
<b>THICKNESS</b>	20mm
<b>PACK SIZE</b>	1.58m <sup>2</sup>
<b>PALLET SIZE</b>	60 packs = 94.8m <sup>2</sup>
<b>SPECIES</b>	Oak

## MONTANA

Large planks that look and feel like traditional old oak planked flooring. A timeless choice.



6678

**Oak Rustic**  
Oiled



6680

**Oak Rustic**  
Matt Lacquered



6679

**Oak Rustic**  
Brushed & Oiled



**6mm nominal hardwood top**  
**Birch middle layer**  
**Pine base**



- 15 year residential guarantee
- Glued as floating floor
- Pre-finished with Natural Danish Oil or UV Lacquer
- Provisional coat of Natural Oil (requires further coat upon installation)
- Micro bevelled on 4 sides
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	1860mm
<b>WIDTH</b>	189mm
<b>THICKNESS</b>	21mm
<b>PACK SIZE</b>	2.11m <sup>2</sup>
<b>PALLET SIZE</b>	48 packs = 101.28m <sup>2</sup>
<b>SPECIES</b>	Oak

# EMERALD

Hardwood flooring range that brings a sophisticated elegance, warmth, and a natural charm to any home.



6469

**Oak Rustic**  
Lacquered



6027 / 6448

**Oak Rustic**  
Brushed & UV Oiled



1013 / 6470

**Oak Prime**  
Lacquered



6391

**Walnut Stained**  
Lacquered



6392

**Buckskin Stained**  
Lacquered



6393

**Dark Smoked**  
Brushed & UV Oiled



6394

**Coffee Stained**  
Brushed & UV Oiled



6395

**Nutmeg Stained**  
Brushed & UV Oiled



6366

**Oak Rustic**  
Brushed & Unfinished



**3mm nominal hardwood top**  
**Pine / Spruce middle layer**  
**Pine / Spruce base**



- 15 year residential guarantee
- Glued as floating floor
- Pre-finished with UV Oil or UV Lacquer
- Micro bevelled on 4 sides
- 2 split planks per pack
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	1900mm / 1860mm / 300mm - 1200mm
<b>WIDTH</b>	148mm
<b>THICKNESS</b>	14mm
<b>PACK SIZE</b>	2.25m <sup>2</sup> / 2.2m <sup>2</sup> / 1.95m <sup>2</sup> (unfinished)
<b>PALLET SIZE</b>	1900 - 56 packs = 126m <sup>2</sup> 1860 - 56 packs = 123.2m <sup>2</sup> 300 -1200 (unfinished) - 66 packs = 128.7m <sup>2</sup>
<b>SPECIES</b>	Oak



## MAJESTIC

Hardwood flooring range that brings a practical and stylish solution to any room in your home.

6591\* / 6593

**Oak Rustic**  
Lacquered

6592\* / 6594

**Oak Rustic**  
Brushed & UV Oiled

6748

**Wenge**  
Brushed & UV Oiled

6749

**Light Grey**  
Brushed & UV Oiled

6750

**Auburn**  
Brushed & UV Oiled

6751

**Scandic**  
Brushed & UV Oiled

6752

**Ivory**  
Brushed & UV Oiled

6753

**Smoked**  
Brushed & UV Oiled



**4mm nominal solid hardwood top**  
**Soft wood middle layer**  
**Ply base**



- 15 year residential guarantee
- Lock system as floating floor
- Pre-finished with UV Lacquer or Brushed UV Oil
- Micro bevelled on 4 sides
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation


<b>LENGTH</b>	1860mm
<b>WIDTH</b>	* 148mm / 189mm
<b>THICKNESS</b>	15mm
<b>PACK SIZE</b>	* 2.2m <sup>2</sup> / 2.81m <sup>2</sup>
<b>PALLET SIZE</b>	* 148mm - 48 packs = 105.6m <sup>2</sup> 189mm - 40 packs = 112.4m <sup>2</sup>
<b>SPECIES</b>	Oak

# Milled 3 Strip



**JIVE**

A charming range with character and interest, patterned to replicate traditional ship decking.




**5517**

**Oak Nature**  
Lacquered



**5518**

**Oak Rustic**  
Lacquered



**5519**

**Merbau**  
Lacquered



**5520**

**Oak Rustic**  
UV Oiled



**3.4mm nominal hardwood top**  
**Northern Pine middle layer**  
**Northern Pine Ply base**



- 17 year residential guarantee
- Lock system as floating floor
- Pre-finished with Becker Acroma UV Oil or UV Lacquer
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	2250mm
<b>WIDTH</b>	190mm
<b>THICKNESS</b>	13.5mm
<b>PACK SIZE</b>	2.57m <sup>2</sup>
<b>PALLET SIZE</b>	40 packs = 102.8m <sup>2</sup>
<b>SPECIES</b>	Oak / Merbau

## WOODLAND

A charming range with character and interest, patterned to replicate traditional ship decking.



6646

**Oak Rustic**  
Lacquered



6467

**Black American Walnut**  
Lacquered



**3mm nominal hardwood top**  
**Pine / Spruce middle layer**  
**Plywood base**



- 10 year residential guarantee & 5 year commercial guarantee
- Can be floated or entirely glued to the subfloor
- Pre-finished with Lacquer
- Suitable for underfloor heating
- Factory finish - no sanding and no mess
- Quick and easy installation

<b>LENGTH</b>	2200mm
<b>WIDTH</b>	189mm
<b>THICKNESS</b>	14mm
<b>PACK SIZE</b>	3.33m <sup>2</sup>
<b>PALLET SIZE</b>	36 packs = 119.88m <sup>2</sup>
<b>SPECIES</b>	Oak / Black American Walnut



# Caring for your floor

## Daily maintenance

By following these simple maintenance guidelines, you will maintain the natural beauty of the floor. You should always remember that wood is a natural product: it's looks will improve as the floor matures. Using the following maintenance guidelines will ensure that your hardwood floor will remain attractive and give many years of pleasure.

- Regularly sweep or vacuum the floor to prevent grit or abrasive dust from accumulating and scratching the surface.
- Wipe up any spilled liquids immediately (wood will absorb liquids and expand or stain).
- Use protective pads under all furniture legs.
- Use barrier mats inside and outside all external doorways.
- Never allow any liquid to remain on the floor. Stains should be removed while they are still wet. After removal of the stain, wipe the floor with a clean, damp cloth.
- Never use wax, oil based detergent or any household cleaners. These may dull or damage the finish, leaving greasy film, making the floor slippery and more difficult to clean. A mop rinsed in water and wood flooring cleaning solution is acceptable so long as the mop is squeezed dry beforehand.

## Periodic maintenance of Natural Oiled products

Re-application of the oil is based upon localised usage and appearance but on average your floor will require a thorough clean and re-oil every 6 to 12 months. If your floor starts to look tired or worn, re-application of a Natural Oil is recommended to maintain the appearance of your floor. Cleaning of the floor is recommended prior to the re-application of the oil or any other surface finishing. This is done by very lightly applying a water and sugar soap solution and then wiping it off immediately. You can then commence with the re-oil. It may be that due to ingrained dirt, you are unable to thoroughly clean the surface. In this instance, it is recommended that you hire a professional to sand down the floor prior to re-applying the oil.

## UV Oiled and Lacquered finish

To remove heavy soiling from the surface, use a well rung out cloth with a wood floor cleaner. The floor may be treated with a "refresher" to supplement the surface lacquer and UV oil. These maintenance kits are now available for all our lacquered, UV oiled and white oiled floors.



## Key



**TONGUE & GROOVE FITTING**



**TONGUE & GROOVE GLUED INSTALLATION**



**SECRET NAILED SYSTEM**



**LOCKING SYSTEM FITTING**



**FULLY ADHERED INSTALLATION**



**NATURAL OIL FINISH**



**UV PROTECTIVE COATING**



**INSTALLATION OVER UNDERFLOOR HEATING**



┌  
Retailer: ┐

└ ┘

For more information please visit our website:  
**[www.furlongwoodflooring.co.uk](http://www.furlongwoodflooring.co.uk)**



Due to printing limitations there may be variations between colours of the actual flooring and the samples shown on this document.