

THE FLOOR BRAND



FLOORING MADE BY WITEX

# Flooring for the good life.



**WITEX**®

# Flooring for the good life.

## 2011

### CONTENTS

	TREND		
bonita	2	–	5
artria	6	–	9
liseo	10	–	13
	CASUAL LIVING		
marena	14	–	19
catania V4	22	–	23
averto V4	24	–	25
novara V2	26	–	27
amaris V2	28	–	29
	PREMIUM		
marena maxi V2	30	–	31
casa V4	32	–	35
piazza	36	–	39
grande	40	–	41
xenia	44	–	47
	DESIGN		
color	48	–	51
Brand accessories	52	–	53
Technical Information	54	–	56



FSC and PEFC-Markings refer to the respective Core board!  
 'Der blaue Engel' refers to the laminate collections.  
 FSC: piazza, grande

**A P P L E**

**G R E E N**

**M E E T S**

**A P P L E**

**T R E E**





# bonita

## Perfect for the living room, bedroom and dining room

The starter for Witex brand name quality. Budget-friendly but with all the advantages of a modern floor covering.

With its 12 decors, bonita creates a feel-good atmosphere with its ever-fresh wood appearance. bonita also offers a special safety feature through edge sealing that protects the panel edges from moisture!

bonita is suitable for laying on underfloor heating, suitable for use with castors, immune to stains



Maple Cottage • **AH180BON | BONC** • Single plank




Maple Harmony • **AH350BON** • 3-strip



Cherry Piemonte • **KB190BON** • 2-strip



Masuria Apple Tree • **AP120BON | BONC** • Single plank



Distinctive Apple Tree • **AP130BON | BONC** • 2-strip



Walnut • **NU220BON | BONC** • 3-strip

Decor surface: 1280 mm × 192 mm

Element thickness: 7 mm (BON) | 9 mm (BONC)

(C=Sound-Protect)

Coreboard: HDF board (PEFC-certified)


Surface: fine wooden pore (1) | textured  
wooden pore (2) | matte surface (4)

lifetime for product stability and Click  
connection

15 years for abrasion, UV resistance, immu-  
nity to staining



Tropical Bamboo • **BA100BON** • Single plank



Beech Royal • **BU200BON|BONC** • 3-strip



Beech Elegance • **BU330BON|BONC** • 4-Stab



Old Limed Oak • **EI150BON** • 2-strip



Garden Oak • **EI155BON** • 3-strip



Flemish Cherry • **KB100BON** • 3-strip

“

T O O


Y O U N G



F O R

B O R E -

D O M .

”





Tosca Gold • P130ART

Tosca Silver • P120ART

Organic Beige • P110ART



Organic White • P100ART



artistic

artria

Perfect for the  
living room,  
bedroom and  
dining room

Design and quality are right here. There are very special decors in the artria laminate collection suitable for modern interior design. The trick: The decor pairs can be combined with each other and with other collections. In this way, you can create very special room designs. With artria, there is no such thing as boring interior design!

artria is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.

Decor surface: 1280 mm × 192 mm  
Element thickness: 8 mm  
Coreboard: HDF-Protect® (PEFC-certified)

Surface: soft surface (5)


lifetime for product stability and Click connection  
15 years for abrasion, UV resistance, immunity to staining



Organic White • P100ART




Organic Beige • P110ART



Tosca Silver • P120ART



Tosca Gold • P130ART



Flowers White • P140ART



Flowers Grey • P150ART

• • •

**QUICK**

**AND**

**EASY**

**TO LAY**

• • •



# liseo

## Perfect for the living room, bedroom and dining room

The liseo collection also includes classical wood decors that are enhanced by the different surface structures. Depending on the type and colour of the wood, the surface structure is matched to the decor.

The well-proven Loc-Tec Click connection is specially protected against damp by edge sealing. As an option, liseo can also be delivered with the laminated Sound-Protect Eco Plus acoustic system.

liseo is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.




Stone Birch • **BI120LIS**|LISC • 3-strip



Beech Natural • **BU380LIS**|LISC • 3-strip



Beech Exclusive • **BU350LIS**|LISC • Single plank



Rose Beech • **BU370LIS**|LISC • 2-strip



Smoked Oak • **EI190LIS**|LISC • 3-strip



Californian Oak • **EI320LIS**|LISC • 3-strip

Decor surface: 1280 mm × 192 mm

Element thickness: 7 mm (LIS) | 9 mm (LISC)

(C=Sound-Protect)

Coreboard: HDF board (PEFC-certified)

Surface: fine wooden pore (1) | textured  
wooden pore (2) | matte surface (4)

lifetime for product stability and Click  
connection

25 years for abrasion, UV resistance, immu-  
nity to staining



Country Oak • **EI330LIS**|LISC • Single plank



White Oak • **EI470LIS**|LISC • Single plank



Tropical Merbau • **ME110LIS**|LISC • 3-strip



Walnut Style Grey • **NU210LIS**|LISC • fine stripes



French Walnut • **NU270LIS**|LISC • Single plank



Pale Exotic Teak • **TE110LIS**|LISC • 2-strip

**WITEX'S**

**MOST**

**POPULAR**

**FLOORING**

**FOR THE**

**FAMILY**

**HOME**



# marena

## Perfect for the living room, bedroom, corridor, kitchen and dining room

marena stands for a complete choice of decors! 24 different wood looks have been carefully matched to current furnishing trends. The result is a best-seller collection with technical properties that make this flooring the right choice for almost any application area. Through the use of a special coreboard with moisture barrier, marena can even be used in the kitchen area without any problems.

For good all-round sound, the collection is rounded off by the optional Sound-Protect-Eco-Plus acoustic system that is already laminated under the panel. For completely relaxed living.


marena is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.



Canadian Mountain Maple • AH300MAA | MAAC • 3-strip



Traditional Apple • AP100MAA | MAAC • 2-strip



Reed Bamboo • BA120MAA | MAAC • fine stripes



Rustic Beech • BU270MAA | MAAC • 2-strip



Ocean Beech • BU300MAA | MAAC • 3-strip



Japanese White Oak • EI700MAA | MAAC • 2-strip

Decor surface: 1280 mm × 192 mm

Element thickness:

8 mm (MAA) | 10 mm (MAAC)

(C=Sound-Protect)

Coreboard: HDF-Protect® (PEFC-certified)

Surface: fine wooden pore (1) | textured  
wooden pore (2) | matte surface (4)

lifetime for product stability and Click  
connection

25 years for abrasion, UV resistance, immu-  
nity to staining




Mexican Oak • EI710MAA | MAAC • 3-strip



Ticino Oak • EI720MAA | MAAC • 3-strip



Spanish Oak • EI910MAA | MAAC • Single plank



Alder Romantic • ER110MAA | MAAC • 3-strip



Tropical Cherry • KB140MAA | MAAC • 3-strip



African Wengé • WE100MAA | MAAC • 2-strip

# marena

Variety = 24



Noble Maple • AH360MAA | MAAC • Single plank



Almeria Oak • EI730MAA | MAAC • 3-strip



Barrique Oak • EI740MAA | MAAC • 3-strip



Bergamo Oak • EI750MAA | MAAC • Single plank



Levantine Oak • EI760MAA | MAAC • Single plank



Grey Pine • KI180MAA | MAAC • 2-strip



Toskanian Pine • PI100MAA|MAAC



Walnut Country • NU240MAA|MAAC • 2-strip



Walnut Classic • NU250MAA|MAAC • 3-strip



American Pecan • PE100MAA|MAAC • Single plank



Toskanian Pine • PI100MAA|MAAC • 2-strip



Panga Panga • PP300MAA|MAAC • 2-strip



Tropical Wengé • WE110MAA|MAAC • 3-strip

**V - JOINTS -**

**“ FOR**

**ADDED**

**ELEGANCE ”**



# V4

small



## catania V4

Perfect for the living room, bedroom and dining room

Living decors in a trendy format. catania has an extremely elegant appearance thanks to its 4-sided V-joint and the narrow, extra-long format. The newly developed, authentic, hand-scraped surface shows off the high class wood types of catania to particular advantage. And this flooring is also suitable for use in rooms prone to damp thanks to the Aqua-Protect system.

catania V4 is suitable for laying on under-floor heating, suitable for use with castors, immune to stains.

Decor surface: 1376 mm × 156 mm  
 Element thickness: 8 mm  
 Coreboard: Aqua-Protect® for use in moisture-prone areas (PEFC-certified)

Surface: hand-scraped II (7) with four-sided joint (V4)

lifetime for product stability and Click connection  
 25 years for abrasion, UV resistance, immunity to staining



Pecan Exclusiv • PE480CTV4-N



Noble Maple • AH360CTV4-N • Single plank



Heartwood Apple • AP140CTV4-N • Single plank



Heartwood Apple Light • AP150CTV4-N • Single plank



Ice Oak • EI960CTV4-N • Single plank



American Pecan • PE100CTV4-N • Single plank



Pecan Exclusive • PE480CTV4-N • Single plank

# V4

large



## averto V4

Perfect for the living room, bedroom and dining room

Rustic and modern are not mutually exclusive. This is impressively demonstrated by the averto collection with the 4-sided V-joint. The XL format is not only quickly installed, but also cuts a very good figure optically. The anti-static finish, which prevents the floor becoming statically charged, thereby avoiding unpleasant discharges, also ensures stress-free living.

averto V4 is suitable for laying on under-floor heating, suitable for use with castors, immune to stains.

Decor surface: 1376 mm × 192 mm  
 Element thickness: 8 mm  
 Coreboard: Aqua-Protect® for use in moisture-prone areas (PEFC-certified)

Surface: fine wooden pore (1) | hand-scraped II (7) | matte surface (4) | with four-sided joint (V4)

lifetime for product stability and Click connection  
 25 years for abrasion, UV resistance, immunity to staining



Heartwood Pear Natural • BB810AVV4-N



Heartwood Pear Natural • BB810AVV4-N • Single plank



Heartwood Pear Dark • BB820AVV4-N • Single plank



Swedish Oak • EI100AVV4-N • Single plank



Swedish Smoked Oak • EI110AVV4-N • Single plank



Stained Oak • EI120AVV4-N • Single plank



Cavan Kirsche • KB310AVV4-N • Single plank

# V2

## small



## novara V2

### Perfect for the living room, bedroom and dining room

The look of classic plank flooring was the Godfather of the novara collection. A joint on the long edge emphasises the extra-long and narrow panel format. Various surface structures are adapted to the respective wood decor for a particularly beautiful appearance. As for all V-joint collections, novara is suitable for installation on underfloor heating.

Decor surface: 1376 mm × 156 mm

Element thickness: 8 mm

Coreboard: Aqua-Protect® for use in moisture-prone areas (PEFC-certified)

Surface: textured wooden pore (2) | hand-scraped I (3) | matte surface (4) | with two-sided joint (V2)

lifetime for product stability and Click connection


25 years for abrasion, UV resistance, immunity to staining



Cavan Cherry • KB310NOV2-N



Corona Pear • BB800NOV2-N • Single plank



Yellowstone Oak • EI770NOV2-N • Single plank



Pin Oak • EI780NOV2-N • Single plank



Red Oak • EI790NOV2-N • Single plank



Cavan Cherry • KB310NOV2-N • Single plank



Walnut Country • NU290NOV2-N • Single plank

# V2

## large



## amaris V2

### Perfect for the living room, bedroom and dining room

Oak decors at their very best. amaris stands for relaxed furnishing in every respect. Timeless design in combination with technical characteristics such as suitability for rooms prone to damp and an anti-static finish allow carefree living. Because one thing is sure: These floors can cope with anything, no matter what you are planning!

amaris V2 is suitable for laying on under-floor heating, suitable for use with castors, immune to stains.

Decor surface: 1376 mm × 192 mm  
 Element thickness: 8 mm  
 Coreboard: Aqua-Protect® for use in moisture-prone areas (PEFC-certified)

Surface: fine wooden pore (1) | textured wooden pore (2) | with two-sided joint (V2)

lifetime for product stability and Click connection


25 years for abrasion, UV resistance, immunity to staining




Oak Ambience Creme • EI820AMV2-N



Oak Ambience Grey • EI800AMV2-N • Single plank



Oak Ambience Brown • EI810AMV2-N • Single plank



Oak Ambience Creme • EI820AMV2-N • Single plank



Asturian Oak • EI830AMV2-N • Single plank



Labrador Oak • EI840AMV2-N • Single plank



Virginia Oak • EI920AMV2-N • Single plank

# V2

extra large



## marena maxi V2

## Perfect for the living room, bedroom and dining room

Really great in format and appearance. marena maxi V2 is the Witex classic among the V-joint laminate floors. Timeless wood decors paired with a hand-scraped surface give this floor a very special, genuine touch, as if finished by hand. A long, care-free product life is guaranteed by the Aqua-Protect® finish and the special anti-static surface, to name only two features. marena maxi V2 stands for the perfect country cottage appearance with advantages such as easy care and low installation height.

marena maxi V2 is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.

Decor surface: 1376 mm × 240 mm  
Element thickness: 8 mm

Coreboard: Aqua-Protect® for use in moisture-prone areas (PEFC-certified)

Surface: hand-scraped I (3) with two-sided joint (V2)

lifetime for product stability and Click connection

25 years for abrasion, UV resistance, immunity to staining



Kahlua Oak • EI355MAMV-N



Oak Structure • EI220MAMV-N • Single plank



Dark Kahlua Oak • EI350MAMV-N • Single plank



Kahlua Oak • EI355MAMV-N • Single plank



Plateau Oak • EI360MAMV-N • Single plank



Michigan Oak • EI370MAMV-N • Single plank



Ontario Oak • EI375MAMV-N • Single plank

**VIBRANT**

**COLOURS**

**AND**

**STYLISH**

**FLOORING**

**—**

**ANYTHING**

**GOES.**



## The tiled look



## casa V4

### Perfect for the living room, kitchen, corridor and home office

The tile as a laminate floor has long become a classic. This is also no surprise when you consider the benefits it brings, because tiles can be very quickly installed and are therefore optimal for renovation work. The attributes of being unbreakable, warm to the feet and being suitable for use in damp areas round off these features. And Witex has created something very special in the design. Unlike many other manufacturers, the casa V4 has a real joint. This creates an authentic design in which you can hardly tell the difference from a real tile floor!

casa V4 is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.

Decor surface: 396 mm × 396 mm

Element thickness: 8 mm

Coreboard: Aqua-Protect® for use in moisture-prone areas (PEFC-certified)

Surface: soft surface (5) | tile texture (6) | with four-sided joint (V4)

lifetime for product stability and Click connection

25 years for abrasion, UV resistance, immunity to staining

Concrete • S310CAV4



Black Slate • S300CAV4



Concrete • S310CAV4



Travertin • S320CAV4



Limestone • S330CAV4



Botticino • S340CAV4



Gritstone • S350CAV4

• • •

**FINE,**

**FINER,**

**FINEST**

• • •



# piazza

## Perfect for all living areas and for com- mercial use

Beautiful, more beautiful, piazza. The premium collection from Witex has some very special decors ready for you. Timeless and elegant designs, perfectly presented thanks to the high-quality surface finish in matt or with a heightened gloss level.

The ecological values are also right, because FSC-certified wood is used for the machining of the coreboard. As an option, piazza is available with the Sound-Protect-Eco-Plus footfall system already stuck in place, thereby making it into one of the most ecologically-friendly laminate floors.

piazza is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.



African Afzelia • **AF100PA** | PAC • 2-strip



Norman Oak • **EI400PA** | PAC • 3-strip



Cornwall Oak • **EI405PA** | PAC • 2-strip



White Oak • **EI410PA** | PAC • 2-strip



Park Oak • **EI415PA** | PAC • 2-strip



Classic Oak • **EI635PA** | PAC • 2-strip

Decor surface: 1280 mm × 192 mm  
 Element thickness: 8 mm (PA) | 10 mm (PAC)  
 (C=Sound-Protect)  
 Coreboard: Aqua-Protect® for use in moisture-prone areas (PEFC-certified)

Surface: fine wooden pore with increased gloss level (1) | matte surface (4)

lifetime for product stability and Click connection  
 lifetime for abrasion, UV resistance, immunity to staining



Walnut Style • NU260PA | PAC • butcher block



Indian Palisander • PA100PA | PAC • Single plank




Iberian Pine • PI230PA | PAC • 3-strip



Country Pine • PI240PA | PAC • Single plank



African Zebrano • ZE100PA | PAC • Single plank



Classic Plum • ZW100PA | PAC • 3-strip

“

**STYLISH**

**ELEGANCE**

**WITH A**

**HARDWEARING**

**FINISH**

”



## Durable surfaces



# grande

## Perfect for all living areas and for commercial use

Quality in XL. grande not only impresses through its 6 decors in country-cottage plank appearance, but also through the extra-long and extra-wide format of the panels. Like piazza, grande also has an extremely impact resistant surface thanks to DPL+. Here also, an FSC coreboard is used that is suitable for installation in rooms prone to damp. The high quality of this premium product is underlined by the fact that this laminate flooring has been approved for machine cleaning!

grande is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.

Decor surface: 1376 mm × 240 mm

Element thickness: 10 mm

Coreboard: Aqua-Protect® for use in moisture-prone areas, FSC-certified

Surface: textured wooden pore (2) | hand-scraped I (3)

lifetime for product stability and Click connection

lifetime for abrasion, UV resistance, immunity to staining



Bog Oak • EI435GD



Manitoba Maple • AH370GD • Single plank



Light Burlington Oak • EI420GD • 1 + 2-strip (1/3, 2/3)



Dark Burlington Oak • EI425GD • 1 + 2-strip (1/3, 2/3)



Portuguese Oak • EI430GD • Single plank



Bog Oak • EI435GD • Single plank



Premium Plum • ZW110GD • Single plank

“

UNUSUAL

DESIGN

AT ITS VERY

BEST.

”



# xenia

## Perfect for all living areas and for com- mercial use

Probably one of the most unusual laminate collections. xenia is a collection of fantasy decors that allow completely new design possibilities. Every xenia panel has a black 4-sided V-joint that emphasises the decor even more. As a result, not only can worlds of colour be created, but structures can also be emphasised.

xenia is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.



Match • P900XA-N • Fantasy pattern




Riva • P905XA-N • Fantasy wood



Lost • P910XA-N • Metal optics



Silver • P915XA-N • Metal optics



Scratch • P920XA-N • Metal optics



Magnet Blue • P925XA-N • Metal optics

Decor surface: 1208 mm × 305 mm

Element thickness: 8 mm

Coreboard: Aqua-Protect®, for use in moisture-prone areas (PEFC-certified)

Surface: soft surface (5) with four-sided joint (V4)

lifetime for product stability and Click connection

25 years for abrasion, UV resistance, immunity to staining




Magnet Silver • P930XA-N • Metal optics



Dots • P935XA-N • Fantasy pattern



Reed • P940XA-N • reed optics



Jet Green • P945XA-N • striped optics



Jet Grey • P950XA-N • striped optics



Artefact • P955XA-N • Fantasy pattern



**S I M P L E**

**S L E E K**

**S T Y L I S H**





White high gloss • CHC500CH

# color


## Perfect for the living room, kitchen, corridor and home office

High class, unique, modern. Three attributes that certainly apply to color. Classic uni-colours with a matt or high gloss surface ensure that special look. Even the manufacturing process is unusual. Hardening through electron beam radiation gives this floor its resistant quality, and in combination with the AquaProtect system, also suitability for use in areas prone to damp.


color is suitable for laying on underfloor heating, suitable for use with castors, immune to stains.




White matte • CHC500CM



Black matte • CHC510CM



Umber grey matte • CHC530CM



Ruby red matte • CHC540CM



Sapphire blue matte • CHC550CM

Decor surface: 853 mm × 329 mm  
 Element thickness: 8 mm  
 Coreboard: Aqua-Protect®, for use in moisture-prone areas (PEFC-certified)

Surface: matte (8) | high gloss (9),  
 with circumferential bevelled edge


lifetime for product stability and Click connection

Matte: 25 years for abrasion, UV resistance, immunity to staining

High gloss: 15 years for abrasion, UV resistance, immunity to staining



White high gloss • **CHC500CH**



Black high gloss • **CHC510CH**



Umbra grey high gloss • **CHC530CH**



Ruby red high gloss • **CHC540CH**



Sapphire blue high gloss • **CHC550CH**

# Accessories

The perfect finishing touch. A branded floor from Witex includes the right accessories. This not only provides the best optical look, but also creates the preconditions for a long product life. Because Witex brand name accessories have been specially tailored to the flooring. You will therefore find the appropriate skirting boards and transition profiles for every product. In particular: The Sound-Protect Eco Plus acoustic system made from 95% natural raw materials with outstanding insulation properties.

## Skirting boards + Clipstar


For every Witex floor there is the perfectly matching skirting board for a harmonic wall finish, also as paintable versions. Fit skirting boards quickly and invisibly with the Witex Clipstar fastening system. This also enables the skirting board to be easily removed – a great advantage when painting or wallpapering.



**Skirting board 22/42**  
22 mm × 42 mm × 2400 mm



**Skirting board 14/70**  
14 mm × 70 mm × 2400 mm



**Skirting board 14/19**  
14 mm × 19 mm × 2400 mm

## Aluminium profiles in wood and metal optics

Witex profiles are ideally suited for perfect colour and visual transitions between floorings and walls, adjacent thresholds or other building components. Apart from the 'classic' flooring profiles made of aluminium, Witex also offers attractive wood optics alternatives for all closures and transitions. The necessary expansion joint is also taken into account.



**Profitec transition profile**  
Two-part aluminium profile for covering expansion joints.  
**For floor thicknesses of 7–15 mm.**  
34 mm × 1 m | 2,7 m



**Profitec adaptation profile**  
Two-part aluminium profile for transitions between floors of varying heights.  
**For floor thicknesses of 7–17,5 mm.**  
47 mm × 1 m | 2,7 m



**Profitec end profile**  
Two-part aluminium profile, e.g. for transitions between floors and walls.  
**For floor thicknesses of 8–14 mm.**  
28 mm × 1 m | 2,7 m



### Underlay material

There is the perfect underlay material for every Witex floor and every room situation.

Footfall noise insulation for underfloor heating, footfall noise insulation with integrated vapour barrier, insulation boards for improving walking comfort and for height compensation, underlays with insulating properties and combined vapour barrier or underlays for optimal footfall noise insulation. The perfect solution for every problem.

### Sound-Protect Eco Plus and Sound-Protect Eco Profi



From Sound-Protect we now have Sound-Protect Eco, the well-proven insulation board modified by environmentally friendly fillers that present no danger to health. In addition to mineral filler materials, rapeseed and castor oil are used with improved values for footfall, loudness reduction and heat transition resistance.– Sustainable protection for the environment.

### Cleaning agent

Especially adapted for Witex laminate flooring. Witex Care ensures perfect cleaning and longterm enjoyment of your flooring!



Please see the Witex catalogue for details of other accessories from our range of aluminium profiles, underlay, tools, together with cleaning, maintenance and protective products.



## “Witex – committed to quality and the environment.”

With its products and innovations, Witex promotes careful utilisation of natural resources. In addition to the responsible handling of the raw materials, an environmentally friendly production is also of primary importance. With care, we are currently the only manufacturer to offer a take-back system for laminate floors. With this innovative take-back system, used floors are returned through specialist retailers and craftsmen after use, and are correspondingly re-processed.

All products from Witex have one thing in common. They are manufactured in our factories in Germany under the strictest quality criteria. What begins with the careful selection of our raw material suppliers is continued in every single production step.

All Witex brand floors have an optimal protection against moisture and damp. Edge sealing on all sides, noticeable by the dark colour of the edges, in combination with coreboards that are protected against swelling, ensure the highest level of security. Collections with Aqua-Protect coreboards are even suitable for use in rooms prone to damp.

The sealing of the Click connection has two additional advantages. The laying process is much simpler. The floor panels virtually ‘glide’ into each other, and, because wood is not rubbing on wood, ‘creaking’ planks are now a thing of the past.

FSC and PEFC-Markings refer to the respective Core board!  
‘Der blaue Engel’ refers to the laminate collections.



## Surfaces

The surfaces of Witex laminate floorings consist of up to three layers.

The uppermost layer consists of a particularly durable melamine resin that protects the floor from mechanical wear. The surface texture of this layer varies depending on the collection and the design. Apart from textured wooden pores there are also soft surfaces and fine wooden pores manufactured either in varying degrees of gloss or with a matte finish.

The second layer consists of resin-treated decor paper displaying reproductions of wood, tiles or imaginative designs. An electron-beam-hardened, tinted paper is used in the 'color' laminate flooring collection.



The 'grande' and 'piazza' collections feature the DPL+ system that was invented by Witex. In this system, a resin-based strengthening layer is pressed underneath the decor layer making the flooring especially hard-wearing. This type of flooring is particularly suitable for commercial use and comes with a 5-lifetime guarantee.




Fine wooden pore



Textured wooden pore



Hand-scraped I




Matte surface




Soft surface



Tile texture



Hand-scraped II



High gloss surface

- ① **Waterproof edging**  
Water-repellent moisture protection

- ② **Surface**  
particularly hardwearing  
Melamine resin overlay


- ③ **Decor paper**  
Melamine decor film

- ④ **DPL+**  
Underlay, additionally resin-treated power film for the 'piazza' and 'grande' collections

- ⑤ **Core board**  
Aqua-Protect®, HDF-Protect®, HDF board  
FSC-certified Aqua-Protect® board

- ⑥ **Click installation**  
LocTec, the millionfold proven Unilin®  
installation system

- ⑦ **Sound-Protect EcoPlus | Sound-Protect Eco Profi**  
The optimal acoustic system from Witex is available either as a roll or pre-installed; the footfall noise insulation is fitted with an integrated vapour barrier.



**Our floors give you the edge!****EDGE SEALING**

Moisture protection for the edges in all the collections. Thanks to Witex edge sealing, the panel edges are protected and swelling can be avoided!

**Like walking in clouds!****SOUND - PROTECT ECO PLUS**

Uniquely quiet and comfortable. Sound-Protect ensures pleasant room and footfall noise. And that on a completely ecological basis.

**No surprises!****ANTI - STATIC**

Static discharge when walking on laminate floors? Not with the Witex anti-static finish!

**No fear of moisture!****AQUA - PROTECT® CORE BOARD**

Aqua-Protect takes the fright out of water. Thanks to the extremely low-swelling properties of the coreboard, our floorings with this finish can even be installed in the bathroom.

**Total confidence!****LIFETIME WARRANTY\***

You can rely on Witex flooring! The proof is in our warranties. There is a lifetime warranty on the Click connection and product stability for all collections.

**Just like a bottle deposit!****WITEX TAKE - BACK SYSTEM\*\***

After a minimum life of 10 years, we take our flooring back and provide a 10% rebate in kind for this take-back. We then recycle the flooring material.

**Certification means peace of mind****TESTED QUALITY**

Independent quality testing ensures attainment of all the important certifications in the construction sector for all Witex products. One of these is the Building Inspectorate Approval of the Deutschen Institut für Bautechnik (DIBT: German Institute for Building Technology), as well as the 'CE mark' and the 'Ü-mark' for externally controlled quality. Outstanding results and leading positions in independent tests confirm the importance of these certificates.





All the illustrated decors are reproductions. Witex Flooring Products GmbH provides no guarantee with regard to mistakes, printing errors and technical changes.  
Art. No. 20040062 - Inhouse - 01|11  
This catalogue has been printed on FSC certified paper.



**Witex Flooring Products GmbH**

Nord-West-Ring 21  
D-32832 Augustdorf

fon+49 5237 609-0  
fax+49 5237 609-309

info@witex.com

**www.witex.com**

**WITEX®**