



FLOORING MADE BY WITEX

MADE IN GERMANY

LAMINAT | MULTI-LAYER-FLOORING

203 decors to choose from Room for your home idea.

WITEX[®]

bonita

Glueless installation Element thickness with acoustic system Decor surface PEFC-Core board Abrasion class Wear class

LocTec

7 mm (BON)

9 mm (BONC)

1280 mm × 192 mm

HDF-board

AC3

23 | 31



Maple Cottage
AH180BON | AH180BONC
Single plank
Textured wooden pore



Maple Harmony
AH350BON
3-strip
Fine wooden pore



Masuria Apple Tree
AP120BON | AP120BONC
Single plank
Fine wooden pore



Distinctive Apple Tree
AP130BON | AP130BONC
2-strip
Fine wooden pore



Tropical Bamboo
BA100BON
Single plank
Textured wooden pore



Beech Royal
BU200BON | BU200BONC
3-strip
Fine wooden pore



Beech Elegance
BU330BON | BU330BONC
4-strip
Fine wooden pore



Old Limed Oak
EI150BON
2-strip
Fine wooden pore



Garden Oak
EI155BON
3-strip
Fine wooden pore



Flemish Cherry
KB100BON
3-strip
Matt surface



Cherry Piemonte
KB190BON
2-strip
Textured wooden pore



Walnut
NU220BON | NU220BONC
3-strip
Fine wooden pore

artria

Glueless installation Element thickness Decor surface PEFC-Core board Abrasion class Wear class

LocTec


8 mm (ART)

1280 mm × 192 mm


HDF-Protect®

AC3

23 | 31



Organic White
P100ART
Soft surface



Organic Beige
P110ART
Soft surface



Tosca Silver
P120ART
Soft surface



Tosca Gold
P130ART
Soft surface



Flowers White
P140ART
Soft surface



Flowers Grey
P150ART
Soft surface

liseo

Glueless installation Element thickness with acoustic system Decor surface PEFC-Core board Abrasion class Wear class

LocTec

7 mm (LIS)

9 mm (LISC)

1280 mm × 192 mm

HDF-board

AC4

23 | 32



Stone Birch
BI120LIS | BI120LISC
3-strip
Fine wooden pore



Beech Natural
BU380LIS | BU380LISC
3-strip
Matt surface



Rose Beech
BU370LIS | BU370LISC
2-strip
Fine wooden pore



Beech Exclusive
BU350LIS | BU350LISC
Single plank
Textured wooden pore



Smoked Oak
EI190LIS | EI190LISC
3-strip
Fine wooden pore



Californian Oak
EI320LIS | EI320LISC
3-strip
Fine wooden pore



Country Oak
EI330LIS | EI330LISC
Single plank
Matt surface



White Oak
EI470LIS | EI470LISC
Single plank
Fine wooden pore



Tropical Merbau
ME110LIS | ME110LISC
3-strip
Fine wooden pore



Walnut Style Grey
NU210LIS | NU210LISC
Fine stripes
Matt surface



French Walnut
NU270LIS | NU270LISC
Single plank
Fine wooden pore



Pale Exotic Teak
TE110LIS | TE110LISC
2-strip
Fine wooden pore

euro actual

NEW

from February 2012 also available with the fold-down system, LocTec Pro (ERA-FD | ERAP-FD), 1292 mm × 194 mm
 Glueless installation Element thickness with acoustic system Decor surface PEFC-Core board Abrasion class Wear class

LocTec **8 mm (ERA)** **10 mm (ERAP)** **1280 mm × 192 mm** **HDF-board** **AC4** **23 | 32**




Acacia
 AC610ERA | AC610ERAP
 Single plank
 Textured wooden pore

FoldDown System:
 AC610ERA-FD



Beech tradition
 BU320ERA | BU320ERAP
 2-strip
 Matt surface



Oak Structure
 EI310ERA | EI310ERAP
 Single plank
 Matt surface

FoldDown System:
 EI310ERA-FD



Country Oak
 EI330ERA | EI330ERAP
 Single plank
 Textured wooden pore

FoldDown System:
 EI330ERA-FD



Virginia Oak
 EI920ERA | EI920ERAP
 Single plank
 Handscraped I

FoldDown System:
 EI920ERA-FD



Trentino Pine
 KI310ERA | KI310ERAP
 2-strip
 Textured wooden pore

Walnut Classic
 NU250ERA | NU250ERAP
 3-strip
 Fine wooden pore



FoldDown System:
 NU250ERA-FD

Walnut balance
 NU310ERA | NU310ERAP
 Single plank
 Matt surface



Sardinian Pine
 PI310ERA | PI310ERAP
 Single plank
 Handscraped I



Teak grey
 TE310ERA | TE310ERAP
 Single plank
 Matt surface



Teak creme
 TE320ERA | TE320ERAP
 Single plank
 Matt surface



Teak dark
 TE610ERA | TE610ERAP
 Single plank
 Matt surface



euro nature V2

NEW

from February 2012 also available with the fold-down system, LocTec Pro (ERA-FD | ERAP-FD), 1292 mm × 194 mm
 Glueless installation Element thickness Decor surface PEFC-Core board Abrasion class Wear class

LocTec **8 mm (ERNV)** **1376 mm × 192 mm** **Aqua-Protect®** **AC4** **23 | 32**




Oak Wave grey
 EI130ERNV
 Single plank
 Matt surface

FoldDown System:
 EI130ERNV-FD



Yellow Oak
 EI160ERNV
 Single plank
 Handscraped I



European Oak
 EI170ERNV
 Single plank
 Handscraped I



White-washed Oak
 EI250ERNV
 Single plank
 Handscraped I



New Hampshire Oak
 EI280ERNV
 Single plank
 Handscraped I



Country Oak
 EI330ERNV
 Single plank
 Handscraped I

FoldDown System:
 EI330ERNV-FD

Michigan Oak
 EI370ERNV
 Single plank
 Handscraped I



FoldDown System:
 EI370ERNV-FD

Ontario Oak
 EI375ERNV
 Single plank
 Handscraped I



FoldDown System:
 EI375ERNV-FD

Oak Wave creme
 EI450ERNV
 Single plank
 Matt surface



FoldDown System:
 EI450ERNV-FD

Oak Wace dark
 EI460ERNV
 Single plank
 Matt surface



Oak
 EI560ERNV
 Single plank
 Handscraped I



Sand Oak
 EI675ERNV
 Single plank
 Handscraped I



marena

Glueless installation Element thickness with acoustic system Decor surface PEFC-Core board Abrasion class Wear class

LocTec **8 mm (MAA)** **10 mm (MAAC)** **1280 mm × 192 mm** **HDF-Protect®** **AC4** **23 | 32**



Canadian Mountain Maple
AH300MAA | AH300MAAC
3-strip
Fine wooden pore



Traditional Apple
AP100MAA | AP100MAAC
2-strip
Fine wooden pore



Reed Bamboo
BA120MAA | BA120MAAC
Fine stripes
Matt surface



Rustic Beech
BU270MAA | BU270MAAC
2-strip
Fine wooden pore



Ocean Beech
BU300MAA | BU300MAAC
3-strip
Fine wooden pore



Japanese White Oak
EI700MAA | EI700MAAC
2-strip
Matt surface



Mexican Oak
EI710MAA | EI710MAAC
3-strip
Fine wooden pore



Ticino Oak
EI720MAA | EI720MAAC
3-strip
Fine wooden pore



Spanish Oak
EI910MAA | EI910MAAC
Single plank
Fine wooden pore



Alder Romantic
ER110MAA | ER110MAAC
3-strip
Fine wooden pore



Tropical Cherry
KB140MAA | KB140MAAC
3-strip
Textured wooden pore



African Wenge
WE100MAA | WE100MAAC
2-strip
Fine wooden pore



Noble Maple
AH360MAA | AH360MAAC
Single plank
Textured wooden pore




Almeria Oak
EI730MAA | EI730MAAC
3-strip
Fine wooden pore



Barrique Oak
EI740MAA | EI740MAAC
3-strip
Fine wooden pore



Bergamo Oak
EI750MAA | EI750MAAC
Single plank
Textured wooden pore



Levantine Oak
EI760MAA | EI760MAAC
Single plank
Textured wooden pore



Grey Pine
KI180MAA | KI180MAAC
2-strip
Textured wooden pore



Walnut Country
NU240MAA | NU240MAAC
2-strip
Textured wooden pore




Walnut Classic
NU250MAA | NU250MAAC
3-strip
Fine wooden pore



American Pecan
PE100MAA | PE100MAAC
Single plank
Textured wooden pore



Toskanian Pine
PI100MAA | PI100MAAC
2-strip
Matt surface



Panga Panga
PP300MAA | PP300MAAC
2-strip
Textured wooden pore



Tropical Wenge
WE110MAA | WE110MAAC
3-strip
Textured wooden pore

marena maxi SE NEW

Glueless installation Element thickness Decor surface PEFC-Core board Abrasion class Wear class

LocTec **8 mm (MAMS)** **1376 mm × 192 mm** **HDF-Protect®** **AC4** **23 | 32**



Old castle Oak
EI105MAMS
Single plank
Synchronised grain



Oak Champagne
EI325MAMS
Single plank
Synchronised grain



Walnut Oak
EI335MAMS
Single plank
Synchronised grain



Silver Grey Oak
EI390MAMS
Single plank
Synchronised grain

catania V4

Glueless installation Element thickness

Decor surface

PEFC-Core board

Abrasion class Wear class

LocTec

8 mm (CTV4-N)

1376 mm × 156 mm

Aqua-Protect® AC4

23 | 32



Noble Maple
AH360CTV4-N
Single plank
Handscrapped II



Heartwood Apple
AP140CTV4-N
Single plank
Handscrapped II



Heartwood Apple Light
AP150CTV4-N
Single plank
Handscrapped II



Ice Oak
EI960CTV4-N
Single plank
Handscrapped II



American Pecan
PE100CTV4-N
Single plank
Handscrapped II



Pecan Exclusive
PE480CTV4-N
Single plank
Handscrapped II

averto V4

Glueless installation Element thickness

Decor surface

PEFC-Core board

Abrasion class Wear class

LocTec

8 mm (AVV4-N)

1376 mm × 192 mm

Aqua-Protect® AC4

23 | 32



Heartwood Pear Natural
BB810AVV4-N
Single plank
Handscrapped II



Heartwood Pear Dark
BB820AVV4-N
Single plank
Handscrapped II



Swedish Oak
EI100AVV4-N
Single plank
Fine wooden pore



Swedish Smoked Oak
EI110AVV4-N
Single plank
Fine wooden pore



Stained Oak
EI120AVV4-N
Single plank
Fine wooden pore



Cavan Cherry
KB310AVV4-N
Single plank
Matt surface

novara V2

Glueless installation Element thickness

Decor surface

PEFC-Core board

Abrasion class Wear class

LocTec

8 mm (NOV2-N)

1376 mm × 156 mm

Aqua-Protect® AC4

23 | 32



Corona Pear
BB800NOV2-N
Single plank
Handscrapped I



Yellowstone Oak
EI770NOV2-N
Single plank
Textured wooden pore



Pin Oak
EI780NOV2-N
Single plank
Handscrapped I



Red Oak
EI790NOV2-N
Single plank
Handscrapped I



Cavan Cherry
KB310NOV2-N
Single plank
Matt surface



Walnut Country
NU290NOV2-N
Single plank
Handscrapped I

amaris V2

Glueless installation Element thickness

Decor surface

PEFC-Core board

Abrasion class Wear class


LocTec

8 mm (AMV2-N)

1376 mm × 192 mm

Aqua-Protect® AC4

23 | 32



Oak Ambience Grey
EI800AMV2-N
Single plank
Fine wooden pore




Oak Ambience Brown
EI810AMV2-N
Single plank
Fine wooden pore



Oak Ambience Creme
EI820AMV2-N
Single plank
Fine wooden pore



Asturian Oak
EI830AMV2-N
Single plank
Fine wooden pore



Labrador Oak
EI840AMV2-N
Single plank
Fine wooden pore



Virginia Oak
EI920AMV2-N
Single plank
Textured wooden pore

marena maxi V2

Glueless installation

Element thickness

Decor surface

PEFC-Core board

Abrasion class

Wear class

LocTec

8 mm (MAMV-N)

1376 mm × 240 mm

Aqua-Protect® AC4

23 | 32



Oak Structure
EI220MAMV-N
Single plank
Textured wooden pore



Dark Kahlua Oak
EI350MAMV-N
Single plank
Fine wooden pore



Kahlua Oak
EI355MAMV-N
Single plank
Fine wooden pore



Plateau Oak
EI360MAMV-N
Single plank
Fine wooden pore




Michigan Oak
EI370MAMV-N
Single plank
Textured wooden pore




Ontario Oak
EI375MAMV-N
Single plank
Fine wooden pore




Salt Oak
EI265MAMV-N
Single plank
Rough sawn surface



Natural Castle Oak
EI305MAMV-N
Single plank
Silk surface




Coastal Oak
EI315MAMV-N
Single plank
Silk surface



Oak Champagne
EI325MAMV-N
Single plank
Synchronised grain



Walnut Oak
EI335MAMV-N
Single plank
Synchronised grain



Alaska Oak
EI630MAMV-N
Single plank
Silk surface

casa V4

Glueless installation

Element thickness

Decor surface

PEFC-Core board

Abrasion class

Wear class

LocTec

8 mm (CAV4)

396 mm × 396 mm

Aqua-Protect® AC4

23 | 32



Black Slate
S300CAV4 6
Tile texture



Concrete
S310CAV4
Soft surface



Travertin
S320CAV4
Soft surface



Limestone
S330CAV4
Soft surface




Botticino
S340CAV4
Soft surface




Gritstone
S350CAV4
Soft surface



Grey
S370CAV4
Soft surface



Metallic
S380CAV4
Soft surface



Concrete Light
S390CAV4
Soft surface



Concrete Dark
S400CAV4
Soft surface

ariosa

Glueless installation	Element thickness	Decor surface	FSC-Core board	Abrasion class	Wear class	
LocTec Pro	12 mm (ARA)	1845 mm × 188 mm	Aqua-Protect®	AC5	23 33	



Oak Cream
EI020ARA
Single plank
Synchronised grain



Snow Oak
EI030ARA
Single plank
Synchronised grain



Oak Espresso
EI050ARA
Single plank
Synchronised grain



Oak Slate
EI060ARA
Single plank
Synchronised grain



Cinnamon Oak
EI070ARA
Single plank
Synchronised grain



Oak Vanilla
EI080ARA
Single plank
Synchronised grain



Oak Nutmeg
EI090ARA
Single plank
Synchronised grain




Wenge Cocoa
WE010ARA
Single plank
Tactile surface structure

piazza

Glueless installation	Element thickness	with acoustic system	Decor surface	FSC-Core board	Abrasion class	Wear class	
LocTec	8 mm (PA)	10 mm (PAC)	1280 mm × 192 mm	Aqua-Protect®	AC5	23 33	



African Afzelia
AF100PA | AF100PAC
2-strip
Fine wooden pore



Norman Oak
EI400PA | EI400PAC
3-strip
Matt surface



Cornwall Oak
EI405PA | EI405PAC
2-strip
Matt surface



White Oak
EI410PA | EI410PAC
2-strip
Matt surface



Park Oak
EI415PA | EI415PAC
2-strip
Fine wooden pore



Classic Oak
EI635PA | EI635PAC
2-strip
Fine wooden pore



Walnut Style
NU260PA | NU260PAC
Feinstab
Fine wooden pore



Indian Palisander
PA100PA | PA100PAC
Single plank
Fine wooden pore



Country Pine
PI240PA | PI240PAC
Single plank
Fine wooden pore



African Zebrano
ZE100PA | ZE100PAC
Single plank
Fine wooden pore




Classic Plum
ZW100PA | ZW100PAC
3-strip
Matt surface




Argentinean Maple
AH315PA | AH315PAC
3-strip
Rough sawn surface



Columbian Beech
BU305PA | BU305PAC
Single plank
Matt surface




Western Oak
EI275PA | EI275PAC
2-strip
Rough sawn surface



Alaska Oak
EI630PA | EI630PAC
Single plank
Silk surface



Nordic Oak
EI665PA | EI665PAC
Single plank
Silk surface



Mountain Pine
KI100PA | KI100PAC
Single plank
Matt surface




Austrian Pine
KI105PA | KI105PAC
Single plank
Matt surface



Walnut Anthracite
NU300PA | NU300PAC
2-strip
Matt surface

grande

Glueless installation Element thickness Decor surface FSC-Core board Abrasion class Wear class

LocTec **10 mm (GD)** **1376 mm × 240 mm** **Aqua-Protect®** **AC5** **23 | 33** 



Manitoba Maple
AH370GD
Single plank
Textured wooden pore



Light Burlington Oak
EI420GD
1- + 2-strip
Textured wooden pore



Dark Burlington Oak
EI425GD
1- + 2-strip
Textured wooden pore




Portuguese Oak
EI430GD
Single plank
Handscrapped I




Bog Oak
EI435GD
Single plank
Textured wooden pore




Premium Plum
ZW110GD
Single plank
Textured wooden pore




Scottish Oak
EI255GD
Single plank
Silk surface



Welsh Pale Oak
EI445GD
Single plank
Rough sawn surface



Welsh Dark Oak
EI465GD
Single plank
Rough sawn surface



Ocean Oak
EI475GD
Single plank
Silk surface



Volcano Oak
EI485GD
Single plank
Silk surface




Tirol Oak
EI495GD
Single plank
Rough sawn surface


xenia

Glueless installation Element thickness Decor surface PEFC-Core board Abrasion class Wear class

LocTec **8 mm (XA-N)** **1208 mm × 305 mm** **Aqua-Protect®** **AC4** **23 | 32** 



Match
P900XA-N
Soft surface | V4



Riva
P905XA-N
Soft surface | V4



Lost
P910XA-N
Soft surface | V4



Silver
P915XA-N
Soft surface | V4




Scratch
P920XA-N
Soft surface | V4



Magnet Blue
P925XA-N
Soft surface | V4



Magnet Silver
P930XA-N
Soft surface | V4




Dots
P935XA-N
Soft surface | V4



Reed
P940XA-N
Soft surface | V4




Jet Green
P945XA-N
Soft surface | V4




Jet Grey
P950XA-N
Soft surface | V4




Artefact
P955XA-N
Soft surface | V4




Scratch Concrete
P960XA-N
Soft surface




Travertine Creme
P965XA-N
Soft surface




Travertine Mocca
P970XA-N
Soft surface



Creative Rust
P975XA-N
Soft surface



Creative Grey
P980XA-N
Soft surface



Volcanic Rock
P985XA-N
Soft surface

color

Glueless installation

Element thickness

Decor surface

PEFC-Core board

Abrasion class

Wear class


LocTec

8 mm (CM | CH)

853 mm × 329 mm

Aqua-Protect®


AC4 | WR3 23|31|32




White
CHC500CM
Matt surface



Black
CHC510CM
Matt surface




Umbra grey
CHC530CM
Matt surface




Ruby red
CHC540CM
Matt surface




Sapphire blue
CHC550CM
Matt surface




White
CHC500CH
High gloss surface



Black
CHC510CH
High gloss surface




Umbra grey
CHC530CH
High gloss surface




Ruby red
CHC540CH
High gloss surface




Sapphire blue
CHC550CH
High gloss surface




Linen
CHC560CM
Matt surface




Wenge Original
CHC650CM
Matt surface




Raw Steel
CHC660CM
Matt surface



Bone
CHC670CM
Matt surface



Linen
CHC560CH
High gloss surface



Carrara Marble
CHC570CH
High gloss surface





Asiatic Marble
CHC580CH
High gloss surface



Travertin Creme
CHC590CH
High gloss surface

How to make it perfect.

For every Witex floor and every room situation there is the perfect accessory – impact noise insulation for underfloor heating, impact noise insulation with integrated vapour barrier, insulation boards to improve walking comfort and compensate height differences, underlays with insulating properties and vapour barrier combined or underlays to optimise impact noise insulation – the perfect solution for every floor.



In the 2011 and 2012 Witex product catalogues you will find the technical details for the collections illustrated, matching skirting boards and other accessories from the following ranges: aluminium profiles, underlay material, installation tools, cleaning, care and protection. You can also get information here about **Eyeleds®** – LED recessed floor lights and **active wall** – the modular system for wall design using floor panels.

Guaranteed quality.

Witex floors are designed for a long product life. And because only tested quality leaves our factory, we have thought of something special when it comes to our guarantee promises: the lifelong guarantee for all Witex laminate floors on product stability and click-in connection. On the “piazza” and “grande” collections there is a lifelong guarantee on product stability, click-in connection, abrasion, UV-resistance and resistance to stains. You will find the guarantee promises for all Witex collections on the Internet under www.witex.com or simply ask your retailer.

