



**BENCHMARKX**  
Kitchens and Joinery

FLOORING COLLECTION

LEADING THE WAY IN QUALITY

**TRADE  
ONLY**

# Welcome to the Flooring Collection

Benchmarkx Kitchens and Joinery offer a wide range of flooring including Laminate and Engineered to Solid Wood, designed to complement all property types from new build to renovation.



EXTENSIVE RANGE

## Range

With 21 floors available to your local branch next day, Benchmarkx offers an outstanding choice of laminate, engineered and solid wood floors along with underlay, adhesive and accessories required to complete your project.

## Quality

The products you'll find at Benchmarkx are the very best. Benchmarkx is the place to go for guaranteed quality.

## Service

At Benchmarkx we understand how important it is to get the right flooring when you need it. That's why we can get stock to you quickly combined with knowledgeable staff that are ready to help you with your choice and offer advice, it's a service we are proud to offer.

## Part of the Travis Perkins Group

Benchmarkx Kitchens and Joinery are part of the Travis Perkins Group which includes some of the leading brands in the UK construction industry, supported by a network of branches across the UK.

## Environmental Standards

Being part of the Travis Perkins Group, we are fully committed to protecting the environment and we are continually looking for ways to improve the environmental performance of all our trading activities.



EXPERT STAFF



4Trade is the fantastic value, superb trade quality range of products sold through all Benchmarkx branches. The range has been carefully developed with the customer in mind to offer the best quality products at superb trade prices. All 4Trade products are available from central distribution, so can be with you in days. With an extensive range always available at your local branch, you can trust 4Trade to get the job done.

- Superb Trade Quality
- Credible alternative to leading brands
- Extensive range
- Fantastic Value For Money

# Contents

## Choosing the Right Flooring Page 04

Choosing the right flooring is important, that's why we have designed the "Choosing the Right Flooring" guide to help making your choice easier.



### Solid Wood Page 06

Choose from a wide range of solid oak flooring, manufactured from the finest quality timber in a variety of beautiful textures, finishes and sizes.



### Engineered Page 08

Select from an extensive range of engineered flooring to suit all styles and budgets.



### Laminate Page 12

Pick from our stunning range of wood effect laminates through to textured and embossed laminates.



### Accessories Page 16

Don't forget to complete your flooring with our extensive range of accessories to suit all flooring types.

## Guide to Symbols

The following key identifies each symbol used within this brochure, providing details of what they represent.



Suitable for use in  
Kitchens



Suitable for use in  
Bathrooms



Suitable for use with  
Underfloor Heating



Thickness

This relates to the thickness of the board. All of our flooring has a thickness of at least 6mm.



Guarantee

Products are covered by manufacturer guarantees, terms and conditions apply.

# Choosing the Right Flooring

Solid wood flooring



Solid wood flooring is exactly what the name implies: a solid piece of wood from top to bottom. The thickness of solid wood flooring can vary, but generally ranges from 12-20mm. One of the many benefits of solid wood flooring is that it can be sanded and re-finished many times. Solid wood flooring can be installed on ground level and above ground level.

Engineered wood flooring



Real wood flooring that is manufactured using multiple layers of different wood veneers or fillets. The sub layers can be of the same species or, as in most cases, of different species. The grain of each layer runs in different directions, which makes it more stable than solid wood flooring. This means that the wood will expand and contract less than solid wood flooring during fluctuations in humidity and temperature. The top layer of engineered wood flooring consists of high quality wood species of different types, the most common being white oak. While this type of flooring can be sanded and finished, it cannot be done as many times as solid wood flooring. Engineered wood flooring can be installed below ground level and above ground level.

Laminate flooring



Laminate flooring is made up of single or multi-layered decorative layer with a decorative melamine layer, a substrate mdf or hdf and a balancing backer. The decor is a printed decor and can be of real wood flooring or tile effects etc. Its advantages are it is easy to install and comes in locking systems. The prints are extremely realistic and tend to be more affordable than real wood flooring. The melamine protection layer helps it to withstand dents more easily than real wood flooring and is more scratch resistant than real wood flooring. Laminate flooring can be installed below and above ground level.



# Where To Use Our Flooring

	Solid wood flooring	Engineered wood flooring	Laminate flooring
Underfloor heating	NO	YES	NO
Acclimatisation	YES	YES	YES
Secret nail using only industry accepted floor nailers	YES	Multi layer plywood cores can be secret nailed. 14mm softwood cores cannot be nailed	NO
Full bond	YES	YES	NO
Floating	NO	YES	YES
Provision for expansion	YES	YES	YES
Install to lounge	YES	YES	YES
Bedroom	YES	YES	YES
Basement	NO	YES	YES
Kitchen with water protection splash mats	NO	YES	SOME with joint water proof sealant
Bathroom	NO	NO	SOME with joint water proof sealant
Conservatory	NO	YES	YES

## IMPORTANT:

The building should be fully enclosed including doors and windows. All heating should be up and running. All wet trades work **must** have been completed otherwise moisture from walls and air will transfer to flooring. The delivered flooring must be left in the packaging with polythene wrapping for laminate and engineered flooring. Solid wood flooring cartons can be opened and stacked in no more than 2-3 packs high to enable good air flow on battens and must not be stored direct onto concrete floors or be stored next to radiators.

Further checks must be carried out by the installer to confirm that the flooring is in equilibrium with the site it is to be installed and its expected living conditions.

Subfloors must be flat to within 3mm over a 3m straight edge.

A suitable maintenance cleaner must only be used.



## Wood Flooring Terminology

- **Subfloors:** Non continuous/continuous support system between the wood flooring and the primary structure.
- **Engineered:** Element of laminated construction consisting of a top layer of solid wood and additional layer(s) of wood or wood based materials, glued together.
- **Cupping:** Curvature of an element across the width of the face.
- **Bow:** Lengthwise curvature of an element perpendicular to the face.
- **Pre-finished:** Element which has had its face treated at a factory.
- **Interlocking system:** System of assembly based upon a male and female profile that does not have a load bearing function, allowing the positioning of elements during installation.
- **Floating system:** Any system of installation which allows each element to be affixed to each other but to be independent of the surface beneath.
- **Secret nailing:** Nailing through the tongue so that it can be covered by the opposing groove.
- **Gluing installation:** System of installation allowing the elements to be fixed to the surface beneath with adhesive.
- **Maintenance:** Process of retaining the appearance of the face and its treatment either by cleaning, re-lacquering, re-oiling, re-waxing, refreshing or application of specialist products.



# NATURAL OAK

# Solid Wood



NATURAL HAND SCRAPED

Product Code: 349963



MEDIUM OAK LACQUERED

Product Code: 349959

The 4Trade range of solid oak flooring is manufactured from the finest quality timber and is available in a variety of beautiful textures, finishes and sizes.

The range also features bamboo, a beautiful, natural and environmentally friendly solid wood flooring.

- Suitable for use in bedrooms, living rooms and studies
- White oak
- Random lengths
- Not suitable for use as a floating floor, secret nailing or gluing required for installation
- Square edge profile

## Locking Mechanism

### Tongue & Groove

Each board has a tongue and groove, allowing for easy interlocking.



#### Natural Oak Lacquered

- 83mm width
- 1 Strip
- Tongue & Groove Locking
- Square edge profile
- Pack Size: 1.19m<sup>2</sup>

Code: 171289

#### Natural Oak Lacquered


- 125mm width
- 1 Strip
- Tongue & Groove Locking
- Square edge profile
- Pack Size: 1.2m<sup>2</sup>

Code: 171815

#### Natural Oak Lacquered

- 150mm width
- 1 Strip
- Tongue & Groove Locking
- Square edge profile
- Pack Size: 1.26m<sup>2</sup>

Code: 171290



#### Medium Oak Lacquered

- 125mm width
- 1 Strip
- Tongue & Groove Locking
- Square edge profile
- Pack Size: 1.2m<sup>2</sup>

Code: 349959



#### Natural Oak Hand Scraped

- 125mm width
- 1 Strip
- Tongue & Groove Locking
- Square edge profile
- Pack Size: 1.2m<sup>2</sup>

Code: 349963



#### Natural Oak Brushed & Oiled

- 150mm width
- 1 Strip
- Tongue & Groove Locking
- Square edge profile
- Pack Size: 1.26m<sup>2</sup>

Code: 349961



#### Horizontal & Carbonized Bamboo

- 960mm width
- 1 Strip
- Tongue & Groove Locking
- Square edge profile
- Pack Size: 2.21m<sup>2</sup>

Code: 356401



MEDIUM OAK

# Engineered



NATURAL OAK  
BRUSHED & OILED

Product Code: 351538



NATURAL OAK  
LACQUERED

Product Code: 351537

The 4Trade range of engineered flooring offers product to suit all styles and budgets from the simple beauty of 3 strip Parawood and Oak through to a stunning brushed and oiled floor.

Supplied in long length boards, to make installation quick and easy.

- Suitable for use in all living areas excluding bathrooms and utility rooms
- Can be installed as a floating floor
- Glueless locking mechanism

## Locking Mechanism

### 5G Locking

A special interlocking profile tongue and groove section machined into the core or clips attached to the base of the planks, interlocking them.

### Glueless Locking

A mechanical jointing system for flooring allowing installation without the use of adhesives.



Parawood

- 190mm width
- 3 Strip
- Glueless Locking

Code: 351533

- Square edge profile
- Pack Size: 2.07m<sup>2</sup>



Natural Oak Lacquered

- 190mm width
- 3 Strip
- 5G Locking

Code: 351535

- Square edge profile
- Pack Size: 2.07m<sup>2</sup>



Medium Oak Lacquered

- 145mm width
- 1 Strip
- 5G Locking

Code: 351536

- V-Groove edge profile
- Pack Size: 1.58m<sup>2</sup>



Natural Oak Lacquered

- 190mm width
- 1 Strip
- 5G Locking

Code: 351537

- V-Groove edge profile
- Pack Size: 2.07m<sup>2</sup>



Natural Oak Brushed & Oiled

- 190mm width
- 1 Strip
- 5G Locking

Code: 351538

- V-Groove edge profile
- Pack Size: 2.07m<sup>2</sup>



ORCHARD WALNUT



OAK VERONA

Kahrs constantly strive to find the most eco-friendly ways of manufacturing wood floors and were the first flooring manufacturer to have an entirely solvent-free production process. The surfaces of Kahrs floors are also easy to clean and maintain without the use of strong chemicals.

## Locking Mechanism

### Woodloc 5S

Features a special locking tongue, which is made from an eco-friendly composite material crafted from residual wood products. Woodloc® 5S allows floors to be installed even more quickly and provides a joint that is around 25% stronger than its predecessor. The new joint also allows up to a 75% larger area to be installed without an expansion joint.

### Woodloc

The floorboards are connected together mechanically using practically invisible joints. Kahrs flooring is usually installed using the “floating installation” method. This means that the floor is not glued to the subfloor, it is left “floating” above it.

### Tongue & Groove

The traditional method for connecting boards, used for the larger boards in the range.



OAK INDOSSATI

# Engineered



**Linnea Walnut Cocoa**

- 1200 x 118 x 7mm
- 1 Strip
- Woodloc Locking
- Micro Bevelled edge profile
- Pack Size: 1.74m<sup>2</sup>

Code: 673225



**Orchard Walnut**

- 1200 x 125 x 10mm
- 1 Strip
- Woodloc 5S Locking
- Square edge profile
- Pack Size: 1.5m<sup>2</sup>

Code: 673228



**Oak Smoke**

- 2400 x 200 x 15mm
- 3 Strip
- Woodloc 5S Locking
- Square edge profile
- Pack Size: 2.91m<sup>2</sup>

Code: 673224



**Walnut Montreal**

- 2400 x 200 x 15mm
- 3 Strip
- Woodloc 5S Locking
- Square edge profile
- Pack Size: 2.91m<sup>2</sup>

Code: 673210



**Ash Skagen**

- 2400 x 200 x 15mm
- 3 Strip
- Woodloc 5S Locking
- Square edge profile
- Pack Size: 2.91m<sup>2</sup>

Code: 673226



**Oak Navarra**

- 2100 x 130 x 15mm
- 2 Strip
- Woodloc 5S Locking
- Square edge profile
- Pack Size: 2.91m<sup>2</sup>

Code: 673221



**Oak Verona**

- 1900 x 190 x 15mm
- 2 Strip
- Woodloc 5S Locking
- Square edge profile
- Pack Size: 2.91m<sup>2</sup>

Code: 172877



**Oak Nouveau Charcoal**

- 2400 x 187 x 15mm
- 2 Strip
- Woodloc 5S Locking
- Bevelled edge profile
- Pack Size: 2.91m<sup>2</sup>

Code: 673216



**Oak Indossati**

- 1900 x 190 x 15mm
- 1 Strip
- Woodloc 5S Locking
- Bevelled edge profile
- Pack Size: 2.17m<sup>2</sup>

Code: 673219



**Oak Sparuto**

- 1900 x 190 x 15mm
- 1 Strip
- Woodloc 5S Locking
- Bevelled edge profile
- Pack Size: 2.17m<sup>2</sup>

Code: 673220



**Oak Linen**

- 1900 x 190 x 15mm
- 1 Strip
- Woodloc 5S Locking
- Bevelled edge profile
- Pack Size: 2.17m<sup>2</sup>

Code: 673211



**Oak Straw**

- 1900 x 190 x 15mm
- 1 Strip
- Woodloc 5S Locking
- Bevelled edge profile
- Pack Size: 2.17m<sup>2</sup>

Code: 673212



**Oak Nouveau White**

- 2400 x 187 x 15mm
- 1 Strip
- Woodloc 5S Locking
- Bevelled edge profile
- Pack Size: 2.72m<sup>2</sup>

Code: 673214



**Grande Maison**

- 2800 x 260 x 20mm
- 1 Strip
- Tongue & Groove Locking
- Bevelled edge profile
- Pack Size: 2.91m<sup>2</sup>

Code: 673222



**Grande Casa**

- 2800 x 260 x 20mm
- 1 Strip
- Tongue & Groove Locking
- Bevelled edge profile
- Pack Size: 2.91m<sup>2</sup>

Code: 673223



# ROYAL OAK

# Laminate



SHIRE OAK

The 4Trade range of laminates offers a stunning range of products from wood effect laminate through to registered and embossed laminate. This range takes on all the looks and textures of a solid wood floor, but in a laminate.

The range also features tile effect laminates. A product for every room in the house.

- Suitable for use in all living areas and some products can also be used in the kitchen and bathroom
- Glueless locking mechanism
- Must be installed as a floating floor

## Locking Mechanism

### Twin Clic

Simply position the panels and click them together to create a firm and durable joint.



### One Clic

The ingenious One Clic and Go system makes installing 4Trade laminate simple and fast. The tongue and groove joint along the length of the panel is placed in position from above and fixed flush with the adjoining panel. The panels are then securely interlocked into position with an audible click.



Royal Oak

- 1 Strip
- Twin Clic Locking

Code: 513000

10  
YEAR  
6  
MM



Antique Oak

- 1 Strip
- Twin Clic Locking

Code: 513001

12  
YEAR  
7  
MM

- Square edge profile
- Pack Size: 2.47m<sup>2</sup>



Riviera Oak

- 1 Strip
- Twin Clic Locking

Code: 513002

12  
YEAR  
7  
MM



Dartmoor Oak

- 1 Strip
- Twin Clic Locking

Code: 513003

12  
YEAR  
7  
MM

- Square edge profile
- Pack Size: 2.47m<sup>2</sup>



Shire Oak

- 1 Strip
- One Clic Locking

Code: 513004

15  
YEAR  
8  
MM



- V-Groove edge profile
- Pack Size: 2.22m<sup>2</sup>




Aberdeen Oak

- 1 Strip
- One Clic Locking

Code: 346222

15  
YEAR  
8  
MM

- V-Groove edge profile
- Pack Size: 2.22m<sup>2</sup>



Arizona Oak

- 1 Strip
- One Clic Locking
- Square edge profile
- Pack Size: 1.48m<sup>2</sup>

Code: 513005

20  
YEAR  
12  
MM



- 10 years light commercial use guarantee
- 20 years domestic use guarantee



Anthracite Tile

- Tile Effect
- One Clic Locking

Code: 513006

15  
YEAR  
8  
MM



- Square edge profile
- Pack Size: 2.5m<sup>2</sup>



Travertine Tile

- Tile Effect
- One Clic Locking

Code: 365324

15  
YEAR  
8  
MM



- V-Groove edge profile
- Pack Size: 2.52m<sup>2</sup>



# OLD WHITE OAK

Featuring the Uniclic locking mechanism, Quick-Step flooring is quick and easy to install and exceedingly strong. With scratch guard technology it is up to 10 times more scratch resistant.

Colour co-ordinating scotia, skirting and trims are available to match all laminates.

## Locking Mechanism

### Uniclic

Use the revolutionary Uniclic system to effortlessly click the planks together. You won't believe how strong this system is. The click systems, which have been milled in the core board itself ensure exceptional tensile strength. It is quite difficult to pull apart installed Quick-Step planks. Just give it a try.



# OLD OAK LIGHT GREY

# Laminate



**Midnight Oak Natural**

- 1200 x 190 x 7mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.824m<sup>2</sup>

Code: 676216



**Natural Varnished Oak**

- 1200 x 190 x 7mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.824m<sup>2</sup>

Code: 676217



**Enhanced Oak Natural Varnished**

- 1200 x 190 x 7mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.824m<sup>2</sup>

Code: 676218



**Old Oak Natural**

- 1200 x 190 x 7mm
- 3 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.824m<sup>2</sup>

Code: 676219



**Bleached White Teak**

- 1200 x 190 x 7mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.824m<sup>2</sup>

Code: 676221



**White Ash**

- 1200 x 190 x 7mm
- 1 strip
- Uniclic Locking
- V-Groove edge profile
- Pack Size: 1.824m<sup>2</sup>

Code: 509440



**White Oak Light**

- 1380 x 156 x 8mm
- 1 strip
- Uniclic Locking
- V-Groove edge profile
- Pack Size: 1.722m<sup>2</sup>

Code: 676222



**Old White Oak Natural**

- 1380 x 156 x 8mm
- 1 strip
- Uniclic Locking
- V-Groove Locking
- Pack Size: 1.722m<sup>2</sup>

Code: 676223



**Old White Oak Dark**

- 1380 x 156 x 8mm
- 1 strip
- Uniclic Locking
- V-Groove edge profile
- Pack Size: 1.722m<sup>2</sup>

Code: 676224



**White Oak Medium**

- 1380 x 156 x 8mm
- 1 strip
- Uniclic Locking
- V-Groove edge profile
- Pack Size: 1.722m<sup>2</sup>

Code: 676225



**Old Oak Light Grey**

- 1380 x 156 x 8mm
- 1 strip
- Uniclic Locking
- V-Groove edge profile
- Pack Size: 1.722m<sup>2</sup>

Code: 676227



**Light Grey Varnished Oak**

- 1380 x 156 x 8mm
- 1 strip
- Uniclic Locking
- V-Groove edge profile
- Pack Size: 1.722m<sup>2</sup>

Code: 676228



**Natural Varnished Oak**

- 1380 x 156 x 8mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.722m<sup>2</sup>

Code: 676229



**Oiled Walnut**

- 1380 x 156 x 8mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.722m<sup>2</sup>

Code: 676231



**Oak Natural Oiled**

- 1380 x 190 x 8mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.8354m<sup>2</sup>

Code: 676232



**Reclaimed Chestnut Antique**

- 1380 x 190 x 8mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.8354m<sup>2</sup>

Code: 676233



**Reclaimed Chestnut Natural**

- 1380 x 190 x 8mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.8354m<sup>2</sup>

Code: 676234



**Oak White Oiled**

- 1380 x 190 x 8mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1.8354m<sup>2</sup>

Code: 676235



**Slate Black**

- 1224 x 408 x 8mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1m<sup>2</sup>

Code: 676236



**Ceramic Light**

- 1224 x 408 x 8mm
- 1 strip
- Uniclic Locking
- Square edge profile
- Pack Size: 1m<sup>2</sup>

Code: 676237



# ACCESSORIES

# Accessories



Multi Height T-Bar Timber Effect

Code	Description
527727	900mm Oak
527728	900mm Rustic Oak



Multi Height T-Bar

Code	Description
527729	900mm Silver
527672	900mm Gold
527673	1800mm Silver
527682	1800mm Gold



Cover Trim

Code	Description
527686	900mm Silver
527687	900mm Gold
527689	1800mm Silver
527690	1800mm Gold



Cover Trim Extra Wide

Code	Description
527691	900mm Silver
527692	900mm Gold
527693	1800mm Silver
527695	1800mm Gold



Scotia (2000 mm)

Code	Description
527712	White Primed
527714	Oak
527716	Rustic Oak
527721	Pine (Unfinished)



Laminate Colour Match Scotia (2600 mm)

Code	Description
671846	Royal Oak effect
671847	Antique Oak effect
671848	Riviera Oak effect
671850	Dartmoor Oak effect
671851	Aberdeen Oak effect
671852	Shire Oak effect
671853	Anthracite effect
671854	Travertine effect
671855	Arizona Oak effect



Real Wood Pipe Surrounds

Code	Description
527696	Light Wood effect
527697	Medium Wood effect
527699	Dark Wood effect



Comfort White Foam Underlay

- 15m x 1m x 2mm
- Coverage 15m<sup>2</sup>
- Suitable for laminate & engineered flooring
- Excellent impact sound insulation
- Absorbs minor floor imperfections

Code: 527722



Combat Foam Underlay with Moisture Barrier

- 15m x 1m x 3mm
- Coverage 15m<sup>2</sup>
- Suitable for laminate & engineered flooring
- Excellent impact sound insulation
- Absorbs minor floor imperfections
- Suitable for under floor heating
- 40mu Moisture barrier

Code: 527724



Sonic Gold Foil Underlay with Moisture & Acoustic Barrier

- 15m x 1m x 3mm
- Coverage 15m<sup>2</sup>
- Suitable for laminate & engineered flooring
- Excellent impact sound insulation
- Absorbs minor floor imperfections
- Substantial noise reduction 22db
- Premium cushioned support

Code: 527725



Fibreboard Underlay

- 850 x 590 x 5mm
- Coverage 10.03m<sup>2</sup>
- Suitable for laminate, engineered & solid wood flooring
- Sound reduction to 19 db
- Absorbs minor floor imperfections to 3mm
- Can be used on concrete\* and timber sub floors
- Suitable for use with Underfloor systems

Code: 355021

\* When used in conjunction with a suitable DPM

# Accessories



Polymer Flooring Adhesive

- 15kg
- Ready to use
- Suitable for binding engineered and solid wood flooring
- Suitable for use with under floor heating
- Set to light foot traffic in 12 hours
- Adjustment time upto 2 hours

Code: 526114



Ultrabond Flexible Adhesive

- 600cc cartridge
- Ready to use
- Suitable for use with engineered wood flooring, stairs, beading and skirting boards
- Set to light foot traffic in 12 hours
- Adjustment time upto 3 hours

Code: 359334



D3 Solvent Free Adhesive

- 0.5KG
- Ready to use
- Bonding of T&G joints for floating floors (Laminate & Engineered)
- Set to light foot traffic in 24 hours
- Transparent water resistant film

Code: 360444



Sealant for Wood Floors

- 310ml
- Sealing perimeter joints where there is not joint strip
- Can be sanded after 24 hours

Code: 526115 (White)  
Code: 359335 (Oak)



Clicseal Joint Seal

- 10m<sup>2</sup> coverage
- Designed to protect the core of click flooring from water ingress
- Suitable for use with glueless laminate and engineered flooring
- Ideal for use in kitchens

Code: 672149



Flooring Adhesive Gun

- 2 Nozzles
- Suitable for use with 60cc cartridges
- Aluminium body

Code: 672493



Pull Bar

- For pulling planks together at end of rows
- Suitable for laminate and engineered flooring
- Heavy duty

Code: 527700



Knocking Block

- Protective block for knocking planks together
- Suitable for laminate, engineered and solid wood flooring
- Heavy duty

Code: 527704



Spacers

- Pack 22
- Used for maintaining expansion gaps
- Suitable for use with laminate, engineered and solid wood flooring

Code: 527710



Adhesive Trowel

- 280mm
- Soft grip

Code: 489337

# Accessories



## Brad Nail Guns

Code	Description
457924	Paslode IM65 Straight Brad Nailer (Shown)
458062	Paslode IM65A Angled Brad Nailer



## Straight Brad Nails

- Galvanised nails for use with Paslode IM65
- 2000 nails and 2 fuel cells per pack

Code	Description	Code	Description
372723	F16 x 16mm	372727	F16 x 38mm
372724	F16 x 19mm	372728	F16 x 45mm
372725	F16 x 25mm	372729	F16 x 50mm
372726	F16 x 32mm	372730	F16 x 63mm



## Angled Brad Nails

- Galvanised nails for use with Paslode IM65A
- 2000 nails and 2 fuel cells per pack

Code	Description
532482	F16 x 32mm
532483	F16 x 38mm
532484	F16 x 45mm
532485	F16 x 51mm
532486	F16 x 63mm



## Cempolplex Floor Levelling Compound

- 25kg
- Coverage 1m<sup>2</sup> per 5kg @3mm
- Flexible rapid setting formula
- Levels and fills

Code: 849709



## Ultraplan Renovation

- 25kg
- Coverage 6m<sup>2</sup> @3mm
- Fibre enhanced
- Suitable for use with underfloor heating

Code: 225248



## Damp Proof Membrane

- Conforms to PIFA standard 6/83A:1995
- High puncture resistance

Code	Description
863336	4m x 25m x 250mu
863337	4m x 25m x 300mu



## Cementone Aquaprufe Liquid Damp Proof Membrane

- Solvent free, odourless and taint free. Ideal for applying indoors
- No need for a separate primer
- Can be applied to damp surfaces
- Cold-applied
- High rubber content making it flexible
- Exceptional waterproofing

Code	Description
860353	2.5L
860354	5L
860355	25L



## Cementone Rendabond PVA

- Highly effective building adhesive, primer, admixture, bonding agent and dustproof
- Improves adhesion and bond strength

Code	Description
750906	1L
750905	2.5L
750904	5L
866081	25L



## Building Paper

- Bitumen, paper and reinforcement scrim laminate

Code	Description
282240	1.0 x 25m
282241	1.0 x 50m

# Branch Directory

Benchmark are currently expanding throughout the UK.  
Please visit [www.benchmarkjoinery.co.uk](http://www.benchmarkjoinery.co.uk) for our up-to-date branch listing.

BRANCH	ADDRESS	POSTCODE	TEL NO.
<b>LONDON (INSIDE M25)</b>			
Brentford	Unit 11 Phoenix Trade Park, Ealing Road Off Great West Road	TW8 9PL	0208 758 0519
Bromley	Unit 1 Bromley Industrial Estate, Waldo Road	BR1 2WD	0208 460 9408
TP Catford	26 Sangley Road	SE6 2JN	0208 695 8615
Colindale	Unit 72 Capitol Industrial Park, Capitol Way	NW9 0EW	0208 200 8764
Crayford	Unit 7 Crayside Industrial Estate, Thames Road	DA1 4RF	01322 558973
Croydon	Unit 5 681 Mitcham Road	CRO 3YH	0208 689 5948
Dagenham	Unit 10 Sterling Industrial Estate, Rainham Road South	RM10 8TX	0208 517 9452
Enfield	Unit 4 Great Cambridge Road Industrial Estate, Lincoln Road	EN1 1SH	0208 804 0629
Epsom	D2 Longmead Business Centre, Felstead Road	KT19 9QG	01372 748071
Hanworth	Unit 8 Hampton Farm Industrial Estate, Hampton Road West	TW13 6DB	0208 755 1678
Merton	Unit 6 Nelson Trading Estate	SW19 3BL	0208 543 6357
New Malden	Unit 3 Leigh Close	KT3 3NW	0208 949 1606
New Southgate	4 Brunswick Industrial Estate	N11 1JL	0208 368 9850
Orpington	Orpington Trade Centre, 21 Murray Road	BR5 3SS	01689 835205
TP Paddington	149 Harrow Road	W2 6NA	0207 342 3620
Park Royal	Unit 1 Grand Union Industrial Estate, Abbey Road	NW10 7UL	0208 961 7405
Peckham	Unit B1 6 Bridges Trading Estate, Marlborough Grove, Off Old Kent Road	SE1 5JT	0207 237 6421
TP Pimlico	61 Pimlico Road	SW1W 8NF	0207 730 4763
TP Rainham	Rainham Road	RM13 8ST	01708 792700
TP Rickmansworth	Church Wharf, Church Street	WD3 1JB	01923 484710
Romford	Unit 1 Stafford Industrial Estate, Arleigh Close	RM11 2SJ	01708 446582
TP Sidcup	2 Hurst Road	DA15 9AB	0208 308 9700
South Ruislip	Unit 10 5 Bradfield Road	HA4 0NU	0208 423 3597
Uxbridge	Unit 9 Cowley Mill Trading Estate, Longbridge Way	UB8 2YG	01895 234821
TP Vauxhall	77 South Lambeth Road	SW8 1RJ	0207 805 2700
Walthamstow	Unit 9 Waltham Park Way, Billet Road	E17 5DU	0208 531 5769
Wandsworth	Unit 3, 307 - 309 Merton Road	SW18 5JS	0208 874 1066
Watford	Unit 8 Imperial Centre, Imperial Way	WD24 4PP	01923 225568
Weybridge	Unit 4 Waterside Trading Estate, Hamm Moor Lane	KT15 2SN	01932 844528
K Willesden	12 Scrubs Lane, Harlesden	NW10 6RB	0208 969 9800
<b>SOUTH EAST</b>			
Ashford	Units 13-14 Brunswick Industrial Estate, Brunswick Road	TN23 1EL	01233 638561
TP Aylesford	Forstal Road	ME20 7AG	01622 710494
Basildon	Unit 18-19, Yardley Business Park, Luckyn Lane	SS14 3GL	01268 527911
TP Bognor Regis	43 Oldlands Way, Southern Cross Trading Estate	PO22 9SE	01243 822348
TP Brentwood	Coxtie Green Road	CM14 5PN	01277 304408
Brighton	Unit 6B Freshfield Business Park, Stevenson Road	BN2 0DF	01273 689071
Broadstairs	Unit 3 Patricia Way, Pysons Industrial Estate	CT10 2LF	01843 867170
Canterbury	2B & 2C Broad Oak Trading Estate, Broad Oak Road	CT2 7PX	01227 762890
Chelmsford	Unit 10 Bilton Road	CM1 2UP	01245 263284
K Colchester	Whitehall Road	CO2 8JJ	01206 285620
Crawley	Unit 2 Gatwick International Distribution Centre, Gatwick Road	RH10 9RX	01293 565159



Located inside Travis Perkins



Located inside Keyline



Located inside City Plumbing

## SOUTH EAST Continued.

TP	Eastbourne	Railway Goods Yard, Whitley Road	BN22 8LT	01323 733272
	Farnham	Guildford Road Trading Estate, Guildford Road	GU9 9PZ	01252 713161
	Folkestone	Unit 2 Park Farm Industrial Estate, Park Farm Road	CT19 5EY	01303 243854
	Gillingham	Unit 3 Medway Distribution Centre, Courteney Road	ME8 ORT	01634 263142
	Guildford	Woodbridge Park Estate, Woodbridge Road	GU1 1EH	01483 578097
TP	Hemel Hempstead	Lawn Lane	HP3 9HR	01442 226 117
TP	Leatherhead	Oak Road	KT22 7PG	01372 854200
TP	Maidenhead	Baltic Wharf, Boyn Valley Road	SL6 4EE	01628 845400
	Maidstone	Unit 9 Haselmere Trading Estate, Sutton Road	ME15 9NL	01622 672613
TP	Pulborough	Station Approach	RH20 1AQ	01798 873491
	Rayleigh	52 Stadium Way, Benfleet	SS7 3TS	01268 778467
	Reading	Unit 5b Stadium Industrial Estate	RG30 6BX	01189 418993
TP	Reading Woodley	Woodley Green, Church Road, Woodley	RG5 4QP	01189 063 600
CP	Shoreham	Malthouse Trading Estate, Brighton Road	BN43 6RJ	01273 753305
TP	Slough	Stoke Wharf, Stoke Road	SL2 5AT	01753 232706
	Thurrock	Unit 9 Cliffside Trade Park, Motherwell Way, West Thurrock	RM20 3XD	01708 863769
	Tunbridge Wells	Unit 3 Spa Industrial Estate, Longfield Road	TN2 3EN	01892 790800
	Woking	Unit 12 Goldsworth Park Trading Estate, Kestrel Way	GU21 3BA	01483 767956

## SOUTH WEST

CP	Bournemouth	Unit 1, 11 - 15 Francis Avenue, Wallisdown	BH11 8NX	01202 577712
TP	Bristol	New Road, Stoke Gifford	BS34 8QW	01179 311736
TP	Cheltenham	Mead Road, Leckhampton	GL53 7EB	01242 577623
CP	Southampton	Atlantic Works, Oakley Road	SO16 4LL	02380 784895
	Stroud	Unit D, Kingfisher Business Park, London Road, Thrupp	GL5 2BU	01453 884376

## EAST ANGLIA

	Cambridge	Unit 29 & 30, Clifton Road	CB1 7EB	01223 213897
	Harlow	Unit 2 Dukes Park, Edinburgh Way	CM20 2GF	01279 690600
	Ipswich	Unit 1 25 Anson Rd, Martlesham Heath Business Park, Martlesham Heath	IP5 3RG	01473 623814
TP	Kings Lynn	Hamlin Way, The Narrows	PE30 4NG	01553 692505
K	Norwich	Weston Road	NR3 3TP	01603 246701
TP	Peterborough Ivatt Way	Ivatt Way, Westwood Industrial Estate	PE3 7PA	01733 268123
CP	Peterborough Newark Road	Eastern Industry, Newark Road	PE1 5YX	01733 552613

## MIDLANDS

TP	Aylesbury	Unit 20, The Vale Industrial Centre, Southern Road	HP19 9EW	01296 339907
TP	Leamington Spa	Old Warwick Road	CV31 3NS	01926 463003
CP	Lichfield	Birmingham Road	WS14 9BJ	01543 419387
CP	Luton	Unit 16 Bilton Way	LU1 1UU	01582 488563
	Minworth	Unit C3 Minworth Trade Park, Stockton Close	B76 1DH	0121 313 2412
TP	Northampton	Harvey Reeves Road	NN5 5JR	01604 585208
TP	Oxford	Sandy Lane West	OX4 6JU	01865 712688
TP	Rugby	2 Somers Road	CV22 7DD	01788 565783
	Solihull	Unit B Radway Road	B90 4NR	0121 709 2679
TP	Stirchley	Hastings House, Charlotte Road	B30 2BT	0121 458 1445
TP	Walsall	Lichfield Road, Rushall	WS4 1PH	01922 614924

## SCOTLAND

K	Broxburn	Burnside Park, Newhouses Road	EH52 5NZ	01506 859647
K	Edinburgh	1 Baltic Street, Leith	EH6 7BR	0131 554 6489

# Notes

---

# Notes

---

# BENCHMARK

Kitchens and Joinery



BRANCH DETAILS

## FLOORING COLLECTION

LEADING THE WAY IN QUALITY

The information contained within this publication is believed to be correct and complete at time of printing. Due to the limitations in the printing process some of the images shown may not be representative of the true product colours. Stock may vary from branch to branch and is subject to availability. All photos are as a guide only and do not necessarily represent the products available. E&OE. Waste Electrical and Electronic Equipment Recycling: Please help us to minimise the effect we have on the environment by recycling your waste electrical goods. Find your nearest recycling points and helpful recycling tips for electrical goods by visiting [www.recycle-more.co.uk](http://www.recycle-more.co.uk)  
Registered Office: Lodge Way House, Lodge Way, Northampton. NN5 7UG. Registration Number: 2780063. VAT Number: GB 408556737  
JB68084 09/12