

The Essentials



2008 COLLECTION

LAMINATE



The Essentials



Feel at home with your values.

The Essentials World is defined by classic designs enhanced through a palette of technical innovations that allow you to breathe new life into a room. The Free 731, Cool 832 and Woodstock 832 Collections ground you in today, while guarding your precious day-to-day memories. This is design at its most sensible.

Happy Basics!

Discover

- Free 731
- Cool 832
- Woodstock 832









Feel at home with your values.

Find comfort in the traditional.



1 Choose a product

2 Choose a feature

PRODUCT	2008 product code	Length x Width x Thickness (mm)	Plank per box	m ² per box	m ² per pallet	 	       
FREE 731	8030	1292 x 194 x 7mm	9	2,255	135,30	●	● ● ●
FREE 731	8115	1292 x 194 x 7mm	9	2,255	135,30	●	● ● ● ●
FREE 731	8120	1292 x 194 x 7mm	9	2,255	135,30	●	● ● ● ● ●
COOL 832	8033	1292 x 194 x 8mm	8	2,005	112,28	●	● ● ● ●
COOL 832	8129	1292 x 194 x 8mm	8	2,005	112,28	●	● ● ● ● ●
WOODSTOCK 832	8130	1292 x 194 x 8mm	8	2,005	112,28	●	● ● ● ● ● ●
WOODSTOCK 832	8154	1292 x 194 x 8mm	8	2,005	112,28	●	● ● ● ● ● ● ●


The laminate flooring that is best suited to today's busy lifestyles




3 Choose the accessory

Pre-installation	Tarkett® Foam (2 mm underlayer) Tarkett® SoundBlock Foam (3 mm underlayer with vapour barrier)
During installation	Distance spacers, Installation springs
After installation	Colour-Coordinated skirtings with fixing strip or clip holders Colour-Coordinated profiles or multi function moulding with fixing device Tarkett® Antistatic Cleaner Tarkett® Repair Kit


4 Tarkett Essentials Know-How




An outstanding silky, no-gloss surface. The perfect emulation of wood original appearance.




State-of-the-art finish that displays the pattern of wood in three different thicknesses, this creating the most visually interesting characteristics and contrast.



An embossed-in-register surface that reproduces the structures of real wood by strictly following its pattern all along.



A brand new embossing creating the weathered and aged appearance of a rustic flooring.



Tarkett® Laminate benefiting from 2 sided effect are beveled on their length to perfectly match the visual effect of a genuine hardwood floor.

5 Why Tarkett Essentials?

strong
simple

Demand for virtue





Take it easy



outstanding
practical



Stand apart



Stay relaxed

3

Free 731, Enjoy cocooning



Good to Know

- **Better quality :**
Class 31 as a result of the Techwear coating
- Tarkett 20 year guaranty
- Meet the EN 13329 and EN 14041 standards (CE)
- Practical & fashionable – ideal for living spaces.

1292 x 194 x 7 mm
















8115 items







8120 items

Product Name	FREE 731	FREE 731	FREE 731
Product Code	8030	8115	8120
Dimensions (mm)	1292 x 194 x 7	1292 x 194 x 7	1292 x 194 x 7
Support	HDF	HDF	HDF
Process	DPL	DPL	DPL
Structure	-	Tru-Touch Matt	Tru-Touch Patina

EN 13329 Abrasion & impact resistance	 - AC3/IC1		
	6,2 Kg/m ²	6,2 Kg/m ²	6,2 Kg/m ²
	9	9	9
	2,255 m ²	2,255 m ²	2,255 m ²
 EN 438-2	Grade 5		
 EN 425	No change in appearance or damage		
 EN ISO 105 Blue Wool Scale  EN 20105 Grey Scale	level 6 level 5		
 EN 13501-1	Cfl - s1		
 DIN 52612-1	(±) 0,07m ² K/W		
Underfloor Heating compatible	Low temperature, waterborne system or self regulating electrical system		
 E1 Formaldehyde Emission EN 717-1	E1		




	 EN 14041	Distributed in EU by Tarkett Agepan Laminate Flooring SCS, 14 rue de l'Église, L-69650 Esch et Sime LUXEMBOURG
	 	
EN 13329 Free 731		



The Essentials
Beech 3-strip Medium


Free 731
8030013





The Essentials
Natural Maple

Free 731
8030018





The Essentials
Golden Acacia

Free 731
8030193





The Essentials
Russet Acacia


Free 731
8030194



The Essentials
Beech Plank Medium

Free 731
8030023






The Essentials
Old World Walnut

Free 731


8030197



The Essentials
Scandinavian Ash


Free 731
8115195





The Essentials
Natural Maple

Free 731
8115018





The Essentials
Beech Plank Medium

Free 731
8115023






The Essentials
Vignola Cherry

Free 731
8115056






The Essentials
White Ash Plank

Free 731
8115200





The Essentials
Deep Honey Sherwood Oak

Free 731
8115214





The Essentials
Princess Fontainebleau Oak

Free 731
8115222






The Essentials
Indian Hickory

Free 731
8120043






The Essentials
New World Pecan Tree

Free 731
8120072





The Essentials
Bourbon Oak


Free 731
8120210





The Essentials
Saddle Brown Oak

Free 731
8120211





The Essentials
Dark Fumes Oak

Free 731
8120212





The Essentials
Burma Teak

Free 731
8120213





The Essentials
Arthur Broceliande Oak

Free 731
8120219





The Essentials
Princess Fontainebleau Oak

Free 731
8120222



Cool 832, Benchmark Flooring



Good to Know












- **Better quality :**
Class 32 as a result of the Techwear coating & UltraBase+ core board
- Tarkett 20 year guaranty
- Meet the EN 13329 and EN 14041 standards (CE)
- Easy to install, easy to maintain, Cool 832 will take punishment and remain a hip look.


1292 x 194 x 8 mm



023/071/214 designs




Product Name	COOL 832	COOL 832
Product Code	8033	8129
Dimensions (mm)	1292 x 194 x 8	1292 x 194 x 8
Support	HDF	HDF
Process	DPL	DPL
Structure	-	Textured wood finish



EN 13329 Abrasion & impact resistance	 - AC4/IC2	
	7,3 Kg/m ²	7,3 Kg/m ²
	8	8
	2,005 m ²	2,005 m ²
 EN 438-2	Grade 5	
 EN 425	No change in appearance or damage	
 EN ISO 105 Blue Wool Scale  EN 20105 Grey Scale	level 6 level 5	
 EN 13501-1	Cfl - s1	
 DIN 52612-1	(±) 0,07m ² K/W	
Underfloor Heating compatible	Low temperature, waterborne system or self regulating electrical system	
 E1 Formaldehyde Emission EN 717-1	E1	



* according to item



		Distributed in EU by Tarkett Agepan Laminate Flooring SCS, 14 rue de l'Église, L-69650 Esch et Sime LUXEMBOURG
		



The Essentials
Maple 3-strip Medium

Cool 832
8033016





The Essentials
Canadian Maple

Cool 832
8033017



The Essentials
Merbau 3-Strip Medium

Cool 832
8033038





The Essentials
Golden Acacia

Cool 832
8033193



The Essentials
Russet Acacia


Cool 832
8033194



The Essentials
Beech 3-strip Medium

Cool 832
8033013





The Essentials
Old World Walnut

Cool 832
8033197



The Essentials
Cherry 2-strip Dark

Cool 832
8033020





The Essentials
Flame Jarrah


Cool 832
8033041





The Essentials
Sparkling birch

Cool 832
8033049



The Essentials
Cherry Tree
Cool 832
8129071





The Essentials
Beech Plank Medium

Cool 832
8129023





The Essentials
Deep Honey Sherwood Oak

Cool 832
8129214



Woodstock 832, Nature's magic, man's skill



Good to Know

- **Better quality :**
Class 32 as a result of the Techwear coating & UltraBase+ core board
- Tarkett 20 year guaranty
- Meet the EN 13329 and EN 14041 standards (CE)
- With its selection of finest Oaks combined with the Genuine Tru-Touch effect, Woodstock 832 is rooted in authenticity and character.











1292 x 194 x 8 mm









8154 items



Product Name	WOODSTOCK 832	WOODSTOCK 832
Product Code	8130	8154
Dimensions (mm)	1292 x 194 x 8	1292 x 194 x 8
Support	HDF	HDF
Process	DPL	DPL
Structure	Tru-Touch Genuine	Tru-Touch Genuine & 2-sided effect

EN 13329 Abrasion & impact resistance	 - AC4/IC2
	7,3 kg/m ²
	8
	2,005 m ²
 EN 438-2	Grade 5
 EN 425	No change in appearance or damage
 EN ISO 105 Blue Wool Scale EN 20105 Grey Scale	level 6 level 5
 EN 13501-1	Cfl - s1
 DIN 52612-1	(+/-) 0,07m ² K/W
Underfloor Heating compatible	Low temperature, waterborne system or self regulating electrical system
 E1 Formaldehyde Emission EN 717-1	E1



	EN 14041  	Distributed in EU by Tarkett Agepan Laminate Flooring SCS, 14 rue de l'Église, L-69650 Esch et Sûre LUXEMBOURG
	 	



The Essentials
Deep Honey Sherwood Oak

Woodstock 832
8130214



The Essentials
Tobacco Sherwood Oak

Woodstock 832
8130215



The Essentials
Mocha Sherwood Oak

Woodstock 832
8130216



The Essentials
Suede Sherwood Oak

Woodstock 832
8130217





The Essentials
Beige Sherwood Oak
Woodstock 832
8130218



The Essentials
Arthur Broceliande Oak
Woodstock 832
8130219



The Essentials
Morgan Broceliande Oak
Woodstock 832
8130220



The Essentials
Lancelot Broceliande Oak
Woodstock 832
8130221





The Essentials
Princess Fontainebleau Oak

Woodstock 832
8130222



The Essentials
Queen Fontainebleau Oak

Woodstock 832
8130223



The Essentials
King Fontainebleau Oak

Woodstock 832
8130224





The Essentials
Deep Honey Sherwood Oak

Woodstock 832
8154214



The Essentials
Tobacco Sherwood Oak

Woodstock 832
8154215



The Essentials
Mocha Sherwood Oak


Woodstock 832
8154216



The Essentials
Suede Sherwood Oak

Woodstock 832
8154217







The Originals
Beige Sherwood Oak
Woodstock 832
8154218



Princess
Fontainebleau
Oak



Sparkling Birch





Heritage Walnut

Know How



A brand new embossing creating the weathered and aged appearance of a rustic flooring.



An overall textured gloss finish that highlights the woodgrain's natural features.



State-of-the-art finish that displays the pattern of wood in three different thicknesses, this creating the most visually interesting characteristics and contrast.



An embossed-in-register surface that reproduces the structures of real wood by strictly following its pattern all along.



An embossed-in-register surface that reproduces the structures of real stone by strictly following its pattern all along.



An outstanding silky, no-gloss surface. The perfect emulation of wood original appearance.



An outstanding structure combining the embossed-in-register technique with subtle manual scraping: the best of nature, the best of mancraft.



The perfect emulation of manual scraping, Tarkett® handscraped effect combines heavy, medium and light scrap thus creating an uneven and worn look.



The Techwear layer offers a durable, no-wax, scratch-and-impact resistant surface that cleans in a flick of a wrist. Transparent, it insures a veritable protection of the decor without reducing its beauty.



New ! A state-of-the art silicon based moisture barrier at the planks' edges to prevent moisture ingress at the seams, make the installation even easier & ensure a flexible closure of the joints.



An HDF inner core featuring a density from 880 to 920 kg/m³ for superior resistance to marks and dents, great homogeneity and outstanding stability.



T-Lock? Because it's so easy. Because it's so quick. Because it's so strong. T-Lock, unity is strength.



Antistatic properties according to EN 1815 (< 2 kv).



Tarkett® Laminate benefiting from beveled effect are beveled in their width & length (4-sided Effect) or on their length (2-sided Effect) to perfectly match the visual effect of a genuine hardwood floor.



Tarkett® 25-years & 20-years guarantees (See General Conditions of Guarantee).





Woodstock 832

Art. nr. 8246559001 - The reproduction of the designs is not contractual - The information contained in this brochure is not contractual & subject to modification for the benefit of further improvement. Realization: M&M (O&K) - 070977-01



www.tarkett.com

