



The license associated with the Belarc Advisor product allows for **free personal use only**. Use on computers in a corporate, educational, military or government installation is prohibited. See the [license agreement](#) for details. The information on this page was created locally on your computer by the Belarc Advisor. Your computer profile was not sent to a web server. [Click here for more info.](#)

[About Belarc](#)

[System Management Products](#)

new [Security Advisor for Android](#)

[Your Privacy](#)

System Security Status

[Security Benchmark Score](#)
0.63 of 10
[\(details...\)](#)

[Virus Protection](#)
 Up-to-date

[Security Updates](#)
 8 missing

Computer Profile Summary

Computer Name: MRCHOST101 (in MRCARPET2014) — New Image for VMware
Profile Date: 07 July 2015 12:46:25
Advisor Version: 8.4
Windows Logon: ITSupport
Active Directory OU: Computers
DNS Suffix: mrcarpet2014.local

In page Links:

[Software Licenses](#)

[Software Versions & Usage](#)

new [Missing Updates](#)

[USB Storage Use](#)

[Hosted Virtual Machines](#)

[Network Map](#)

[Installed Hotfixes](#)

new [Click to try Belarc's Security Advisor for Android](#)

Operating System

Windows 7 Professional (x64) Service Pack 1 (build 7601)
 Install Language: English (United States)
 System Locale: English (United Kingdom)
 Installed: 01/06/2015 17:31:43
 Boot Mode: UEFI ([Secure Boot](#) likely not supported by this UEFI)

Processor ^a

3.10 gigahertz AMD Opteron
 No memory cache
 64-bit ready
 Multi-core (2 total)
 Not hyper-threaded

Drives

132.78 Gigabytes Usable Hard Drive Capacity
 99.99 Gigabytes Hard Drive Free Space
 NECVMWar VMware SATA CD00 ATA Device [Optical drive]
 VMware Virtual disk SCSI Disk Device (132.88 GB) -- drive 0

System Model

VMware, Inc. VMware7,1
 System Serial Number: VMware-42 39 05 8b dc 52 20 f6-55 a5 d0 df 30 41 ce 96
 Enclosure Type: Other

Main Circuit Board ^b

Board: Intel Corporation 440BX Desktop Reference Platform
 UEFI: VMware, Inc.
 VMW71.00V.0.B64.1404140612
 04/14/2014

Memory Modules ^{c,d}

3992 Megabytes Usable Installed Memory
 Slot 'RAM slot #0' has 2048 MB (serial number 00000001)
 Slot 'RAM slot #1' has 1024 MB (serial number 00000002)
 Slot 'RAM slot #2' has 512 MB (serial number 00000003)
 Slot 'RAM slot #3' has 256 MB (serial number 00000004)
 Slot 'RAM slot #4' has 128 MB (serial number 00000005)
 Slot 'RAM slot #5' has 16 MB (serial

number 00000006)
Slot 'RAM slot #6' has 8 MB (serial
number 00000007)
Slot 'RAM slot #7' is Empty
Slot 'RAM slot #8' is Empty
Slot 'RAM slot #9' is Empty
Slot 'RAM slot #10' is Empty
Slot 'RAM slot #11' is Empty
Slot 'RAM slot #12' is Empty
Slot 'RAM slot #13' is Empty
Slot 'RAM slot #14' is Empty
Slot 'RAM slot #15' is Empty
Slot 'RAM slot #16' is Empty
Slot 'RAM slot #17' is Empty
Slot 'RAM slot #18' is Empty
Slot 'RAM slot #19' is Empty
Slot 'RAM slot #20' is Empty
Slot 'RAM slot #21' is Empty
Slot 'RAM slot #22' is Empty
Slot 'RAM slot #23' is Empty
Slot 'RAM slot #24' is Empty
Slot 'RAM slot #25' is Empty
Slot 'RAM slot #26' is Empty
Slot 'RAM slot #27' is Empty
Slot 'RAM slot #28' is Empty
Slot 'RAM slot #29' is Empty
Slot 'RAM slot #30' is Empty
Slot 'RAM slot #31' is Empty
Slot 'RAM slot #32' is Empty

Local Drive Volumes

c: (NTFS on drive 132.78 99.99
0) GB GB free

Network Drives

**mounted by davidc at 26/06/2015
17:15:08**

h: \\192.168.13.64 5986.305567.68
\personal_ho\davidc GBGB free
i: \\192.168.13.64 5986.305567.68
\mrcdb GBGB free
r: \\192.168.13.64 5986.305567.68
\measures_ho GBGB free
s: \\192.168.13.64 5986.305567.68
\allwork_ho GBGB free
t: \\192.168.13.64 5986.305567.68
\sun4_ho GBGB free
v: \\192.168.13.64 5986.305567.68
\cuttingplans_ho GBGB free


**mounted by ITSupport at
07/07/2015 12:45:29**

i: \\192.168.13.64 5986.305562.68
\mrcdb GBGB free
r: \\192.168.13.64 5986.305562.68
\measures_ho GBGB free
s: \\192.168.13.64 5986.305562.68
\allwork_ho GBGB free
t: \\192.168.13.64 5986.305562.68
\sun4_ho GBGB free

v: \\192.168.13.64 5986.305562.68
 \cuttingplans_ho GBGB free

Users (mouse over user name for details)

local user accounts	last logon
Administrator	01/06/2015 22:16:31(admin)
jdc	11/07/2014 14:28:39(admin)
local system accounts	
__VMware_Conv_SA__	never
✘ Guest	never
microcare	05/02/2015 12:15:16(admin)
MRCARPET2014 domain logons	
ANDY	10/02/2015 23:05:32
davide	01/07/2015 11:13:16(admin)
davidg	24/06/2015 17:07:21
ITSupport	07/07/2015 12:44:18(admin)

✘ Marks a disabled account;  Marks a locked account

Printers

HP LaserJet 2300L PCL 5	on DOT4_001
HP LJ300-400 color M351-M451 PCL 6	on USB001
HP LJ300-400 color M351-M451 PCL 6	on USB002
Microsoft Shared Fax Driver	on SHRFAQ:
Microsoft XPS Document Writer	on XPSPort:
pdfFactory 4	on FPP4:

Controllers

Standard floppy disk controller
 ATA Channel 0 [Controller] (2x)
 ATA Channel 1 [Controller] (2x)
 ATA Channel 10 [Controller]
 ATA Channel 11 [Controller]
 ATA Channel 12 [Controller]
 ATA Channel 13 [Controller]
 ATA Channel 14 [Controller]
 ATA Channel 15 [Controller]
 ATA Channel 16 [Controller]
 ATA Channel 17 [Controller]
 ATA Channel 18 [Controller]
 ATA Channel 19 [Controller]
 ATA Channel 2 [Controller]
 ATA Channel 20 [Controller]
 ATA Channel 21 [Controller]
 ATA Channel 22 [Controller]
 ATA Channel 23 [Controller]
 ATA Channel 24 [Controller]
 ATA Channel 25 [Controller]
 ATA Channel 26 [Controller]
 ATA Channel 27 [Controller]
 ATA Channel 28 [Controller]
 ATA Channel 29 [Controller]
 ATA Channel 3 [Controller]
 ATA Channel 4 [Controller]
 ATA Channel 5 [Controller]
 ATA Channel 6 [Controller]
 ATA Channel 7 [Controller]
 ATA Channel 8 [Controller]
 ATA Channel 9 [Controller]
 Intel(R) 82371AB/EB PCI Bus Master IDE Controller
 Standard AHCI 1.0 Serial ATA Controller

Bus Adapters

LSI Adapter, SAS 3000 series, 8-port with 1068
 Standard Enhanced PCI to USB Host Controller
 Standard Universal PCI to USB Host Controller

Display

PCI GDIHOOK5 [Display adapter]
 VMware SVGA 3D [Display adapter]
 Generic Non-PnP Monitor

Multimedia

VMware Virtual Audio (DevTap)
 VMware Virtual Microphone

Virus Protection [[Back to Top](#)]

Group Policies

Q3033890	Critical	Microsoft security update (KB3033890)
Q3057839	Important	Microsoft security update (KB3057839)
Q3058515	Critical	Microsoft security update (KB3058515)
Q3059317	Important	Microsoft security update (KB3059317)
Q3063858	Important	Microsoft security update (KB3063858)

[Manage all your software licenses...](#)
[click for Belarc's System Management products](#)














Software Licenses [[Back to Top](#)]






Belarc - Advisor	c251b105
Microsoft - Internet Explorer	00371-OEM-9046531-17084 (Key: D6CCQ-XPYQ7-GCKCM-PMTRR-4DK87) ^e
Microsoft - Office Basic Edition 2003	73102-OEM-5695566-02556 (Key: B9XY9-C2QD6-FV93T-J728C-V9PT8) ^e
Microsoft - PowerShell	89383-100-0001260-04309
Microsoft - Windows 7 Professional (x64)	00371-OEM-9046531-17084 (Key: D6CCQ-XPYQ7-GCKCM-PMTRR-4DK87) ^e

[Find unused software and reduce licensing costs...](#)
[click for Belarc's System Management products](#)

Software Versions & Usage (mouse over **i** for details, click **i** for location) [[Back to Top](#)]

i Adobe Systems - Acrobat Version 9.5.0.270	i Microsoft - Windows Script Host Version 5.8.7600.16385 (32/64-bit)
i Adobe Systems - Reader and Acrobat Manager Version 1.5.7.0	i Microsoft - Windows Search Version 7.00.7600.16385 (32/64-bit)
i Adobe Systems - Reader Version 9.5.0.270	i NetSupport - Manager V10.02
i Adobe Systems - Shockwave Flash Version 14,0,0,145 (32/64-bit)	i NetSupport - Manager V12.01
i Belarc - Advisor Version 8.4	i No Company Name - Device Redirection Common Version 3.0.13.0 (64-bit)
i CANON - Canon IJ Driver Uninstaller Version 1.8 (64-bit)	i No Company Name - I from ANGOSS
i Cortado - ThinPrint Virtual Channel Gateway Version 10,2,266,2 (64-bit)	i No Company Name - Scanner Redirection Version 1.0.22.0
i Cortado - TPAutoConnect Version 10,2,561,2 (64-bit)	i No Company Name - ScanToPDF Version 4.2.0.20
i FinePrint Software - pdfFactory Version 4.75 (64-bit)	i No Company Name - Win32 API Viewer
i Microsoft - .NET Framework Version 2.0.50727.5483 (32/64-bit)	i Piriform - CCleaner Version 4, 15, 00, 4725 (32/64-bit)
i Microsoft - .NET Framework Version 3.0.6920.5011 (64-bit)	i Trend Micro - AEGIS Version 2.97 (64-bit)
i Microsoft - .NET Framework Version 4.0.41210.0 (32/64-bit)	i Trend Micro - Common Client Version 19.00 (64-bit)
i Microsoft - Application Error Reporting Version 11.0.5515	i Trend Micro - Network Security Components Version 5.82 (64-bit)
i Microsoft - Clip Organizer Version 11.0.5510	i VMware - Blast Desktop Server Version 2.1.0-2316948 (64-bit)
i Microsoft - Internet Explorer Version 11.00.9600.17801 (32/64-bit)	i VMware - Serial Com Redirection Agent Version 1.0.16.0
i Microsoft - Office 2003 Version 11.0.5612	i VMware - Serial COM Redirection for VMware Horizon Version 1.0.16.0
i Microsoft - Office Document Imaging Version 11.0.1897.0	i VMware - Tools Version 9.4.10 build-2068191 (64-bit)
	i VMware - vCenter Operations Manager for Horizon Version 6.0.0.2041012 (64-bit)

 Microsoft - Office InfoPath Version 11.0.5510	 VMware - View Composer Version 6.0.1 build-2078421
  Microsoft - Office Outlook Version 11.0.5510	 VMware - View Persona Management Version 6.0 (64-bit)
 Microsoft - Office Picture Manager Version 11.0.5510	 VMware - View Version 6.0.1 build-2088845 (64-bit)
 Microsoft - Office Save My Settings/Profile Wizard Version 11.0.5510	 VMware - Workstation Version 11.0.0 build-2316728
 Microsoft - Office Source Engine Version 11.0.5525	 Zedtek - ZTreeWin Version 2.4.121 (32/64-bit)
 Microsoft - Windows Installer - Unicode Version 5.0.7600.16385 (32/64-bit)	
 Microsoft - Windows Media Player Version 12.0.7600.16385 (32/64-bit)	

-  Mouse over to see details, click to see where software is installed.
 -  Marks software last used within the past 7 days.
 -  Marks software last used within the past 90 days, but over 7 days ago.
 -  Marks software last used within the past year, but over 90 days ago.
 -  Marks software last used over 1 year ago.
- Unmarked software lacks the data to determine last use.

[**Audit your security posture...
click for Belarc's System Management products**](#)

Installed Microsoft Hotfixes [\[Back to Top\]](#)

[Click here to see all installed hotfixes.](#)

- a. Processor clock speed is measured at computer start-up, and on laptops may be impacted by power option settings.
- b. Data may be transferred on the bus at one, two, or four times the Bus Clock rate.
- c. Memory slot contents may not add up to Installed Memory if some memory is not recognized by Windows.
- d. Memory slot contents is reported by the motherboard BIOS. Contact system vendor if slot contents are wrong.
- e. This may be the manufacturer's factory installed product key rather than yours. You can change it to your product key using the procedure at <http://www.belarc.com/msproductkeys.html>.
- f. The full product key is not stored on this computer. However, the characters shown uniquely identify your product key.
- g. You can have Windows save the full product key using the procedure at <http://www.belarc.com/msproductkeys.html>.

Copyright 2000-13, Belarc, Inc. All rights reserved.

[Legal notice](#). U.S. Patents 5665951, 6085229 and Patents pending.
