



The license associated with the Belarc Advisor product allows for **free personal use only**. Use on computers in a corporate, educational, military or government installation is prohibited. See the [license agreement](#) for details. The information on this page was created locally on your computer by the Belarc Advisor. Your computer profile was not sent to a web server. [Click here for more info.](#)

[About Belarc](#)

[System Management Products](#)

[new Security Advisor for Android](#)

[Your Privacy](#)

In page Links:

[Software Licenses](#)

[Software Versions & Usage](#)

[new Missing Updates](#)

[USB Storage Use](#)


[Hosted Virtual Machines](#)

[Network Map](#)


[Installed Hotfixes](#)

System Security Status


[Security Benchmark Score](#)



[Virus Protection](#)



[Security Updates](#)



† Advisor security definitions are out of date. [Click here](#) for the latest definitions.

Computer Profile Summary

Computer Name: MRCHOST114 (in MRCARPET2014) — New Image for VMware

Profile Date: 09 July 2015 14:49:35

Advisor Version: 8.4

Windows Logon: ITSupport

Active Directory OU: Computers

DNS Suffix: mrcarpet2014.local

[new Click to try Belarc's Security Advisor for Android](#)

Operating System

Windows 7 Professional (x64) Service Pack 1 (build 7601)
Install Language: English (United States)
System Locale: English (United Kingdom)
Installed: 01/06/2015 14:48:37
Boot Mode: UEFI ([Secure Boot](#) likely not supported by this UEFI)

System Model

VMware, Inc. VMware7,1
System Serial Number: VMware-42 39 65 b1 a2 e5 53 15-6e 2e 7e 1f 19 18 f9 44
Enclosure Type: Other

Processor ^a

3.10 gigahertz AMD Opteron
No memory cache
64-bit ready
Multi-core (2 total)
Not hyper-threaded

Main Circuit Board ^b

Board: Intel Corporation 440BX Desktop Reference Platform
UEFI: VMware, Inc.
VMW71.00V.0.B64.1404140612 04/14/2014

Drives

132.78 Gigabytes Usable Hard Drive Capacity
96.62 Gigabytes Hard Drive Free Space

NECVMWar VMware SATA CD00 ATA Device [Optical drive]

VMware Virtual disk SCSI Disk Device (132.88 GB) -- drive 0

Memory Modules ^{c,d}

3992 Megabytes Usable Installed Memory

Slot 'RAM slot #0' has 2048 MB (serial number 00000001)
Slot 'RAM slot #1' has 1024 MB (serial number 00000002)
Slot 'RAM slot #2' has 512 MB (serial number 00000003)
Slot 'RAM slot #3' has 256 MB (serial number 00000004)

Slot 'RAM slot #4' has 128 MB (serial number 00000005)
 Slot 'RAM slot #5' has 16 MB (serial number 00000006)
 Slot 'RAM slot #6' has 8 MB (serial number 00000007)
 Slot 'RAM slot #7' is Empty
 Slot 'RAM slot #8' is Empty
 Slot 'RAM slot #9' is Empty
 Slot 'RAM slot #10' is Empty
 Slot 'RAM slot #11' is Empty
 Slot 'RAM slot #12' is Empty
 Slot 'RAM slot #13' is Empty
 Slot 'RAM slot #14' is Empty
 Slot 'RAM slot #15' is Empty
 Slot 'RAM slot #16' is Empty
 Slot 'RAM slot #17' is Empty
 Slot 'RAM slot #18' is Empty
 Slot 'RAM slot #19' is Empty
 Slot 'RAM slot #20' is Empty
 Slot 'RAM slot #21' is Empty
 Slot 'RAM slot #22' is Empty
 Slot 'RAM slot #23' is Empty
 Slot 'RAM slot #24' is Empty
 Slot 'RAM slot #25' is Empty
 Slot 'RAM slot #26' is Empty
 Slot 'RAM slot #27' is Empty
 Slot 'RAM slot #28' is Empty
 Slot 'RAM slot #29' is Empty
 Slot 'RAM slot #30' is Empty
 Slot 'RAM slot #31' is Empty
 Slot 'RAM slot #32' is Empty

Local Drive Volumes

c: (NTFS on drive 0) 132.78 96.62 GB
 GB free

Network Drives

mounted by ITSupport at 09/07/2015 14:48:23

i: \\192.168.13.64\mrcdb 5986.305562.58
 GBGB free
 r: \\192.168.13.64\measures_ho 5986.305562.58
 GBGB free
 s: \\192.168.13.64\allwork_ho 5986.305562.58
 GBGB free
 t: \\192.168.13.64\sun4_ho 5986.305562.58
 GBGB free
 v: 5986.305562.58
 \\192.168.13.64\cuttingplans_ho GBGB free

Users (mouse over user name for details)

local user accounts	last logon
Administrator	01/06/2015 20:11:06(admin)
jdc	11/07/2014 14:28:39(admin)
local system accounts	
___VMware_Conv_SA___	never

Printers

Bar Code Printer TT027-70	on USB003
HP Color LaserJet CP2020 Series PCL6	on USB002
HP LaserJet 2300L PCL 5	on DOT4_001

✘ Guest	never	HP LJ300-400 color M351-M451	on USB001
microcare	05/02/2015 12:15:16(admin)	PCL 6	
MRCARPET2014 domain logons		HP LJ300-400 color M351-M451	on USB004
ANDY	10/02/2015 23:05:32	PCL 6	
DAVIDC	24/06/2015 10:05:54	HP LJ300-400 color M351-M451	on USB005
DAVIDG	15/06/2015 08:43:49	PCL 6	
ITSupport	09/07/2015 14:41:32(admin)	Microsoft Shared Fax Driver	on
J_STAN	05/07/2015 20:24:16	Microsoft XPS Document Writer	SHRFAX:
		pdfFactory 4	on XPSPort:
		TP Output Gateway	on FPP4:
			on TPVM:

✘ Marks a disabled account; **🔒** Marks a locked account

Controllers

- Standard floppy disk controller
- ATA Channel 0 [Controller] (2x)
- ATA Channel 1 [Controller] (2x)
- ATA Channel 10 [Controller]
- ATA Channel 11 [Controller]
- ATA Channel 12 [Controller]
- ATA Channel 13 [Controller]
- ATA Channel 14 [Controller]
- ATA Channel 15 [Controller]
- ATA Channel 16 [Controller]
- ATA Channel 17 [Controller]
- ATA Channel 18 [Controller]
- ATA Channel 19 [Controller]
- ATA Channel 2 [Controller]
- ATA Channel 20 [Controller]
- ATA Channel 21 [Controller]
- ATA Channel 22 [Controller]
- ATA Channel 23 [Controller]
- ATA Channel 24 [Controller]
- ATA Channel 25 [Controller]
- ATA Channel 26 [Controller]
- ATA Channel 27 [Controller]
- ATA Channel 28 [Controller]
- ATA Channel 29 [Controller]
- ATA Channel 3 [Controller]
- ATA Channel 4 [Controller]
- ATA Channel 5 [Controller]
- ATA Channel 6 [Controller]
- ATA Channel 7 [Controller]
- ATA Channel 8 [Controller]
- ATA Channel 9 [Controller]
- Intel(R) 82371AB/EB PCI Bus Master IDE Controller
- Standard AHCI 1.0 Serial ATA Controller

Bus Adapters

- LSI Adapter, SAS 3000 series, 8-port with 1068
- Standard Enhanced PCI to USB Host Controller
- Standard Universal PCI to USB Host Controller

Virus Protection [\[Back to Top\]](#)

OfficeScan Corporate Edition Version 19.0
 Virus Definitions Version 09/07/2015 Rev 1.000.00
 (000)
 Realtime File Scanning On

Display

- PCI GDIHOOK5 [Display adapter]
- VMware SVGA 3D [Display adapter]
- Generic Non-PnP Monitor

Multimedia

- VMware Virtual Audio (DevTap)
- VMware Virtual Microphone

Group Policies

Revision **Group Policy Object**
 17 Default Domain Policy

Higher priority policies are shown above lower

Trend Micro Security Agent**Communications**

↑ Intel(R) PRO/1000 MT Network Connection
 primary IP Address: 192.168.13.74 / 24
 Gateway: 192.168.13.254
 Physical Address: 00:50:56:B9:12:C8
 Connection Speed: 1 Gbps

Microsoft ISATAP Adapter
 Teredo Tunneling Pseudo-Interface

Networking Dns Servers: 192.168.13.1
 8.8.8.8

Other Devices

Microsoft AC Adapter
 Microsoft Composite Battery
 USB Input Device (2x)
 VMware Virtual Webcam
 VMware Virtual WIA Scanner
 Standard PS/2 Keyboard
 VMware Pointing Device [Mouse]
 VMware USB Pointing Device [Mouse] (2x)
 Generic USB Hub
 USB Composite Device
 USB Root Hub (2x)
 VMware View Virtual USB Host Controller
 VMware View Virtual USB Hub
 Generic volume shadow copy

USB Storage Use in past 30 Days (mouse over last used
 for details)

None discovered

Hosted Virtual Machines (mouse over name for
 details)

None discovered

[See your entire network map...](#)
[click for Belarc's System Management products](#)

Network Map (mouse over IP address for physical address) [[Back to Top](#)]

IP	Device Type	Device Details	Device Roles
192.168.13.1	Windows 2012 Server	Mrcserver2014 (in MRCARPET2014), mrcserver2014.mrcarpet2014.local	Domain Name Server, IIS Web Server , Browse Master, Domain Controller
192.168.13.2		Esx01, esx01.mrcarpet2014.local	
192.168.13.3		Physical Address 2C:60:0C:20:E0:CB	
192.168.13.4		Vmcs (in MRCARPET2014), VMware	Samba Server
192.168.13.5	Windows 2012 Server	Vcentre (in MRCARPET2014), vcentre.mrcarpet2014.local	
192.168.13.6		View (in MRCARPET2014), MS Hyper-V	Samba Server
192.168.13.14	Windows	Mrcserver2014 (in MRCARPET2014)	IIS Web Server , Samba Server, Domain Controller
192.168.13.15	Printer	Phaser 7100n, Xerox Phaser 7100N v 6. 2. 0 - Printer / #3330195931	Web Server
192.168.13.16		Apple	
192.168.13.17		Physical Address 08:EE:8B:90:76:DD	
192.168.13.19		New64bitdc (in HEADOFFICE)	Samba Server
192.168.13.25		Mrchost121 (in MRCARPET2014), VMware	Samba Server
192.168.13.51		Mrchost101 (in MRCARPET2014), VMware	Samba Server
192.168.13.52		Mrchost102 (in MRCARPET2014), VMware	Samba Server

192.168.13.53		Mrchost103 (in MRCARPET2014), VMware	Samba Server
192.168.13.54		Mrchost104 (in MRCARPET2014), VMware	Samba Server
192.168.13.55		Mrchost105 (in MRCARPET2014), VMware	Samba Server
192.168.13.56		Mrchost106 (in MRCARPET2014), VMware	Samba Server
192.168.13.57		Mrchost107 (in MRCARPET2014), VMware	Samba Server
192.168.13.58		Mrchost108 (in MRCARPET2014), VMware	Samba Server
192.168.13.59		Mrchost109 (in MRCARPET2014), VMware	Samba Server
192.168.13.61		Mrchost111 (in MRCARPET2014), VMware	Samba Server
192.168.13.62		Mrchost112 (in MRCARPET2014), VMware	Samba Server
192.168.13.63		Mrchost113 (in MRCARPET2014), VMware	Samba Server
192.168.13.64	Debian Linux Network Device	readynas516, Netgear	Apache Web Server
192.168.13.65		Mrchost115 (in MRCARPET2014), VMware	Samba Server
192.168.13.66		Mrchost116 (in MRCARPET2014), VMware	Samba Server
192.168.13.67		Mrchost117 (in MRCARPET2014), VMware	Samba Server
192.168.13.68		Mrchost118 (in MRCARPET2014), VMware	Samba Server
192.168.13.69		Mrchost119 (in MRCARPET2014), VMware	Samba Server
192.168.13.70		Mrchost120 (in MRCARPET2014), VMware	Samba Server
192.168.13.74	Windows 7 Workstation	Mrchost114 (in MRCARPET2014), VMware	
192.168.13.151		Mrc0021 (in HEADOFFICE)	Samba Server
192.168.13.153		Mrc0003 (in WORKGROUP)	Samba Server
192.168.13.155		Physical Address D0:50:99:14:69:6A	
192.168.13.157		Physical Address F8:BC:12:A0:1C:8C	
192.168.13.158		Physical Address B0:83:FE:54:5E:20	
192.168.13.160		Mrc0010 (in HEADOFFICE)	Samba Server
192.168.13.254			Gateway, Web Server

[Find your security vulnerabilities...](#)
[click for Belarc's System Management products](#)

Missing Security Updates new – for Adobe, Apple, Java, Microsoft and more [\[Back to Top\]](#)

Hotfixes from Windows Update (agent version 7.6.7601.18804) wait for install approval.

Last download: 02/07/2015 16:30:17, check: 09/07/2015 03:36:31.

These security updates apply to this computer but are not currently installed (using Advisor definitions version 2013.12.13.1), according to the 12/10/2013 Microsoft Security Bulletin Summary and bulletins from other vendors. Note: Security benchmarks require that *Critical* and *Important* severity security updates **must be installed**.

Hotfix Id Severity Description (click to see security bulletin)

KB2862330	Important	Microsoft security update (KB2862330)
EOL-AdobeEnd of Life		Adobe Reader 9.5.0.270 is vulnerable and no security updates are provided by the vendor
Q2538243	Important	Microsoft security update (KB2538243)
Q2584146	Important	Microsoft security update (KB2584146)
Q2685939	Critical	Microsoft security update (KB2685939)
Q2743555	Important	Microsoft security update (KB2743555)
Q2756921	Important	Microsoft security update (KB2756921)
Q2757638	Critical	Microsoft security update (KB2757638)
Q2833946	Critical	Microsoft security update (KB2833946)
Q2834886	Critical	Microsoft security update (KB2834886)
Q2835364	Critical	Microsoft security update (KB2835364)
Q2840149	Moderate	Microsoft security update (KB2840149)
Q2844286	Important	Microsoft security update (KB2844286)
Q2845187	Critical	Microsoft security update (KB2845187)
Q2849470	Important	Microsoft security update (KB2849470)
Q2861855	Unrated	Microsoft security advisory (KB2861855)
Q2863240	Important	Microsoft security update (KB2863240)
Q2868725	Unrated	Microsoft security advisory (KB2868725)
Q2875783	Important	Microsoft security update (KB2875783)
Q2876284	Important	Microsoft security update (KB2876284)
Q2876331	Critical	Microsoft security update (KB2876331)
Q2893984	Important	Microsoft security update (KB2893984)
Q2917500	Unrated	Microsoft security advisory (KB2917500)

[Manage all your software licenses...](#)
[click for Belarc's System Management products](#)

Software Licenses [\[Back to Top\]](#)

Belarc - Advisor	1d76a912
FinePrint Software - pdfFactory4	9RJWV-6ER38-ARYSC
Microsoft - Internet Explorer	00371-OEM-9046531-17096 (Key: VRTPJ-JC7VW-RKH7F-MBPYP-MQH2F) ^e
Microsoft - Office Basic Edition 2003	73102-OEM-5695566-02556 (Key: B9XY9-C2QD6-FV93T-J728C-V9PT8) ^e
Microsoft - PowerShell	89383-100-0001260-04309
Microsoft - Windows 7 Professional (x64)	00371-OEM-9046531-17096 (Key: VRTPJ-JC7VW-RKH7F-MBPYP-MQH2F) ^e

[Find unused software and reduce licensing costs...](#)
[click for Belarc's System Management products](#)

Software Versions & Usage (mouse over **i** for details, click **i** for location) [\[Back to Top\]](#)

i Adobe Systems - Acrobat Version 9.5.0.270 **i** Microsoft - Windows Installer - Unicode

i Adobe Systems - Reader and Acrobat Manager Version 5.0.7600.16385 (32/64-bit)	i Microsoft - Windows Media Player Version 12.0.7600.16385 (32/64-bit)
Version 1.5.7.0	i Microsoft - Windows Script Host Version 5.8.7600.16385 (32/64-bit)
i Adobe Systems - Reader Version 9.5.0.270	i Microsoft - Windows Search Version 7.00.7600.16385 (32/64-bit)
i Adobe Systems - Shockwave Flash Version 14,0,0,145 (32/64-bit)	i NetSupport - Manager V10.02
i Belarc - Advisor Version 8.4	ii NetSupport - Manager V12.01
i CANON - Canon IJ Driver Uninstaller Version 1.1 (64-bit)	i No Company Name - Device Redirection Common Version 3.0.13.0 (64-bit)
i CANON - Canon IJ Driver Uninstaller Version 1.8 (64-bit)	iii No Company Name - I from ANGOSS
i Cortado - ThinPrint Virtual Channel Gateway Version 10,2,266,2 (64-bit)	i No Company Name - Scanner Redirection Version 1.0.22.0
i Cortado - TPAutoConnect Version 10,2,561,2 (64-bit)	i No Company Name - ScanToPDF Version 4.2.0.20
i FinePrint Software - pdfFactory Version 4.75 (64-bit)	i No Company Name - Win32 API Viewer
ii Google - Chrome Version 43.0.2357.132	i Piriform - CCleaner Version 4, 15, 00, 4725 (32/64-bit)
i Google - Update Version 1.3.26.9	i Trend Micro - AEGIS Version 2.97 (64-bit)
i Microsoft - .NET Framework Version 2.0.50727.5483 (32/64-bit)	i Trend Micro - Common Client Version 19.00 (64-bit)
i Microsoft - .NET Framework Version 3.0.6920.5011 (64-bit)	i Trend Micro - Network Security Components Version 5.82 (64-bit)
i Microsoft - .NET Framework Version 4.0.41210.0 (32/64-bit)	i VMware - Blast Desktop Server Version 2.1.0-2316948 (64-bit)
i Microsoft - Application Error Reporting Version 11.0.5515	i VMware - Serial Com Redirection Agent Version 1.0.16.0
i Microsoft - Clip Organizer Version 11.0.5510	i VMware - Serial COM Redirection for VMware Horizon Version 1.0.16.0
ii Microsoft - Internet Explorer Version 11.00.9600.17801 (32/64-bit)	i VMware - Tools Version 9.4.10 build-2068191 (64-bit)
i Microsoft - Office 2003 Version 11.0.5612	i VMware - vCenter Operations Manager for Horizon Version 6.0.0.2041012 (64-bit)
i Microsoft - Office Document Imaging Version 11.0.1897.0	i VMware - View Composer Version 6.0.1 build-2078421
i Microsoft - Office InfoPath Version 11.0.5510	i VMware - View Persona Management Version 6.0 (64-bit)
i Microsoft - Office Outlook Version 11.0.5510	i VMware - View Version 6.0.1 build-2088845 (64-bit)
i Microsoft - Office Picture Manager Version 11.0.5510	i VMware - Workstation Version 11.0.0 build-2316728
i Microsoft - Office Save My Settings/Profile Wizard Version 11.0.5510	i Zedtek - ZTreeWin Version 2.4.121 (32/64-bit)
i Microsoft - Office Source Engine Version 11.0.5525	

i Mouse over to see details, click to see where software is installed.

i Marks software last used within the past 7 days.

ii Marks software last used within the past 90 days, but over 7 days ago.

iii Marks software last used within the past year, but over 90 days ago.

iiii Marks software last used over 1 year ago.

Unmarked software lacks the data to determine last use.

[Audit your security posture...](#)
[click for Belarc's System Management products](#)

Installed Microsoft Hotfixes [[Back to Top](#)]

[Click here to see all installed hotfixes.](#)

- a. Processor clock speed is measured at computer start-up, and on laptops may be impacted by power option settings.
- b. Data may be transferred on the bus at one, two, or four times the Bus Clock rate.
- c. Memory slot contents may not add up to Installed Memory if some memory is not recognized by Windows.
- d. Memory slot contents is reported by the motherboard BIOS. Contact system vendor if slot contents are wrong.
- e. This may be the manufacturer's factory installed product key rather than yours. You can change it to your product key using the procedure at <http://www.belarc.com/msproductkeys.html>.
- f. The full product key is not stored on this computer. However, the characters shown uniquely identify your product key.
- g. You can have Windows save the full product key using the procedure at <http://www.belarc.com/msproductkeys.html>.

Copyright 2000-13, Belarc, Inc. All rights reserved.

[Legal notice](#). U.S. Patents 5665951, 6085229 and Patents pending.
