



SAFETY DATA SHEET STYCCOBOND S910

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME STYCCOBOND S910
INTERNAL ID SB910/5
APPLICATION Sprayable flooring adhesive
SUPPLIER F.Ball and Co.Ltd.,
 Churnetside Business Park,
 Station Road.,
 Cheddleton,
 Staffordshire ST13 7RS
 For technical and non-emergency call:
 phone: 01538 361633.
 For advice on medical emergencies,
 fires, spillages or chemical hazards
 phone: +44(0) 870 190 6777
 Fax: 01538 361622
 E-Mail: mail@f-ball.co.uk

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
2-AMINOETHANOL	205-483-3	141-43-5	0.2-0.5%	C;R34 Xn;R20/21/22

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

A blend of synthetic polymer emulsion, resin and inert fillers containing small percentages of stabilisers and thickening agent

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Get medical attention if any discomfort continues.

SKIN CONTACT

Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

EYE CONTACT

Immediately rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Use protective gloves, goggles and suitable protective clothing.

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

STYCCOBOND S910**SPILL CLEAN UP METHODS**

Small Spillages Absorb with sand or other inert absorbent. Large Spillages Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Wear necessary protective equipment.

7 HANDLING AND STORAGE**USAGE PRECAUTIONS**

Provide good ventilation. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid contact with skin and eyes. Observe good industrial hygiene practices. Do not eat, drink or smoke when using the product.

STORAGE PRECAUTIONS

Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
2-AMINOETHANOL	WEL	1 ppm	2.5 mg/m3	3 ppm	7.6 mg/m3

ENGINEERING MEASURES

Provide adequate ventilation.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves to BSEN374 are recommended. Break through times can vary depending on thickness, use and source. Change gloves regularly.

EYE PROTECTION

If there is a risk of splashing, wear chemical resistant goggles or visor approved to BS EN166.

HYGIENE MEASURES

Good personal hygiene practices should be followed when working with chemicals.

PERSONAL PROTECTION

Always check applicability with your supplier of protective equipment.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	Cream		
ODOUR	Slight resin odour		
RELATIVE DENSITY	1.15 - 1.25 approx @ 20 degC	VOLATILE BY VOL. (%)	35 - 39% w/w approx
pH-VALUE, CONC. SOLUTION	8.7-9.5 approx.	VISCOSITY	3000 - 4000 cps @ 40 degC
FLASH POINT (°C)	N/A		

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid frost. Avoid exposure to high temperatures or direct sunlight.

11 TOXICOLOGICAL INFORMATION**INHALATION**

May cause some discomfort in poorly ventilated areas.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Prolonged contact may cause redness and irritation. Skin irritation is not anticipated when used normally.

EYE CONTACT

May cause irritation, soreness and reddening of the eyes

12 ECOLOGICAL INFORMATION

STYCCOBOND S910

ECOTOXICITY

There are no data on the ecotoxicity of this product.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Small quantities may be absorbed in sand and allowed to dry, prior to disposal as low hazard waste. Larger quantities should be disposed of as controlled liquid waste via a licensed waste operator.

WASTE CLASS

Waste Code for Product : 080410

14 TRANSPORT INFORMATION

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).		
	No transport warning sign required.		
ADR CLASS	Not classified for transportation.	MARINE POLLUTANT	No.

15 REGULATORY INFORMATION

RISK PHRASES

NC	Not classified.
----	-----------------

SAFETY PHRASES

NC	Not classified.
----	-----------------

16 OTHER INFORMATION

GENERAL INFORMATION

F.Ball and Company Ltd Technical Datasheet.

INFORMATION SOURCES

Health and Safety Executive Guidance Note EH40 (amended annually). Workplace Exposure Limits.

REVISION COMMENTS

Section 8 Update - Changes to workplace exposure limits

REVISION DATE	26/09/07
---------------	----------

REV. NO./REPL. SDS GENERATED 5

RISK PHRASES IN FULL

R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R37	Irritating to respiratory system.