



## SAFETY DATA SHEET STYCCOBOND F44

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME                    STYCCOBOND F44  
INTERNAL ID                        SBF44/8  
APPLICATION                        Flooring Adhesive  
SUPPLIER                            F.Ball and Co.Ltd.,  
    Churnetside Business Park,  
    Station Road.,  
    Cheddleton,  
    Staffordshire ST13 7RS  
    For technical and non-emergency call:  
    phone: 01538 361633.  
    For advice on medical emergencies,  
    fires, spillages or chemical hazards  
    phone:        +44(0) 870 190 6777  
    Fax: 01538 361622  
    E-Mail: mail@f-ball.co.uk

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
2-PHENOXYETHANOL	204-589-7	122-99-6	1-5%	Xn;R22 Xi;R36

The Full Text for all R-Phrases are Displayed in Section 16

#### COMPOSITION COMMENTS

A blend of synthetic polymer emulsion, resin and inert fillers containing small percentages of stabilisers and thickening agent

### 3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

### 4 FIRST-AID MEASURES

#### INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

#### INGESTION

Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Get medical attention if any discomfort continues.

#### SKIN CONTACT

Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

#### EYE CONTACT

Immediately rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 6 ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS

Use protective gloves, goggles and suitable protective clothing.

#### ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

# STYCCOBOND F44

## SPILL CLEAN UP METHODS

Small Spillages Absorb with sand or other inert absorbent. Large Spillages Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Wear necessary protective equipment.

## 7 HANDLING AND STORAGE

### USAGE PRECAUTIONS

Provide good ventilation. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid contact with skin and eyes. Observe good industrial hygiene practices. Do not eat, drink or smoke when using the product.

### STORAGE PRECAUTIONS

Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### ENGINEERING MEASURES

Provide adequate ventilation.

### HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves to BSEN374 are recommended. Break through times can vary depending on thickness, use and source. Change gloves regularly.

### EYE PROTECTION

If there is a risk of splashing, wear chemical resistant goggles or visor approved to BS EN166.

### HYGIENE MEASURES

Good personal hygiene practices should be followed when working with chemicals.

### PERSONAL PROTECTION

Always check applicability with your supplier of protective equipment.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Viscous Emulsion		
COLOUR	Cream		
ODOUR	Typical acrylic		
RELATIVE DENSITY	1.18-1.23 @ 20 degC	VOLATILE BY VOL. (%)	30 w/w approx
pH-VALUE, CONC. SOLUTION	7-8 approx	VISCOSITY	450-650 Ps @ 20 degC
FLASH POINT (°C)	N/A		

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions and recommended use.

### CONDITIONS TO AVOID

Avoid frost. Avoid exposure to high temperatures or direct sunlight.

## 11 TOXICOLOGICAL INFORMATION

### INHALATION

May cause some discomfort in poorly ventilated areas.

### INGESTION

May cause discomfort if swallowed.

### SKIN CONTACT

Prolonged contact may cause redness and irritation. Skin irritation is not anticipated when used normally.

### EYE CONTACT

May cause irritation, soreness and reddening of the eyes

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

There are no data on the ecotoxicity of this product.

## 13 DISPOSAL CONSIDERATIONS

## STYCCOBOND F44

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Small quantities may be absorbed in sand and allowed to dry, prior to disposal as low hazard waste. Larger quantities should be disposed of as controlled liquid waste via a licensed waste operator.

### WASTE CLASS

Waste Code for Product : 080410

### 14 TRANSPORT INFORMATION

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).		
	No transport warning sign required.		
ADR CLASS	Not classified for transportation.	MARINE POLLUTANT	No.

### 15 REGULATORY INFORMATION

RISK PHRASES	NC	Not classified.
SAFETY PHRASES	P13	Safety data sheet available for professional user on request.

### 16 OTHER INFORMATION

#### GENERAL INFORMATION

F.Ball and Company Ltd Technical Datasheet.

#### REVISION COMMENTS

Section 1: Addition of emergency telephone number. Section 8 : Improved PPE information. Section 13: Addition of waste codes.

REVISION DATE 19/06/06

REV. NO./REPL. SDS GENERATED 8

#### RISK PHRASES IN FULL

R22	Harmful if swallowed.
R36	Irritating to eyes.