



## SAFETY DATA SHEET STOPGAP 128 LATEX

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME STOPGAP 128 LATEX  
INTERNAL ID SG128/3  
APPLICATION Gauging Liquid  
SUPPLIER F.Ball and Co.Ltd.,  
Churnetside Business Park,  
Station Road.,  
Cheddleton,  
Staffordshire ST13 7RS  
For technical and non-emergency call:  
phone: 01538 361633.  
For advice on medical emergencies,  
fires, spillages or chemical hazards  
phone: +44(0) 870 190 6777  
Fax: 01538 361622  
E-Mail: mail@f-ball.co.uk

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

#### COMPOSITION COMMENTS

A blend of natural and synthetic polymer latices with trace stabilising agents The product contains a low level (<0.1%) of ammonia. The product does not contain any hazardous ingredients in a concentration that requires declaration in this section.

### 3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

#### HUMAN HEALTH

Persons with a known allergy to natural rubber latex are advised not to use this product.

### 4 FIRST-AID MEASURES

#### INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

#### INGESTION

Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Get medical attention if any discomfort continues.

#### SKIN CONTACT

Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

#### EYE CONTACT

Immediately rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

### 6 ACCIDENTAL RELEASE MEASURES

#### PERSONAL PRECAUTIONS

Use protective gloves, goggles and suitable protective clothing.

#### ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains, water courses or onto the ground.

#### SPILL CLEAN UP METHODS

Small Spillages Absorb with sand or other inert absorbent. Large Spillages Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Wear necessary protective equipment.

**STOPGAP 128 LATEX****7 HANDLING AND STORAGE****USAGE PRECAUTIONS**

Provide good ventilation. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid contact with skin and eyes. Observe good industrial hygiene practices. Do not eat, drink or smoke when using the product.

**STORAGE PRECAUTIONS**

Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION****ENGINEERING MEASURES**

Provide adequate ventilation.

**HAND PROTECTION**

For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves to BSEN374 are recommended. Break through times can vary depending on thickness, use and source. Change gloves regularly.

**EYE PROTECTION**

If there is a risk of splashing, wear chemical resistant goggles or visor approved to BS EN166.

**HYGIENE MEASURES**

Good personal hygiene practices should be followed when working with chemicals.

**PERSONAL PROTECTION**

Always check applicability with your supplier of protective equipment.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Liquid		
COLOUR	White		
ODOUR	Slight odour Ammonia		
RELATIVE DENSITY	0.97 - 0.99 @ 20 degC	VOLATILE BY VOL. (%)	80.5 -82% w/w approx
pH-VALUE, CONC. SOLUTION	9.35 - 10.50 approx	FLASH POINT (°C)	N/A

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions and recommended use.

**CONDITIONS TO AVOID**

Avoid frost. Avoid exposure to high temperatures or direct sunlight.

**11 TOXICOLOGICAL INFORMATION****INHALATION**

May cause some discomfort in poorly ventilated areas.

**INGESTION**

May cause discomfort if swallowed.

**SKIN CONTACT**

Prolonged contact may cause redness and irritation. Skin irritation is not anticipated when used normally.

**EYE CONTACT**

May cause irritation, soreness and reddening of the eyes

**12 ECOLOGICAL INFORMATION****ECOTOXICITY**

There are no data on the ecotoxicity of this product.

**13 DISPOSAL CONSIDERATIONS****DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements. Small quantities may be absorbed in sand and allowed to dry, prior to disposal as low hazard waste. Larger quantities should be disposed of as controlled liquid waste via a licensed waste operator.

## STOPGAP 128 LATEX

WASTE CLASS

Waste Code for product : 160306

---

### 14 TRANSPORT INFORMATION

---

GENERAL	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).		
	No transport warning sign required.		
ADR CLASS	Not classified for transportation.	MARINE POLLUTANT	No.

---

### 15 REGULATORY INFORMATION

---

RISK PHRASES	NC	Not classified.
SAFETY PHRASES	NC	Not classified.

---

### 16 OTHER INFORMATION

---

GENERAL INFORMATION

F.Ball and Company Ltd Technical Datasheet.

REVISION COMMENTS

Section 1: Addition of emergency telephone number. Section 8 : Improved PPE information. Section 13: Addition of waste codes.  
 Section 2: update. Section 3: update.

REVISION DATE 12/06/06

REV. NO./REPL. SDS GENERATED 3

RISK PHRASES IN FULL