



UK Trade Price List

1st March 2017

All Prices exclude VAT

5% Increase on Jubilee, Homepride, Premier Rods, Easyshims & Easybind



Premier LVT Nosing's (full bull) with spacers

Premier LVT Nosing's (no bull) with spacers

Premier LVT Bevel cap

Premier LVT Square cap

Easyshims supplied individually with DoubleZ

Blacksmiths now with hinged bracket option

G9 Geordie Gripper in stock

To be Discontinued

Easyrod available while stock lasts

Star grip available while stock lasts

Joints available while stock lasts

Premier Trims available at 100cm with a 10% surcharge.

Stairrods (UK) Ltd.

Unit 6, Park Road North Ind. Est.,
Blackhill, Consett, Co. Durham DH8 5UN

Tel: +44 (0) 1207 591176

Fax: +44 (0) 1207 591911

Email: sales@stairrods.co.uk

www.stairrods.co.uk





Stair Rods

Page	Product
3	Royale
5	Eastern Promise
7	Crystal
9	Premier
11	Country
13	Vision
15	Tudor
17	Blacksmith
19	Jubilee
21	Homepride
23	Easyrod
25	Stargrip

Accessories








Page	Product
27	Victorian Stair Clips
29	Skiffer
30	Easystuds

Premier Trims, Easyshims & Joints

Page	Product
31	Easyshims
33	 Geordie Gripper
34	 Coming Soon
35	Easychocks & Easywedges
37	DoubleZ™9
39	DoubleZ™4
41	Single 9
43	Single 4
45	Square
47	Posh



Premier Trims, Easyshims & Joints

Page	Product
49	Covers
51	Euro Cover
53	Floating Euro Cover
55	Vinyl Edge
57	Two-Way Ramps
59	Ramps
61	Compression Ramp
63	Dividers
65	 LVT Square Cap (Minimalist)
67	 LVT Bevel Cap (Minimalist)
69	 LVT Nosing (no bull)
71	 LVT Nosing (full bull)
73	Lip
75	Little Lip
77	 Bigger Lip
79	 Wide Lip
81	 Square Lip
83	Little T
85	Big T
87	Little Nose
89	Joints

Carpet Edging

Page	Product
91	Easybind

Royale Stair Rods



- Available for runner and fully fitted carpets.
- Three finial designs: Beaumont, Louis, Vue.
- Ten finishes: Antique Brass, Antique Bronze, Black, Brass, Brushed Chrome, Chrome, Pewter, Polished Nickel, Satin Brass, Satin Nickel.
- All finial designs are available in all colours in any combination.

Royale Prices

Hollow Triangular Rod	Runner	Fully Fitted
For any length up to 36" (91.5cm), thereafter add 55p/inch (2.5cm)	£25.46	£22.72



Vue Polished Brass



Louis Satin Brass



Beaumont Antique Brass



Vue Antique Bronze



Beaumont Chrome



Beaumont Brushed Chrome



Louis Polished Nickel



Louis Satin Nickel



Vue Black



Beaumont Pewter



Technical


4

The Product

- The Royale range of stair rods are available for either a runner carpet or fully fitted.
- The Royale range are made to measure, see below for measuring guidelines.

Royale Stair Rod For Carpet Runner.

- We recommend that you add 6 inches (15cm) to the width of your carpet and use this measurement to give you the tip to tip length of the stair rod.




- Our standard runner bracket clearance is 10mm.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Royale Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Fitting Rods To Stair.

- Both runner and fully fitted brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. For fully fitted carpets the supplied bracket sits on top of the rod and screws fix it through the carpet.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available in three rod styles: Plain, Reeded and Spiral, for runner and fully fitted carpets.
- Three finial designs: Dubai, Cairo, and Dune.
- Ten finishes: Antique Brass, Antique Bronze, Black, Brass, Brushed Chrome, Chrome, Pewter, Polished Nickel, Satin Brass and Satin Nickel.
- All finial designs are available in all colours and rod styles in any combination.
- Spiral rod only available up to 43" on this range.

Eastern Promise Prices

Hollow 5/8" Rod	Runner	Fully Fitted
PLAIN ROD 5/8" (16mm). For any length up to 36" (91.5cm), thereafter add 31p/inch (2.5cm)	£21.55	£18.87
SPIRAL OR REEDED 5/8" (16mm). For any length up to 36" (91.5cm), thereafter add 31p/inch (2.5cm)	£23.21	£21.04



Cairo Polished Brass Plain



Dubai Satin Brass Reeded



Dune Antique Spiral



Dubai Antique Bronze Plain



Dune Chrome Reeded



Cairo Brushed Chrome Spiral



Dune Polished Nickel Plain



Dune Satin Nickel Reeded



Cairo Black Spiral



Dubai Pewter Plain



The Product


- The Eastern Promise range of stair rods are available for either a runner carpet or fully fitted.
- The Eastern Promise range are made to measure, see below for measuring guidelines.

Eastern Promise Rod For Fully Fitted Carpet.

- We recommend that you leave a 2 inch (5cm) gap between the stringboard and the tip of the rod at both sides of the staircase. The Eastern Promise range are made to measure, see below for measuring guidelines.

Eastern Promise Stair Rod For Carpet Runner.

- We recommend that you add 6 inches (15cm) when choosing the Cairo or Dubai finial, to the width of your carpet and use this measurement to give you the tip to tip length of the stair rod. If choosing the Dune finial add 5 inches. **NOTE: Tip to tip measurement includes the finials.**




- Our standard runner bracket for this range has a clearance of 16mm however if you have either a deep pile carpet or thin carpet please call for advice.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Eastern Promise Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Prepare Hinge Brackets For fitting

- The brackets for runner carpets are hinged and consist of a bottom and top section and cannot be mixed with the top or bottom of other brackets. To fit the brackets the top and bottom must be separated to allow access to the screw holes. This requires little effort and is accomplished by removing the dome head screw and placing your thumbs on the hinge part of the bracket and first two fingers on the inside of the top and bottom and gently ease open the bracket. This will loosen the hinge and allow you to slide them apart.

Fitting Rods To Stair.

- Both runner and fully fitted brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. With the hinged bracket separated fit the bottom half to the stair and put the rod in place then re fit the top half of the bracket by sliding the two half together, finally close with the dome head screw. For fully fitted carpets the supplied bracket sits on top of the rod and screws fix it through the carpet.

Care and Maintenance


- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available in three rod styles: Plain, Reeded and Spiral, for runner and fully fitted carpets.
- Four crystal colours: Amber, Rainbow, Rose, Sky.
- Ten finishes: Antique Brass, Antique Bronze, Black, Brass, Brushed Chrome, Chrome, Pewter, Polished Nickel, Satin Brass and Satin Nickel.
- All finial designs are available in all colours and diameters in any combination.
- Spiral rod only available up to 42" on this range.

Crystal Prices

Hollow 1/2" Rod	Runner	Fully Fitted
PLAIN ROD 1/2" (12mm). For any length up to 36" (91.5cm), thereafter add 25p/inch (2.5cm)	£13.94	£13.29
SPIRAL OR REEDED 1/2" (12mm). For any length up to 36" (91.5cm), thereafter add 25p/inch (2.5cm)	£16.06	£15.41



Amber Polished Brass Plain



Rainbow Satin Brass Reeded



Rose Antique Brass Spiral



Sky Antique Bronze Sky



Amber Chrome Reeded



Rainbow Brushed Chrome Spiral



Rose Polished Nickel Plain



Sky Satin Nickel Reeded



Rainbow Black Plain



Amber Pewter Spiral




The Product

- The Crystal range of stair rods are available for either a runner carpet or fully fitted.
- The Crystal range are made to measure, see below for measuring guidelines.


Crystal Stair Rod For Carpet Runner.

- We recommend that you add 4 inches (10cm) to the width of your carpet and use this measurement to give you the tip to tip length of the stair rod. **NOTE: Tip to tip measurement includes the finials.**




- Our standard runner bracket clearance is 14mm however if you have a deep pile carpet there is the option of using the 'High Clearance' bracket to give you 17mm clearance at a surcharge of £1.66 per rod.

Standard




High Clearance



ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Crystal Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Prepare Hinge Brackets For fitting

- The brackets for runner carpets are hinged and consist of a bottom and top section and cannot be mixed with the top or bottom of other brackets. To fit the brackets the top and bottom must be separated to allow access to the screw holes. This requires little effort and is accomplished by removing the dome head screw and placing your thumbs on the hinge part of the bracket and first two fingers on the inside of the top and bottom and gently ease open the bracket. This will loosen the hinge and allow you to slide them apart.

Fitting Rods To Stair.

- Both runner and fully fitted brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. With the hinged bracket separated fit the bottom half to the stair and put the rod in place then re fit the top half of the bracket by sliding the two half together, finally close with the dome head screw. For fully fitted carpets the supplied bracket sits on top of the rod and screws fix it through the carpet.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.


Premier Stair Rods



- Available in three diameters: 1/2" (12mm), 5/8" (16mm) and 3/4" (19mm).
- Six finial designs: Balmoral, Chatsworth, Lancaster, Hanover, Windsor and Woburn.
- Standard finishes: Antique Brass, Antique Bronze, Polished Brass and Satin Brass.
- Specialised finishes: Black, Brushed Chrome, Chrome, Pewter, Polished Nickel, and Satin Nickel.
- All finial designs are available in all colours and diameters in any combination.
- Hanover is not available in the 5/8" or 3/4".

Premier Prices

Solid Core Rods	Runner		Fully Fitted		Fully Fitted Side Fix	
	ST	SP	ST	SP	ST	SP
Finish: ST = Standard SP = Specialised						
1/2" (12mm) For any length up to 36" (91.5cm), thereafter add 35p/inch (2.5cm)	£19.79	£23.99	£17.09	£21.09	£12.72	£16.72
5/8" (16mm) For any length up to 36" (91.5cm), thereafter add 49p/inch (2.5cm)	£26.88	£32.13	£23.52	£28.52	£17.47	£22.47
3/4" (19mm) For any length up to 36" (91.5cm), thereafter add 74p/inch (2.5cm)	£38.64	£44.94	N/A	N/A	N/A	N/A






The Product

- The Premier range of stair rods are available for either a runner carpet or fully fitted and in three diameters for runners and two diameters for fully fitted, see facing page for details.
- The Premier range are made to measure, see below for measuring guidelines.

Premier Stair Rod For Carpet Runner.

- For 1/2" rods we recommend that you add 4 inches (10cm) to the width of your carpet and use this measurement to give you the tip to tip length of the stair rod, for 5/8" 5 inches (12.5cm) over and for 3/4" 6 inches (15cm) over.




- Our standard runner bracket clearance is 14mm however if you have a deep pile carpet there is the option of using the 'High Clearance' bracket to give you 17mm clearance at a surcharge of £1.66 per rod.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Premier Rod For Fully Fitted Carpet.

- We recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Prepare Hinge Brackets For fitting

- The brackets for runner carpets are hinged and consist of a bottom and top section and cannot be mixed with the top or bottom of other brackets. To fit the brackets the top and bottom must be separated to allow access to the screw holes. This requires little effort and is accomplished by removing the dome head screw and placing your thumbs on the hinge part of the bracket and first two fingers on the inside of the top and bottom and gently ease open the bracket. This will loosen the hinge and allow you to slide them apart.

Fitting Rods To Stair.

- Both runner and fully fitted brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. With the hinged bracket separated fit the bottom half to the stair and put the rod in place then re fit the top half of the bracket by sliding the two half together, finally close with the dome head screw. For fully fitted carpets the supplied bracket sits on top of the rod and screws fix it through the carpet.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available in three rod styles: Plain, Reeded and Spiral, for runner and fully fitted carpets.
- Available in two diameters: 1/2" and 5/8".
- Four finial designs: Arran, Balladeer, Bordeaux and Sherwood.
- Ten finishes: Antique Brass, Antique Bronze, Black, Brass, Brushed Chrome, Chrome, Pewter, Polished Nickel, Satin Brass and Satin Nickel.
- All finial designs are available in all colours and diameters and rod styles in any combination.
- Spiral rod only available up to 42" on this range.

Country Prices

Hollow Rod	Runner	Fully Fitted	Fully Fitted Side Fix
PLAIN ROD 1/2" (12mm) For any length up to 36" (91.5cm), thereafter add 25p/inch (2.5cm)	£13.94	£13.29	£9.84
SPIRAL OR REEDED 1/2"(12mm) For any length up to 36" (91.5cm), thereafter add 25p/inch (2.5cm)	£16.06	£15.41	£11.96
PLAIN ROD 5/8" (16mm) For any length up to up to 36" (91.5cm), thereafter add 31p/inch (2.5cm)	£20.08	£17.92	£13.61
SPIRAL OR REEDED 5/8"(16mm) For any length up to 36" (91.5cm), thereafter add 31p/inch (2.5cm)	£22.21	£20.08	£15.74



Bordeaux Polished Brass Plain



Balladeer Satin Brass Reeded



Arran Antique Brass Spiral




Sherwood Antique Bronze Plain




Arran Chrome Reeded



Balladeer Brushed Chrome Spiral



Bordeaux Polished Nickel Plain



Sherwood Satin Nickel Reeded



Sherwood Black Plain



Arran Pewter Spiral




The Product


- The Country range of stair rods are available for either a runner carpet or fully fitted.
- The Country range are made to measure, see below for measuring guidelines.

Country Stair Rod For Carpet Runner.


- For 1/2" rods we recommend that you add 4 inches (10cm) to the width of your carpet and use this measurement to give you the tip to tip length of the stair rod and 5/8" 5 inches (12.5cm) over. **NOTE: Tip to tip measurement includes the finials.**



- Our standard runner bracket clearance is 14mm however if you have a deep pile carpet there is the option of using the 'High Clearance' bracket to give you 17mm clearance at a £1.66 surcharge. If you have a thinner carpet please call for advice.




ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.



Country Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Prepare Hinge Brackets For fitting

- The brackets for runner carpets are hinged and consist of a bottom and top section and cannot be mixed with the top or bottom of other brackets. To fit the brackets the top and bottom must be separated to allow access to the screw holes. This requires little effort and is accomplished by removing the dome head screw and placing your thumbs on the hinge part of the bracket and first two fingers on the inside of the top and bottom and gently ease open the bracket. This will loosen the hinge and allow you to slide them apart.

Fitting Rods To Stair.

- Both runner and fully fitted brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. With the hinged bracket separated fit the bottom half to the stair and put the rod in place then re fit the top half of the bracket by sliding the two half together, finally close with the dome head screw. For fully fitted carpets the supplied bracket sits on top of the rod and screws fix it through the carpet.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available in three rod styles: Plain, Reeded and Spiral, for runner and fully fitted carpets.
- Three finial designs: Arrow, Piston and Sphere.
- Ten finishes: Antique Brass, Antique Bronze, Black, Brass, Brushed Chrome, Chrome, Pewter, Polished Nickel, Satin Brass and Satin Nickel.
- All finial designs are available in all colours, diameters and rod styles, in any combination.
- Spiral rod only available up to 41.5" on this range.

Vision Prices

Hollow 1/2" Rod	Runner	Fully Fitted
PLAIN ROD 1/2" (12mm). For any length up to 36" (91.5cm), thereafter add 25p/inch (2.5cm)	£16.06	£14.39
SPIRAL OR REEDED 1/2" (12mm). For any length up to 36" (91.5cm), thereafter add 25p/inch (2.5cm)	£18.18	£16.51



Arrow Polished Brass Plain



Piston Satin Brass Reeded



Sphere Antique Brass Spiral



Piston Antique Bronze Plain



Sphere Chrome Reeded



Arrow Brushed Chrome Spiral



Sphere Polished Nickel Plain



Arrow Satin Nickel Reeded



Arrow Black Plain



Piston Pewter Spiral




The Product

- The Vision range of stair rods are available for either a runner carpet or fully fitted.
- The Vision range are made to measure, see below for measuring guidelines.


Vision Stair Rod For Carpet Runner.

- We recommend that you add 4 inches (10cm) to the width of your carpet and use this measurement to give you the tip to tip length of the stair rod. **NOTE: Tip to tip measurement includes the finials.**




- Our standard runner bracket clearance is 14mm however if you have a deep pile carpet there is the option of using the 'High Clearance' bracket to give you 17mm clearance at a £1.66 surcharge. If you have a thinner carpet please call for advice.

Standard




ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

High Clearance



Vision Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Prepare Hinge Brackets For fitting

- The brackets for runner carpets are hinged and consist of a bottom and top section and cannot be mixed with the top or bottom of other brackets. To fit the brackets the top and bottom must be separated to allow access to the screw holes. This requires little effort and is accomplished by removing the dome head screw and placing your thumbs on the hinge part of the bracket and first two fingers on the inside of the top and bottom and gently ease open the bracket. This will loosen the hinge and allow you to slide them apart.

Fitting Rods To Stair.

- Both runner and fully fitted brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. With the hinged bracket separated fit the bottom half to the stair and put the rod in place then re fit the top half of the bracket by sliding the two half together, finally close with the dome head screw. For fully fitted carpets the supplied bracket sits on top of the rod and screws fix it through the carpet.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available for runner and fully fitted carpets.
- Two wood colours: Light and dark.
- Ten finishes: Antique Brass, Antique Bronze, Black, Brass, Brushed Chrome, Chrome, Pewter, Polished Nickel, Satin Brass, Satin Nickel.
- All end detail finishes are available in both dark and light in any combination.

Tudor Prices

Available in Dark and Light	Runner	Fully Fitted
For any length up to 36" (91.5cm), thereafter add 23p/inch (2.5cm)	£13.56	£12.39



Polished Brass



Satin Brass



Antique Brass



Antique Bronze



Chrome



Brushed Chrome



Polished Nickel



Satin Nickel



Black



Pewter




The Product

- The Tudor range of stair rods are available for either a runner carpet or fully fitted.
- The Tudor range are made to measure, see below for measuring guidelines.

Tudor Stair Rod For Carpet Runner.

- We recommend that you add 4 inches (10cm) to the width of your carpet and use this measurement to give you the tip to tip length of the stair rod.




- Our standard runner bracket clearance is 10mm however if you have a deep pile carpet there is the option of using the 'Spacers' to give you more clearance. Please call for advice.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Tudor Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Fitting Rods To Stair.

- Both runner and fully fitted brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. For fully fitted carpets the supplied bracket sits on top of the rod and screws fix it through the carpet.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled effect on the lacquered rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.




- Available for runner and fully fitted carpets. (*Hinged bracket option now available for runner only*)
- Available in Black or Stainless Steel.
- 2 finial designs: Ball and Flat.
- Available in stock lengths (see below).
- Custom sizes available on request.

Blacksmith Prices

Hand beaten stair rods available in stock lengths only, from 24" (60.9cm) to 48" (121.9cm) in 2" (5.08cm) increments. Available in Black (Standard) and Stainless Steel (Specialised) *Sp*.
 Hinged bracket option for runner only at the *Same Price*.

Black	24" (60.9cm) to 36" (91.4cm) lengths	£12.84
	38" (106.7cm) to 48" (121.9cm) lengths	£14.07
Stainless Steel <i>Sp</i>	24" (60.9cm) to 36" (91.4cm) lengths	£22.44
	38" (106.7cm) to 48" (121.9cm) lengths	£29.44





The Product

- The Blacksmith range of stair rods are available for either a runner carpet or fully fitted.
- The Blacksmith range are only available in stock lengths, see facing page.


Blacksmith Rod For Fully Fitted Carpet.

- We recommend that you leave a 1 to 2 inch (5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.

Blacksmith Stair Rod For Carpet Runner.


- We recommend that you add 4 inches (10cm) to the width of your carpet when choosing the Ball or Flat end, then use this measurement to give you the tip to tip length of the stair rod. This is the same for either the Universal or Hinge Bracket option.
- The Universal Blacksmith bracket can be used on both deep pile and thin carpets.
- If choosing the Hinged Bracket option bear in mind the clearance of the bracket is 14mm
- When used on a deep pile carpet the screw thread will be visible when viewed from the side.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.



Blacksmith Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Fitting Rods To Stair.

- Both runner and fully fitted brackets are supplied with number 8 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 3mm pilot hole and for hardwood create a 3.5mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. For fully fitted carpets the bracket sits on top of the rod and screw fixes it through the carpet.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available for runner carpets.
- Eight finishes: Antique, Black, Brass, Satin Nickel, Chrome, Pewter, Bronze and Ivory.

Jubilee Prices

Option 1 For runners up to 27.5" (70cm) wide (stock size)	£4.90
Option 2 For runners up to 35" (89cm) wide (stock size)	£5.90
Option 3 For runners up to 47.25" (120cm) wide (stock size)	£6.90
Option 4 For runners up to 59" (150cm) wide (stock size)	£7.90



Brass



Antique



Bronze



Chrome



Satin Nickel



Ivory



Black



Pewter







The Product

- The Jubilee range of stair rods are available for runner carpets only.
- The Jubilee range are available in four option sizes. See facing page for details
- Our Jubilee runner bracket clearance is 14mm


Option 1




Option 2



Option 3



Option 4



ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting Rods To Stair.

- The brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. Remember to set your power drill on a low torque setting to avoid breaking the screws.
- Fit one bracket to the tread and riser then cut the rod to size and put in place. Now fit the second bracket.

Cleaning

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair; as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



Improved design.

- Available for runner carpets and fully fitted carpets.
- Eight finishes: Antique, Black, Brass, Bronze, Satin Nickel, Chrome, Pewter and Ivory.

Homepride Prices

	Runner	Fully Fitted	Side Fix
Option 1 For runners up to 27.5" (70cm) wide (stock size)	£7.72	£7.17	N/A
Option 2 For runners up to 35" (89cm) wide (stock size)	£9.72	£9.11	£6.54
Option 3 For runners up to 47.25" (120cm) wide (stock size)	£11.72	£11.12	£8.51
Option 4 For runners up to 59" (150cm) wide (stock size)	£13.72	N/A	N/A







The Product

- The Homepride range of stair rods are available for runner and fully fitted carpets.
- The Homepride range are available in four option sizes. See facing page for details
- Our Homepride runner bracket clearance is 14mm


Option 1




Option 2



Option 3



Option 4




ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Homepride Rod For Runner Carpet.

- The brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. Remember to set your power drill on a low torque setting to avoid breaking the screws.
- Fit one bracket to the tread and riser then cut the rod to size and put in place. Now fit the second bracket.

Homepride Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Cleaning

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available for runner and fully fitted carpets.
- Four colours: Brass, bronze, chrome and black.
- The rods are 3/8" diameter.

Easyrod Prices

Stock size 30"(76cm) thereafter 8p per inch (2.5cm)	£3.67
25 rods and over	£3.20



Brass




Bronze



Chrome



Black






The Product

- The Easy Rod range of stair rods are available for either a runner carpet or fully fitted.
- The Easy Rod range are made to measure, see below for measuring guidelines.

Easy Rod Stair Rod For Carpet Runner.

- We recommend that you add 4 inches (10cm) to the width of your carpet and use this measurement to give you the tip to tip length of the stair rod.




- Because of the universal nature of the Easy Rod bracket it can be used on both deep pile and thin carpets. When used on a deep pile carpet the screw thread will be visible when viewed from the side.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Easy Rod Rod For Fully Fitted Carpet.

- Depending on the width of the stair we recommend that you leave a 1 to 2 inch (2.5 to 5cm) gap between the stringboard and the tip of the rod at both sides of the staircase.



Prepare Brackets For fitting

- The brackets for runner carpets and fully fitted are the same and need no preparation.

Fitting Rods To Stair.

- The brackets are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws. For fully fitted carpets the supplied bracket sits on top of the rod and screws fix it through the carpet.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.

Stargrip Stair Rods

25



- Available for runner and fully fitted carpets.
- Four colours: Brass, bronze, chrome and black.

Stargrip Price

Stock size 36" (91.5cm) thereafter £1.48 per 12" (30.5cm)

£5.23



Brass



Bronze



Chrome



Black






The Product


- The Stargrip range of stair rods are available only for fully fitted carpets.
- The Stargrip range is available in four finishes. See facing page for details.
- The Stargrip range are sold in stock lengths and are easily cut down on site. See facing page for details.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Without Gripper



With Gripper



Fitting Rods To Stair

- Stargrip can be 'Retro Fitted' onto a stair carpet that has been fitted using gripper to give an appealing decorative look to the staircase.
- When cutting to size cut off each end to keep the fixing hole spacing even.
- On a new installation the Stargrip can be used instead of gripper to fix the carpet to the stair. The action of screwing the Stargrip through the carpet stretches the carpet and holds it firmly in place.
- After fitting the screws are hidden by applying the pre-taped inlay in the recessed channel.
- Stargrip are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. A clearance hole of 4mm should be drilled to accommodate the screw shank. Remember to set your power drill on a low torque setting to avoid breaking the screws.

Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available in Brass, Antique Brass, Chrome, Satin Nickel, Pewter, Satin Brass and Black.
- Sold in pairs.

Victorian Stair Clip Prices

Available in Brass, Antique Brass, Chrome, Satin Nickel, Pewter, Satin Brass and Black.

Per Pair

£7.95





The Product

- The Victorian Stair Clip for runner carpets only.
- The Victorian Stair Clip Range are sold as a pair.

Prepare Hinge Brackets For fitting

- The Victorian Stair Clip fixing plate needs to be pivoted at 90 degrees to the main body of the clip. This gives access to the screw holes.



ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting Rods To Stair.

- Fitting the Victorian Stair Clip is easier if done before fitting the carpet.
- First mark the width of the carpet where the tread meets the riser, use this mark to line up the inner edge of the fixing plate with where the edge of the carpet will be.
- Next measure the height of the carpet and underlay, this will give you a guide to ensure you fit the Victorian Stair Clip level.
- Now line the bottom surface of the Clip with the carpet height mark and have the fixing plate perfectly level. Mark with a pencil around the fixing plate.
- Pivot the fixing plate and line it up with the pencil mark and mark the holes.
- You can now make a template using the hole positions and carpet width and height marks to give the position of the hole on the remaining stairs.
- Victorian Stair Clips are supplied with number 6 screws and you must drill a pilot hole before fixing the brackets to the stair. For softwood create a 2.5mm pilot hole and for hardwood create a 3mm hole. Remember to set your power drill on a low torque setting to avoid breaking the screws.



Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.



- Available in: Polished Brass, Antique Brass, Satin Brass, Chrome, Satin Nickel, Pewter and Black.
- Minimum order of 6 in any combination. Available in smaller quantities with a £7.50 carriage charge.

Skiffer Prices

75mm	£5.20 each
107mm	£5.74 each
134mm	£6.58 each








- Features a specially designed 19mm serrated stud to fix through even the thickest of carpets.
- Available in: Brass, Bronze, Chrome, Satin Nickel and Black/Pewter.

Easystud Prices

Available in Brass, Bronze, Chrome, Satin Nickel, and Black/Pewter,

1 Jar (100 approx) Available with a £7.50 carriage charge.	£10.85
1 Jar (250 approx)	£27.12





- Fixing your height differences
- Each shim is 36" (91.5cm) wide with an 8" (20cm) ramp.

Easyshim Prices

	6mm (nominal)	9mm (nominal)	12mm (nominal)	15mm (nominal)
1 pack (10 shims)	£33.52	£36.32	£41.95	£47.58
5 pack (50 shims)	£22.27	£25.07	£30.69	£36.31
10 pack (100 shims)	£20.02	£22.49	£27.55	£32.61

5 and 10 pack prices can be in any combination of shims e.g. 1 pack of 6mm, 1 pack of 9mm, 1 pack of 12mm, 1 pack of 15mm and 1 pack of side shims, or 5 packs of 9mm.

Easyshim Side Shim Prices

1 pack Side Shims (20 Side Shims)	£30.37	£32.71	£38.69	£44.32
--------------------------------------	--------	--------	--------	--------

Easyshim Starter Pack Price

Easyshim Starter Pack contains the following: This is sufficient for 6 door ways.

Easyshims 2 x 6mm, 2 x 9mm, 2 x 12mm,
Side Shims 4 x 6mm, 4 x 9mm, 4 x 12mm

£42.78

Height Difference Rough Guide Carpet to Hard Floor

Base Floor to High Hard Floor = Height Difference (HD) rough guide for DoubleZ™⁹ using shims, chocks & underlay

(HD)	Shim	Chock	Base	Gap	Nap	Equals (HD)
16mm	6mm +	3mm +	1mm +	9mm -	3mm =	16mm
19mm	9mm +	3mm +	1mm +	9mm -	3mm =	19mm
22mm	12mm +	3mm +	1mm +	9mm -	3mm =	22mm
25mm	15mm +	3mm +	1mm +	9mm -	3mm =	25mm



Product

- The Easyshim is the perfect way to raise the level of your carpet if you encounter a height difference.
- Used in a 'Combo' with our Easychocks to transition a height difference of up to 25mm. For up to 31mm depending on carpet compression, consider a Carpet Compression Ramp on page 61.


Fitting

- The Easyshims can be either nailed or stuck down.
- Use the rough guide on the facing page to chose the correct 'Combo' for your Carpet to Hard Floor installation.



ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Easyshim




Easyshim & DoubleZ™9




Easyshim, DoubleZ™9
& Easychock




Easyshim & Lip



Easyshim & Compression
Ramp Stretch Fit



Easyshim & Compression
Ramp Stick Down



Carpet Compression Ramp is a registered design of Stairrods UK Limited under
Registration Number 5001008



- 9mm Gripper for deep underlays.
- 9mm high and 28mm wide.
- 24mm wood nails only.
- Pin height 4.5mm.
- 50 metres in a box.

G9 Geordie Gripper Prices

1 box (50 metres)	£20.99 per box
3 boxes (150 metres)	£19.99 per box
10 boxes (500 metres)	£18.99 per box

We carry stock so you don't have to. Simply price for the job.

PLUS POINTS

- Use deep, high quality underlay where required without compromising on carpet grip.
- No waterfall effect when using deep underlays.
- No more shimming up standard gripper to gain height.
- Our 24mm nails allow you to get a full 'Nail Grip' into the floor.
- Sell as a package with thicker underlay.
- Reduces double banking.
- Quicker install
- 28mm wide so less chance of bashing the skirting
- Less chance of a re-stretch

A 'Better Grip' using *G9 Geordie Gripper*

Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Half Bull

Coming Soon

Premier TOP NOSE (half bull) for landings to a carpeted stair for LVT, Laminates and Engineered wood floors. Can also be used for high end full tread and riser installations.


Available with various slot sizes for appropriate thickness of flooring to give that perfect finish.

Supplied with spacers to level up to the various subfloor preparations; 6mm plywood, various underlays, fibre board etc.


Installation options...carpet fitted before landings or visa a versa.

Maintain the waterfall look with the use of Easyshims, eliminating tread loss when boxing in with plywood to square off nose.

Carpet fitted first



Landing fitted first










- A convenient 'Raised Base'.
- Can be stacked.
- Ideal when using deep underlay.

Easychocks & Easywedges Prices

A convenient 'Raised Base' for our DoubleZ™, Z Trim, Square and Single.

	1 Bucket	10 + Buckets
Easychock Bucket (approx 250)	£8.00	£7.11 each
Easywedge Bucket (approx 250)	£6.00	£5.33 each
Easychock Bucket (approx 1000)	£30.00	£28.00 each
Easywedge Bucket (approx 1000)	£22.00	£20.00 each





Product

- The Easychocks & Easywedges are a convenient 'Raised Base' for use with our DoubleZ™/ Zbar, Square and Single.
- The Easychocks & Easywedges are supplied with every order of DoubleZ™, Square and Single, but are also available to purchase in buckets of 250 and 1000.

Fitting

- The Easychocks can be used singularly or stacked to achieve the height required and are supplied in a standard height of 3mm. They should be placed at each end of the door bar and located at the fixing holes then nailed through. It is then easy to slip the remaining Easychocks in place at the remaining fixing points along the door bar.



- The Easywedges can only be used singularly to achieve the height required and are supplied in a standard height of 3mm, if you require heights above or below this to a maximum of 6mm please consider using our 'Dim Strips' on page 52. The Easywedges should be placed at each end of the door bar and located at the fixing holes then nailed through. It is then easy to slip the remaining Easychocks in place at the remaining fixing points along the door bar.



ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

DoubleZ™ 1 Chock



DoubleZ™ 2 Chocks



Zbar 1 Chock




Zbar 2 Chocks



Square 1 Chock



Square 2 Chocks



Single 1 Wedge



Single + Dim Strip





- The DoubleZ™9 is a Double Nap lock and Z Trim.
- Use Easychocks to raise the base if required.




FREE EASYCHOCKS SUPPLIED

DoubleZ™9 Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£16.50	£23.83	£14.85	£20.85
	180cm	£33.00	£47.66	£29.70	£41.70
	270cm	£49.40	£71.49	£44.55	£62.55

Individual Shims

	6mm	9mm	12mm	15mm
Shim	£3.35	£3.63	£4.20	£4.76
Side Shim x 2	£3.04	£3.28	£3.87	£4.43



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Trim DoubleZ™9 range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Trim DoubleZ™9 range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Trim DoubleZ™9 range can be used for a carpet to carpet and carpet to hard floor installations due to an ingenious design feature.
- To transform the DoubleZ™9 into a Z Bar simply score along the peel line on the back of the base plate with a Stanley Knife and peel away with a pair of pliers.




ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

- When used with thin underlays of 6mm and below the DoubleZ™9 can be fitted directly to the floor.
- Remember to 'Nap' down the DoubleZ™9 to give the carpet a firm grip on the pins.
- Be sure you have a 3mm or more gap between the underside of the top part of the Z Bar and the hard floor surface, this will allow you to 'Nap' down to secure the carpet on the pins.



- If you are using underlays of over 6mm or you have a high hard floor you can use Stairrods 'Easylocks' on page 35 to provide a convenient raised base for the DoubleZ™9 or Z Bar.
- Use individually or stack the 'Easylocks' to raise the base close to the level of the underlay and the top to at least 3mm above the hard floor. In a carpet to carpet situation this will allow the carpet to gain a better fix on the pins and with carpet to hard floor it will also raise the Z Bar sufficiently to allow a 'Nap' of 3mm or more to the floor surface.
- The 'Easylocks' should be placed at the fixing points and nailed through.



Care and Maintenance

- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.




- The DoubleZ™4 is a Double Naplock and Z Trim.
- Use Easychocks to raise the base if required.

FREE EASYCHOCKS SUPPLIED

DoubleZ™4 Prices

		Single Price		50 Price (Any Trims)	
Profile Type	Size	Standard	Specialised	Standard	Specialised
	90cm	£15.99	£23.32	£14.39	£20.41
	180cm	£31.98	£46.44	£28.78	£40.82
	270cm	£47.97	£69.66	£43.17	£61.23



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Trim DoubleZ™4 range of door bars are manufactured using a base material of solid brass for a high quality installation..
- The Premier Trim DoubleZ™4 range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Trim DoubleZ™4 range can be used for a shallow pile carpet to carpet and shallow pile carpet to hard floor installations due to an ingenious design feature.
- To transform the DoubleZ™4 into a Z Bar simply score along the peel line on the back of the base plate with a Stanley Knife and peel away with a pair of pliers.



ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

- When used with thin underlays of 6mm and below the DoubleZ™4 can be fitted directly to the floor.
- Remember to 'Nap' down the DoubleZ™4 to give the carpet a firm grip.
- See some installation examples below.

Direct Stick



Floating LV/ Direct Stick



- If you are using underlays of over 6mm or you have a high hard floor you can use Stairrods 'Easychocks' on page 35 to provide a convenient raised base for the DoubleZ™4 or Z Bar.
- Use individually or stack the 'Easychocks' to raise the base.
- The 'Easychocks' should be placed at the fixing points and nailed through.

Double Stick



LV & Latex / Double Stick



Care and Maintenance

- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.





- An attractive carpet edging profile.
- Can be used with Easywedges to offer a Raised Base.

FREE EASYWEDGES SUPPLIED

Single 9 Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£12.75	£20.11	£11.48	£17.60
	180cm	£25.50	£40.22	£22.96	£35.20
	270cm	£38.25	£60.33	£34.44	£52.80



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Trim Single9 range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Trim Single9 range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Trim Single9 range are for use as a carpet edge.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

- When used with thin underlays of 6mm and below the Premier Trim Single9 can be fitted directly to the floor.
- Remember to ‘Nap’ down the Premier Trim Single9 to give the carpet a firm grip on the pins.



- If you are using underlays of over 6mm or you have a high hard floor you can use Stairrods ‘Easywedges’ on page 35 for a 3mm raised base, or ‘Dimstrips’ on page 52 for raised base up to 6mm.
- Use the ‘Easywedges’ or ‘Dimstrips’ to raise the base close to the level of the underlay and allow the carpet to gain a better fix on the pins.
- The ‘Easywedges’ should be placed at the fixing points and nailed through.



Care and Maintenance

- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.




- An attractive carpet edging profile.
- To be used with thin stick down carpets where napping down a 9mm Single may prove difficult.

FREE EASYWEDGES SUPPLIED

Single 4 Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£12.24	£19.60	£11.02	£17.15
	180cm	£24.48	£39.20	£22.04	£34.30
	270cm	£36.72	£58.80	£33.06	£51.45



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Trim Single4 range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Trim Single4 range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Trim Single4 range are for use as a carpet edge when fitting thin stick down carpet, giving a low profile trim.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

- Remember to 'Nap' down the Premier Trim Single4 to give the carpet a firm grip on the pins.



- If you are using stick down underlays you can use Stairrods 'Easywedges' on page 35 or 'Dimstrips' on page 52 for a raised base up to level of the underlay.
- Use the 'Easywedges' or 'Dimstrips' to raise the base close to the level of the underlay to allow a smooth transition on to the trim.
- The 'Easywedges' should be placed at the fixing points and nailed through.



Care and Maintenance

- **Satin Brass and Polished Brass Trims** can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- **Satin Nickel, Chrome, and Brushed Chrome** These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- **Pewter, Antique Bronze and Antique Brass** If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.





- A versatile edging profile.
- Can be used for a number of differing installations.
- For butting up to tiles, door surrounds and mat wells.

FREE EASYCHOCKS SUPPLIED

Square Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£14.25	£21.61	£12.83	£18.91
	180cm	£28.50	£43.22	£25.66	£37.82
	270cm	£42.75	£64.83	£38.49	£56.73



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Trim Square range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Trim Square range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Trim Square range can be used for butting up to tiles, door surrounds and mat wells.



- When used with thin underlays of 6mm and below the Premier Trim Square can be fitted directly to the floor.
- Remember to 'Nap' down the Premier Trim Square to give the carpet a firm grip on the pins.



ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

- If you are using underlays of over 6mm or you have a high hard floor you can use Stairrods 'Easychocks' on page 35 to provide a convenient raised base for the Premier Trim Square.
- Use individually or stack the 'Easychocks' to raise the base close to the level of the underlay and the top of the hard floor.
- The 'Easychocks' should be placed at the fixing points and nailed through.



Care and Maintenance


- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- The Premier Posh is a screw down product for almost every transition.
- A truly universal product. NOTE: Posh 30mm only for use on LVT, vinyl and stick down.
- When fitted the fixing screws are hidden by the insert.
- Beware of under floor heating.

Posh Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
 30mm	90cm	£14.95	£22.31	£13.46	£20.08
	180cm	£29.90	£44.62	£26.92	£40.16
	270cm	£44.85	£66.93	£40.38	£60.24
 38mm	90cm	£16.48	£23.84	£14.83	£21.46
	180cm	£32.96	£47.68	£29.66	£42.91
	270cm	£49.44	£71.52	£44.50	£64.37
 55mm	90cm	£21.47	£28.83	£19.32	£25.95
	180cm	£42.94	£57.66	£38.65	£51.89
	270cm	£64.41	£86.49	£57.97	£77.84



Sp




Sp



Sp



Sp



Sp



Sp

Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.




Product

- The Premier Trim Posh range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Trim Posh range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Trim Posh 38mm and 55mm are a universal trim that can be used for a carpet to carpet, carpet to hard floor and between two hard floors.
- The Premier Trim Posh 30mm can only be used on LVT, vinyl and stick down as its not wide enough to cover the gripper pins.
- The Premier Trim Posh is a screw down product and the screw heads are then hidden using the stick down inlay.
- When using on hard floor to hard floor with a height difference the Posh 30mm will accommodate up to 4mm edge, the Posh 38mm up to 6mm and the Posh 55mm up to 8mm edge.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.



Care and Maintenance




- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- The Premier Cover is a screw down product for almost every transition.
- A truly universal product. NOTE: Cover 30mm only for use on LVT, vinyl and stick down.
- When fitted the fixing screws remain visible.
- Beware of under floor heating.

Cover Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
 30mm	90cm	£12.92	£16.38	£11.63	£14.74
	180cm	£25.84	£32.76	£23.26	£29.48
	270cm	£38.76	£49.14	£34.89	£44.22
 38mm	90cm	£14.50	£21.86	£13.05	£19.13
	180cm	£29.00	£43.72	£26.10	£38.26
	270cm	£43.50	£65.58	£39.15	£57.39
 55mm	90cm	£19.31	26.64	£17.38	£23.98
	180cm	£38.62	53.28	£34.76	£47.96
	270cm	£57.93	79.92	£52.14	£71.94



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Trim Cover range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Trim Cover range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Trim Cover 38mm and 58mm are a universal trim that can be used for a carpet to carpet, carpet to hard floor and between two hard floors.
- The Premier Trim Cover 30mm can only be used on LVT, vinyl and stick down as its not wide enough to cover the gripper pins.
- The Premier Trim Cover is a screw down trim with the screws remaining visible after fitting.
- When using on hard floor to hard floor with a height difference the Cover 30mm will accommodate up to 4mm edge, the Cover 38mm up to 6mm and the Cover 55mm up to 8mm edge.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.



Care and Maintenance





- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- The Premier Euro Cover is the perfect solution for installations using underfloor heating.
- When used with our dim strips the Euro Cover will accommodate a height difference of up to 6mm.
- Only suitable for 'Non Porous' surfaces.
- Matches our DoubleZ™ top.

30mm Euro Cover Prices (non floating)

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£10.69	£15.02	£9.62	£13.52
	180cm	£21.38	£30.04	£19.24	£27.04
	270cm	£32.07	£45.06	£28.86	£40.55



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Trim 30mm Euro Cover range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The 30mm Euro cover (Non floating) & Dim Strips are used for a 1mm to 6mm edge.
- The 30mm Euro cover (Non floating) is available in three lengths: 90cm, 180cm and 270cm.
- The Dim Strip is available in 90cm lengths and in six heights: 1mm, 2mm, 3mm, 4mm, 5mm and 6mm.
- The 30mm Euro Cover (Non floating) is ideally suited to areas where under floor heating has been installed as it is a 'Stick Down' product.
- The 30mm Euro Cover (Non floating) **cannot** be used for installations that require expansion. For this situation see our 'Floating Euro Cover' on page 53 and our Two Way Ramp on pages 57.


ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting

- On a level installation The 30mm Euro Cover (Non floating) can be fitted directly over the flooring joint making sure all surfaces are clean and free from dust and grease.
- Where the installation produces an edge, first assess the height and choose the correct dim strip. Stick the dim strip to the lower floor surface using either double sided tape or a flooring adhesive.
- Peel off the packing from the double sided tape applied to the 30mm Euro Cover (Non floating) and making sure the dim strip surface is free of dust and grease, stick down to the dim strip.

Dim Strip Prices

Dim Strip 1mm 90cm length	£0.65 each
Dim Strip 2mm 90cm length	£0.70 each
Dim Strip 3mm 90cm length	£0.80 each
Dim Strip 4mm 90cm length	£0.90 each
Dim Strip 5mm 90cm length	£1.01 each
Dim Strip 6mm 90cm length	£1.10 each



Care and Maintenance









- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- Use on hard 'Non Porous' floors that are required to float.
- Ideal for floors which are level.
- Suitable for wood flooring requiring expansion.
- A low profile compared to a timber T moulding.

Floating Euro Cover Prices

Profile Size	Length	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
20mm	90cm / 180cm / 270cm	£8.02 / £16.04 / £24.06	£11.52 / £23.04 / £34.56	£7.22 / £14.44 / £21.66	£10.37 / £20.74 / £31.11
30mm	90cm / 180cm / 270cm	£9.17 / £18.34 / £27.51	£12.64 / £25.28 / £37.92	£8.25 / £16.50 / £24.75	£11.38 / £22.76 / £34.14
40mm	90cm / 180cm / 270cm	£12.08 / £24.16 / £36.24	£15.54 / £31.08 / £46.62	£10.87 / £21.74 / £32.61	£13.99 / £27.98 / £41.97
50mm	90cm / 180cm / 270cm	£13.86 / £27.72 / £41.58	£17.33 / £34.66 / £51.99	£12.47 / £24.94 / £37.41	£15.60 / £31.20 / £46.80



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Technical



54

Product

- The Premier Floating Euro Cover range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Floating Euro Cover range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Floating Euro Cover range are for use on hard flooring installations and can be used on floating or stick down installations which are level.
- The Premier Floating Euro Cover range can accommodate expansion of up to 18mm when using the 50mm profile.
- Consider side ways expansion.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Stick Down / Floating Installations

- On a level installation where one surface is stick down and the other is floating, or both surfaces float, use the Floating Euro Cover. The Floating Euro Cover can be stuck to either the fixed or floating surface but make sure you allow enough room for the maximum expansion. For floating floors remove the backing off one piece of the pre applied tape and stick down leaving the backing on the other piece to give a cushion. For fixed floors remove the backing off both pieces of the pre applied tape and stick down.
- **NOTE: For expansion information consult the flooring manufacturers specifications.**

20mm Floating Cover



30mm Floating Cover



40mm Floating Cover



50mm Floating Cover




Care and Maintenance




- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- Use on hard 'Non Porous' floors that are required to float.
- Ideal for floors which have a 1mm or 2mm height difference.

Vinyl Edge Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
Floating Vinyl Edge 1mm 	90cm	£8.58	£12.08	£7.72	£10.87
	180cm	£17.16	£24.16	£15.44	£21.74
	270cm	£25.74	£36.24	£23.16	£32.61
Floating Vinyl Edge 2mm 	90cm	£9.10	£12.60	£8.19	£11.34
	180cm	£18.20	£25.20	£16.38	£22.68
	270cm	£27.30	£37.80	£24.57	£34.02



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Vinyl range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Vinyl range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Vinyl range are for use on vinyl to vinyl installations and due to an ingenious design feature can be used on floating or stick down installations which have a 1mm or 2mm edge.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Stick Down / Floating Installations 1mm to 2mm edge

- On an installation with a 1mm or 2mm edge where one surface is stick down and the other is floating, or both surfaces float, use the Floating Vinyl Edge. Peel off the backing from the pre applied tape and stick down to the higher surface ensuring the surfaces are free from dust and grease. Allow enough cover for the maximum expansion.
- **NOTE: For expansion information consult the flooring manufacturers specifications.**



1mm Vinyl Edge



2mm Vinyl Edge

Get your Drop Checker



Ask your Stairrods UK Sales Representative.

Care and Maintenance






- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- Use on hard 'Non Porous' floors.
- Ideal for floors which are fitted on under floor heating.
- Covers height differences of between 2mm and 9mm.

Two-Way Ramp Prices

Profile Size	Length	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
2-3mm	90cm / 180cm / 270cm	£9.49 / £18.98 / £28.47	£12.99 / £25.98 / £38.97	£8.51 / £17.02 / £25.53	£11.69 / £23.38 / £35.07
4-5mm	90cm / 180cm / 270cm	£10.12 / £20.24 / £30.36	£13.62 / £27.24 / £40.86	£9.11 / £18.22 / £27.33	£12.26 / £24.52 / £36.78
6-7mm	90cm / 180cm / 270cm	£11.03 / £22.06 / £33.09	£14.53 / £29.06 / £43.59	£9.93 / £19.86 / £29.79	£13.08 / £26.16 / £39.24
8-9mm	90cm / 180cm / 270cm	£12.22 / £24.44 / £36.66	£15.72 / £31.44 / £47.16	£11.00 / £22.00 / £33.00	£14.15 / £28.30 / £42.45



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Two Way Ramp range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Two Way Ramp range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Two Way Ramp range are for use on 'Non Porous' installations which have a height difference and each product covers two different heights by simply turning the Two Way Ramp around.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Stick Down or Floating Installations

- On an installation where one surface is stick down and the other is floating, or both surfaces float, use the Two Way Ramp. Can also be used in a 'No Float' situation.
- **NOTE: For expansion information consult the flooring manufacturers specifications.**

Stick down the wide surface
for a 2mm lift.



Stick down the narrow
surface for a 3mm lift.



Stick down the wide surface
for a 4mm lift.



Get your Drop Checker



Stick down the narrow
surface for a 5mm lift.



Stick down the wide surface
for a 6mm lift.



Ask your Stairrods UK Sales Representative.

Stick down the narrow
surface for a 7mm lift.



Stick down the wide surface
for a 8mm lift.



Stick down the narrow
surface for a 9mm lift.



Care and Maintenance








- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- Use on hard 'Non Porous' floors.
- Ideal for floors which are fitted over under floor heating.
- Covers height differences of 10mm, 12mm, 14mm, 16mm and 20mm.

Ramp Prices

Profile Size	Length	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
10mm	90cm / 180cm / 270cm	£10.40 / £20.80 / £31.20	£13.90 / £27.80 / £41.70	£9.36 / £18.72 / £28.08	£12.51 / £25.02 / £37.53
12mm	90cm / 180cm / 270cm	£11.06 / £22.12 / £33.18	£14.56 / £29.12 / £43.68	£9.95 / £19.90 / £29.85	£13.10 / £26.20 / £39.30
14mm	90cm / 180cm / 270cm	£12.60 / £25.20 / £37.80	£17.01 / £34.02 / £51.03	£11.34 / £22.68 / £34.02	£15.31 / £30.62 / £45.93
16mm	90cm / 180cm / 270cm	£13.27 / £26.54 / £39.81	£17.71 / £35.42 / £53.13	£11.94 / £23.88 / £35.82	£15.94 / £31.88 / £47.82
20mm	90cm / 180cm / 270cm	£14.46 / £28.92 / £43.38	£19.00 / £38.00 / £57.00	£13.01 / £26.02 / £39.03	£17.10 / £34.20 / £51.30



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Technical



60

Product

- The Premier Ramp range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Ramp range are available in three lengths: 90cm, 180cm and 270cm.

Fitting

- The Premier Ramp range is for use on 'Non Porous' hard floor to hard floor installations where floating is required and /or under floor heating is an issue. Can also be used in a 'No Float' situation.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

- For use when encountering height differences of 10, 12, 14 16 and 20mm.
- Simply clean the floor surface and stick down.

NOTE: For expansion information consult the flooring manufacturers specifications.



10mm Ramp



12mm Ramp

Get your Drop Checker



Ask your Stairrods UK Sales Representative.



14mm Ramp



16mm Ramp



20mm Ramp

Care and Maintenance







- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- The Compression Ramp is for use where carpet meets hard floor.
- Can be used for 'High Carpet Low Hard Floor' or 'Low Carpet High Hard Floor'.
- Perfect for installations where there is underfloor heating.
- The only carpet to hard floor ramp in the world with **NO SCREWS**.
- When used with our Easyshims on page 31 & 32 will overcome a height difference of up to 36mm.

Compression Ramp Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
Compression Ramp 5mm 	90cm	£11.90	£15.40	£10.71	£13.86
	180cm	£23.80	£30.80	£21.42	£27.72
	270cm	£35.70	£46.20	£32.13	£41.58
Compression Ramp 8mm 	90cm	£13.34	£16.84	£12.00	£15.16
	180cm	£26.68	£33.68	£24.00	£30.32
	270cm	£40.02	£50.52	£36.00	£45.48



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product


- The Premier Carpet Compression Ramp range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier Carpet Compression Ramp range are available in three lengths: 90cm, 180cm and 270cm.

Fitting


- The Premier Carpet Compression Ramp is for use on ‘Non Porous’ hard floor to carpet installations where floating is required and /or under floor heating is an issue. Can also be used in a ‘No Float’ situation.
- The Premier Carpet Compression Ramp can be installed to a ‘High Hard Floor - Low Carpet or Low Carpet - High Floor situation.

Carpet Compression Ramp is a registered design of Stairrods UK Limited under Registration Number 5001008


- For use when encountering height differences of 5mm or 8mm Less Carpet Compression.
- Up to 36mm depending on carpet compression when used with our Easysshims on page 31
- Simply clean the hard floor surface and stick down.
- **NOTE: For expansion information consult the flooring manufacturers specifications.**




Stretch Fit



Stretch Fit



Stick Down



Stick Down



Get your Drop Checker



Ask your Stairrods UK Sales Representative.

Care and Maintenance






- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- The Dividers can be used for either a straight or curved installation.

Divider Prices

Profile	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
D3.5	90cm / 180cm / 270cm	£8.97 / £17.94 / £26.91	£11.76 / £23.52 / £35.28	£8.07 / £16.14 / £24.21	£10.58 / £21.16 / £31.74
D4.5	90cm / 180cm / 270cm	£9.39 / £18.87 / £28.17	£12.18 / £24.36 / £36.54	£8.45 / £16.90 / £25.35	£10.96 / £21.92 / £32.88
D6.	90cm / 180cm / 270cm	£10.11 / £20.22 / £30.33	£12.90 / £25.80 / £38.70	£9.10 / £18.20 / £27.30	£11.61 / £23.22 / £34.83
D7.5	90cm / 180cm / 270cm	£9.48 / £18.96 / £28.44	£12.27 / £24.54 / £36.81	£8.53 / £17.06 / £25.59	£11.04 / £22.08 / £33.12
D9.5	90cm / 180cm / 270cm	£9.72 / £19.44 / £29.26	£12.51 / £25.02 / £37.53	£8.75 / £17.50 / £26.25	£11.26 / £22.52 / £33.78
D12	90cm / 180cm / 270cm	£10.02 / £20.04 / £30.06	£12.81 / £25.62 / £38.43	£9.00 / £18.00 / £27.00	£11.53 / £23.06 / £34.59
D14	90cm / 180cm / 270cm	£10.29 / £20.58 / £30.87	£13.08 / £26.16 / £39.24	£9.26 / £18.52 / £27.78	£11.77 / £23.54 / £35.31
D16	90cm / 180cm / 270cm	£10.53 / £21.06 / £31.59	£13.32 / £26.64 / £39.96	£9.48 / £18.96 / £28.44	£11.99 / £23.98 / £35.96
D19	90cm / 180cm / 270cm	£10.92 / £21.84 / £32.76	£13.71 / £27.42 / £41.13	£9.83 / £19.66 / £29.49	£12.34 / £24.68 / £37.02
D23	90cm / 180cm / 270cm	£11.49 / £22.98 / £34.47	£14.28 / £28.56 / £42.84	£10.34 / £20.68 / £31.02	£12.85 / £25.70 / £38.55
D25	90cm / 180cm / 270cm	£14.70 / £29.40 / £44.10	£17.49 / £34.98 / £52.47	£13.23 / £26.46 / £39.69	£15.74 / £31.48 / £47.22



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Dividers range are manufactured using a base material of solid brass for a high quality installation.
- Premier Dividers (Brass Angle, L Shape) are for use by flooring and carpet installers for a finishing's profile for all types of non-expanding surfaces.
- Suitable floor coverings: LVT, carpet, parquet, laminates, natural stone etc. of similar heights.
- Premier Dividers feature a discrete but distinctive 6mm edge which can be used as a straight edge or for a slight curve. Pre-drilled and counter sunk at 8cm centres.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting

- Latex screed should be used with resilient floor coverings to prevent pre-punched base shadowing through.
- This profile does not have some of the design features associated when installing ceramic's i.e. A defined joint cavity/sloping edge. This needs to be considered when 'point loads' are an issue.



Care and Maintenance




- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- Perfect for that 'Minimalist' look.
- For joining LVT to Stick Down carpet
- For mat wells, stop ends, junctions at windows and doors.
- Pre drilled.

LVT Square Cap Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
LVT Square 4mm 	90cm	£10.92	£14.91	£9.83	£13.42
	180cm	£21.84	£29.82	£19.66	£26.84
	270cm	£32.76	£44.73	£29.49	£40.26
LVT Square 5mm 	90cm	£10.92	£14.91	£9.83	£13.42
	180cm	£21.84	£29.82	£19.66	£26.84
	270cm	£32.76	£44.73	£29.49	£40.26



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier LVT Square Cap range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier LVT Square Cap range are available in three lengths: 90cm, 180cm and 270cm and will accept LVT of varying thickness with the appropriate slot for that perfect finish.

Fitting

- The Premier LVT Square can be used in many situations where a minimalist look is required including: LVT to stick down carpet, as a patio door edge and as a mat well.
- When fitting LVT “Click” our LVT Square will allow for expansion.
- Pre drilled.
- **NOTE: For expansion information consult the flooring manufacturers specifications.**


Stick Down to Click
(floating)



Stick Down Carpet to LVT
(stick down or floating)



Patio Door Edge (stick down or floating)



Care and Maintenance

- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- For finishing off LVT edge.
- Perfect for that 'Minimalist' look.
- Pre drilled.
- Dry back and Click.

LVT Bevel Cap Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
LVT Bevel 2.5mm 	90cm	£10.92	£14.91	£9.83	£13.42
	180cm	£21.84	£29.82	£19.66	£26.84
	270cm	£32.76	£44.73	£29.49	£40.26
LVT Bevel 3mm 	90cm	£10.92	£14.91	£9.83	£13.42
	180cm	£21.84	£29.82	£19.66	£26.84
	270cm	£32.76	£44.73	£29.49	£40.26
LVT Bevel 4mm 	90cm	£10.92	£14.91	£9.83	£13.42
	180cm	£21.84	£29.82	£19.66	£26.84
	270cm	£32.76	£44.73	£29.49	£40.26
LVT Bevel 5mm 	90cm	£10.92	£14.91	£9.83	£13.42
	180cm	£21.84	£29.82	£19.66	£26.84
	270cm	£32.76	£44.73	£29.49	£40.26



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier LVT Bevel Cap range of door bars are manufactured using a base material of solid brass for a high quality installation.
- The Premier LVT Bevel Cap range are available in three lengths: 90cm, 180cm and 270cm and will accept LVT of varying thickness with the appropriate slot for that perfect finish.

Fitting

- The Premier LVT Bevel Cap can be used in situations where a minimalist look is required.
- When fitting LVT “Click” our LVT Bevel Cap will allow for expansion.
- Pre drilled.
- **NOTE: For expansion information consult the flooring manufacturers specifications.**

Click



Dry Back



Care and Maintenance

- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- For use on stairs with LVT fitted to both tread and riser on a right angled step.
- Suitable for Dry Back and Click.
- Pre drilled middle and Back Edge.
- Includes 2mm full length spacer.

LVT Nosing (no bull)

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
2.5mm	90cm	£20.03	£24.14	£18.03	£21.73
	180cm	£40.06	£48.28	£36.06	£43.46
	270cm	£60.09	£72.42	£54.09	£65.19
3mm	90cm	£20.03	£24.14	£18.03	£21.73
	180cm	£40.06	£48.28	£36.06	£43.46
	270cm	£60.09	£72.42	£54.09	£65.19
4mm	90cm	£20.03	£24.14	£18.03	£21.73
	180cm	£40.06	£48.28	£36.06	£43.46
	270cm	£60.09	£72.42	£54.09	£65.19
5mm	90cm	£20.03	£24.14	£18.03	£21.73
	180cm	£40.06	£48.28	£36.06	£43.46
	270cm	£60.09	£72.42	£54.09	£65.19



Polished Brass




Satin Brass



Antique Brass



Antique Bronze



Chrome



Brushed Chrome



Polished Nickel







Satin Nickel



Pewter



Black



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier LVT Nose (no bull) are manufactured using a base material of solid brass for a high quality installation.
- The Premier LVT Nose (no bull)'s are available in ten colours and three lengths and will accept LVT of varying thickness with the appropriate slot for that perfect finish.
- The Premier LVT Nose (no bull) can be used for a staircase where the treads, risers and landings have LVT fitted.


ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

- The Premier LVT Nose (No Bull) pre drilled middle and back edge.
- 3.6mm base to match 4mm (3.6mm) plywood or latex.
- Supplied with 1 full length spacer for use with (5.5mm) plywood on landings or Treads.
- Allows expansions for click on landings.

LVT to Treads and Riser



LVT Landing 6mm
Plywood inc spacer



Care and Maintenance





- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions



- For use where LVT is fitted to the landing and either LVT or carpet fitted to the remainder of the staircase
- Suitable for Dry Back and Click
- Pre drilled middle and back
- Includes 2mm full length spacers

LVT (full bull) Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
2.5mm	90cm	£23.52	£28.56	£21.17	£25.70
	180cm	£47.04	£57.12	£42.34	£51.40
	270cm	£70.56	£85.68	£63.51	£77.10
3mm	90cm	£23.52	£28.56	£21.17	£25.70
	180cm	£47.04	£57.12	£42.34	£51.40
	270cm	£70.56	£85.68	£63.51	£77.10
4mm	90cm	£23.52	£28.56	£21.17	£25.70
	180cm	£47.04	£57.12	£42.34	£51.40
	270cm	£70.56	£85.68	£63.51	£77.10
5mm	90cm	£23.52	£28.56	£21.17	£25.70
	180cm	£47.04	£57.12	£42.34	£51.40
	270cm	£70.56	£85.68	£63.51	£77.10



Carriage paid on 3 and over. Less than 3 £7.50 carriage charge unless ordered with other stuff.




Product

- The Premier LVT Nose (full bull) are manufactured using a base material of solid brass for a high quality installation.
- The Premier LVT Nose (full bull)'s are available in ten colours and three lengths and will accept LVT of varying thickness with the appropriate slot for that perfect finish.
- The Premier LVT Nose (full bull) can be used for a staircase where carpet or LVT are fitted up to the top riser and LVT fitted to the landing and a full LVT install to treads and risers.


ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

- The Premier LVT Nose (full bull) Pre drilled middle and back edge
- 3.6mm base to match 4mm (3.6mm) plywood or latex. Supplied with 2mm spacers for use with 6mm (5.5mm) plywood on landings.
- Allows expansion for Click on landings.
- Note 9mm plywood on landings may expose the nose.

LVT Landing to carpeted
stair 6mm ply



LVT to Tread & Riser



Care and Maintenance








- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- The Premier Lips are a versatile section with many uses.
- Use it as a tile edge or to create a mat well. It will form a tidy edge against your french window or use it as a Scotia where the flooring is 10mm deep or over.

Lip Prices

Profile Type	Size	Single Price		50 Price (Any Trim)	
		Standard	Specialised	Standard	Specialised
	90cm	£8.34	£12.43	£7.51	£11.19
	180cm	£16.68	£24.55	£15.02	£22.39
	270cm	£25.02	£35.20	£22.53	£33.58



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Technical



74


Product

- The Premier Lips range of edges are a stick down product manufactured using a base material of solid brass for a high quality installation.
- The Premier Lips range are available in ten colours and three lengths: 90cm, 180cm and 270cm. See facing page for details.
- The Premier Lips range can be used for a 'Non Porous' ceramic edge, wood edge, french window edge, room edge and when used with our shims on page 31 a 'Shim Combo' up to 35mm, the list is endless.
- The lips will come fitted with Tape Option 1 unless otherwise stated. Other tape options are 2 and 3, see below for description and situation suitability.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting Tape Option 1

- This fitting option is for where the front face of the edge is rough or uneven but the top face is smooth and able to provide a good surface for the tape to stick.



Fitting Tape Option 2

- This fitting option is for where the top face of the edge is rough or uneven but the front face is smooth and able to provide a good surface for the tape to stick.



Fitting Tape Option 3

- This fitting option is for a room edge where the Lip would be attached to the skirting and protrude into the room to cover the expansion joint of laminate or engineered flooring deeper than 10mm. It can also be used to cover an untidy tile edge, for example around a kitchen floor.



Care and Maintenance

- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.







Premier Trim Little Lip



- The Premier Little Lips are a versatile section with many uses.
- Use it as a tile edge or to create a mat well. It will form a tidy edge against your french window or use it as a Scotia where the flooring is 4mm deep or over.

Little Lip Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£7.70	£11.20	£6.93	£10.08
	180cm	£15.40	£22.40	£13.86	£20.16
	270cm	£23.10	£33.60	£20.79	£30.24



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Technical



76


Product

- The Premier Little Lips range of edges are a stick down product manufactured using a base material of solid brass for a high quality installation.
- The Premier Little Lips range are available in ten colours and three lengths: 90cm, 180cm and 270cm. See facing page for details.
- The Premier Little Lips range can be used as a 'Scotia or a ceramic edge, wood edge, french window edge.
- The Little Lips will come fitted with Tape Option 1 unless otherwise stated. Other tape option is 2 see below for description and situation suitability.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting Tape Option 1

- This fitting option is for where the front face of the edge is rough or uneven but the top face is smooth and able to provide a good surface for the tape to stick.



Fitting Tape Option 2

- This fitting option is for where the Little Lip is being used as a 'Scotia'.



Care and Maintenance

- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.




Premier Trim Bigger Lip



- The Premier Bigger Lip is a versatile section with many uses.
- Use it as a tile edge or to create a mat well. It will form a tidy edge against your french window or use it as a Scotia where the flooring is 10mm deep or over.

Bigger Lip Prices

Profile Type	Size	Single Price		50 Price (Any Trim)	
		Standard	Specialised	Standard	Specialised
	90cm	£10.92	£14.84	£9.83	£13.36
	180cm	£21.84	£29.68	£19.66	£26.72
	270cm	£32.76	£44.52	£29.49	£40.08



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Bigger Lip range of edges are a stick down product manufactured using a base material of solid brass for a high quality installation.
- The Premier Bigger Lip range are available in ten colours and three lengths: 90cm, 180cm and 270cm. See facing page for details.
- The Premier Bigger Lip range can be used for a 'Non Porous' ceramic edge, wood edge, french window edge, room edge and mat well.
- The Bigger Lip will come fitted with Tape Option 1 unless otherwise stated. Other tape options are 2 and 3, see below for description and situation suitability.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting Tape Option 1

- This fitting option is for where the front face of the edge is rough or uneven but the top face is smooth and able to provide a good surface for the tape to stick.



Fitting Tape Option 2

- This fitting option is for where the top face of the edge is rough or uneven but the front face is smooth and able to provide a good surface for the tape to stick.



Fitting Tape Option 3

- This fitting option is for a room edge where the Lip would be attached to the skirting and protrude into the room to cover the expansion joint of laminate or engineered flooring deeper than 10mm. It can also be used to cover an untidy tile edge, for example around a kitchen floor.



Care and Maintenance




- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- The Premier Wide Lip is a versatile section with many uses.
- Use it as a tile edge or to create a mat well. It will form a tidy edge against your french window or use it as a Scotia where the flooring is 10mm deep or over.

Wide Lip Prices

Profile Type	Size	Single Price		50 Price (Any Trim)	
		Standard	Specialised	Standard	Specialised
	90cm	£12.78	£16.70	£11.50	£15.03
	180cm	£25.56	£33.40	£23.00	£30.06
	270cm	£38.34	£50.10	£34.50	£45.09



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Wide Lip range of edges are a stick down product manufactured using a base material of solid brass for a high quality installation.
- The Premier Wide Lip range are available in ten colours and three lengths: 90cm, 180cm and 270cm. See facing page for details.
- The Premier Wide Lip range can be used for a 'Non Porous' ceramic edge, wood edge, french window edge, mat well.
- The lips will come fitted with Tape Option 1 unless otherwise stated. Other tape options are 2 and 3, see below for description and situation suitability.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.


Fitting Tape Option 1

- This fitting option is for where the front face of the edge is rough or uneven but the top face is smooth and able to provide a good surface for the tape to stick.



Fitting Tape Option 2

- This fitting option is for where the top face of the edge is rough or uneven but the front face is smooth and able to provide a good surface for the tape to stick.



Fitting Tape Option 3

- This fitting option is for a room edge where the Lip would be attached to the skirting and protrude into the room to cover the expansion joint of laminate or engineered flooring deeper than 10mm. It can also be used to cover an untidy tile edge, for example around a kitchen floor.



Care and Maintenance

- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.






Premier Trim Square Lip



- The Premier Square Lip is a versatile section with many uses.
- Use it as a tile edge or it will form a tidy edge against your french window

Square Lip Prices

Profile Type	Size	Single Price		50 Price (Any Trim)	
		Standard	Specialised	Standard	Specialised
	90cm	£12.78	£16.70	£11.50	£15.03
	180cm	£25.56	£33.40	£23.00	£30.06
	270cm	£38.34	£50.10	£34.50	£45.09



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Technical



82

Product

- The Premier Square Lip range of edges are a stick down product manufactured using a base material of solid brass for a high quality installation.
- The Premier Square Lip range are available in ten colours and three lengths: 90cm, 180cm and 270cm. See facing page for details.
- The Premier Square Lip range can be used for a 'Non Porous' ceramic edge, wood edge, french window edge, mat well.
- The Square lips will come fitted with Tape Option 1 unless otherwise stated. Tape option 2 is available, see below for description and situation suitability.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting Tape Option 1

- This fitting option is for where the front face of the edge is rough or uneven but the top face is smooth and able to provide a good surface for the tape to stick.



Fitting Tape Option 2

- This fitting option is for where the top face of the edge is rough or uneven but the front face is smooth and able to provide a good surface for the tape to stick.



Care and Maintenance




- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- Premier Little T has a 14mm wide top and allows for slight imperfections in joints and enables a gap between floor finishes to be incorporated during installation to allow for natural expansion in flooring materials such as ceramics and wood.
- Premier Little T is fitted after the floorcoverings have been installed, making them ideal for use when the installation of the floorcoverings is undertaken by different trades (e.g. ceramic contractors and flooring contractors) where the trims cannot be fixed until both floors have been completed.

Little T Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£7.84	£11.34	£7.06	£10.21
	180cm	£15.68	£22.68	£14.12	£20.42
	270cm	£23.52	£34.02	£21.18	£30.63



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



The Product

- The Premier Trim Little T is manufactured using a base material of solid brass for a high quality installation.
- The Premier Little T is made to join between two stone or ceramic floors.

Little T

- For stone or ceramic floors not lower than 7mm. Why not use the Stairrods Drop Checker, see below.



Use silicone adhesive to secure the Little T

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Get your Drop Checker



Ask your Stairrods UK Sales Representative.

Fitting

- Apply a proprietary silicone adhesive to the channel between the two floor surfaces ensuring that you do not over fill the channel as this will result in the adhesive overflowing on to the flooring surface when the T is pressed into place.


Care and Maintenance



- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- Premier Big T has a 25mm wide top and allows for slight imperfections in joints and enables a gap between floor finishes to be incorporated during installation to allow for natural expansion in flooring materials such as ceramics and wood.
- Premier Big T is fitted after the floor coverings have been installed, making them ideal for use when the installation of the floor coverings is undertaken by different trades (e.g. ceramic contractors and flooring contractors) where the trims cannot be fixed until both floors have been completed.

Big T Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£10.64	£14.14	£9.58	£12.73
	180cm	£21.28	£28.28	£19.16	£25.46
	270cm	£31.92	£42.42	£28.74	£38.19



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



The Product

- The Premier Big T is manufactured using a base material of solid brass for a high quality installation.
- The Premier Big T is made to join between two stone or ceramic floors.

Big T

- For stone or ceramic floors not lower than 10mm. Why not use the Stairrods Drop Checker, see below.



Use silicone adhesive to secure the Big T

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Get your Drop Checker



Ask your Stairrods UK Sales Representative.

Fitting

- Apply a proprietary silicone adhesive to the channel between the two floor surfaces ensuring that you do not over fill the channel as this will result in the adhesive overflowing on to the flooring surface when the T is pressed into place.

Care and Maintenance




- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions



- LVT small nosing.

Little Nose Prices

Profile Type	Size	Single Price		50 Price (Any Trims)	
		Standard	Specialised	Standard	Specialised
	90cm	£10.36	£13.86	£9.32	£12.47
	180cm	£20.72	£27.72	£18.64	£24.94
	270cm	£31.08	£41.58	£27.96	£37.41



Carriage paid on 5 and over. Less than 5 £7.50 carriage charge unless ordered with other stuff.



Product

- The Premier Little Little Nose range of edges are a stick down product manufactured using a base material of solid brass for a high quality installation.
- The Premier Little Little Nose range are available in ten colours and three lengths. See facing page for details.
- The Premier Little Little Nose range can be used for a 'Non Porous' stair nosing where the stair has LVT fitted to the tread and riser.
- The Little Little Nose will come fitted with high quality tape for adhering to the tread.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Fitting

- First ensure all surfaces are clean and free of dust and grease. The Little Nose should be fitted immediately after cleaning, do not clean all of the steps and then fit all of the nosing as dust can accumulate in the mean time.
- Prior to removing the backing tape, lay the nosing in position and mark the position of the back edge with pieces of masking tape, this will be your guide for positioning the nosing during fitting. This needs to be done as it gives the exact final position of the nosing allowing for variations in the rake of the risers.



- Lay a small bead of flooring adhesive along the inside front face of the nosing, this will give extra grip and adhesion.



- Line the edge of the nosing up with the masking tape keeping the top face of the nosing at 45° to the tread so as not to allow the tape to make contact with the surface of the tread.



- When lined up bring the nosing down level with the tread and apply pressure along the top face of the nosing.

Care and Maintenance



- Satin Brass and Polished Brass Trims can be left to age (oxidise) for a natural finish. However to keep the brass like new these two finishes will need to be polished from time to time with a propriety brass polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Satin Nickel, Chrome, and Brushed Chrome These finishes will need to be polished from time to time with a propriety metal polish. Ensure that you follow the instructions on the tin and protect your flooring during polishing.
- Pewter, Antique Bronze and Antique Brass If these finishes become contaminated the only option is to polish them with a propriety metal polish and allow them to age again naturally. Ensure that you follow the instructions on the tin and protect your flooring during polishing.



- A universal, anodised carpet trim. The chrome Joint has a genuine chrome plated finish.
- Available in Brass, Bronze, Chrome, Pewter, Satin Brass and Satin Nickel.

Joint Prices

32" length (81.3cm)	£13.26
36" length (91.5cm)	£14.38
96" length (243.8cm)	£39.77
Note: Chrome only available in lengths up to 72" (182.9cm)	£30.11



Carriage paid on 4 and over. Less than 4 £7.50 carriage charge unless ordered with other stuff.



Product

- The Joints range of Aluminium door bars.
- The Joints range are available in three lengths: 81cm, 91cm and 243cm. (Chrome only available up to 182cm.)

Fitting

- The Joints range can be used for a carpet to carpet and carpet to hard floor and hard floor to hard floor installations where expansion is a requirement.
- The Joints are a screw down product and the screw heads are then hidden using the stick down inlay.
- When using on a carpet to carpet installation you must still use gripper and fit the Joints over the gripper to give the carpet a good grip making sure the Joint is screwed down firm enough so as not to allow the screws to lift and interfere with the inlay.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.



- When using on carpet to hard floor fit the Joint over the gripper on the carpet side and rest the other edge on the hard floor and screw down making sure the Joint is screwed down firm enough so as not to allow the screws to pop up and interfere with the inlay.



- When using on hard floor to hard floor ensure a gap of 12mm between the surfaces to accommodate the underside of the fitting channel, again screw down firmly to prevent the screws from lifting the inlay from its channel.



- When using on hard floor to hard floor with a height difference the Joint will accommodate up to a 6mm edge, again screw down firmly to prevent the screws from lifting the inlay from its channel.



Care and Maintenance

- We recommend using a damp cloth to keep the rods clean, any household cleaners used to clean the wood and paint work of the staircase should be applied to the cloth and not directly onto the surface of the stair, as over spray can cause a speckled tarnish on the rods. If any liquids are inadvertently spilt on the stair rods they should be cleaned immediately with a damp cloth and dried with a clean cloth.




- Available in Standard and Specialised colours.
- Available in cut lengths from 15m to 50m
- Available in 50m spools (1 spool = 1 colour)
- Note: Spools may contain joins.

Easybind Prices

Available in Standard Colours (ST) and Specialised Colours (SP)	Standard	Specialised
15m-50m lengths. Available in smaller quantities with a £7.50 carriage charge.	£2.77 per metre	£3.77 per metre
50m spool.	£2.26 per metre	£3.26 per metre
2 x 50m spool.	£2.02 per metre	£2.02 per metre



Beige, Black & Brown



Beige, Black & Brown



Blue, Green & Grey



Blue, Green & Grey



Pinks & Red



Multi Colour



Multi Colour



Specialised



Specialised



The Product

- Easybind is a simple but effective alternative to whipping carpet edges on stair runners and rugs. Easybind can be fitted to the carpet on site so no delays in waiting for the carpet to be whipped.

Easybind Carpet Edging For Carpet Runners and Rugs.

- Simply measure the edges of the carpet where you will be fitting the Easybind and allow a little extra then cut accordingly.

ANY QUESTIONS
Please call 01207 591176 For friendly expert advice.

Easybind Accessories

Easybind Starter Kit contains the following:

- 1 Easybind glue gun, 10 Easybind glue sticks
- Easybind swatch box
- Easybind long nozzle - A sample jar of Easystuds.
- 35 short lengths of Easybind showing all 35 colours.
- 'Try Me' 1 metre length of Easybind.
- A small roll of Sellotape to make your first cut.

£30.00

Easybind long nozzle for glue gun

£9.79

Easybind glue gun with long nozzle

£26.78

Easybind hot melt glue sticks (5kg)

£31.30



Prepare the carpet edges by cutting with a sharp knife to produce a clean cut. Be aware of any surface below the carpet when cutting so as not to cause damage.



Easybind will fray when cut so to prevent this apply adhesive tape around the rope at the cutting point.



Always start in the middle of a straight run as it is easier to produce a clean join on a straight section as opposed to a curve or corner. Peel backing off the adhesive tape.



Be sure to run the rope edging parallel to the carpet edge leaving a gap to accommodate the glue gun nozzle.



When going around an outside corner cut the binding not the rope and fold underneath, the same applies to an inside corner without the need to fold the binding on the back.

When creating a join apply adhesive tape to the area that will be cut, this prevents the rope edging from fraying when being cut.



After cutting match the rope pieces together. TIP: Have the ends of the adhesive tape visible to allow ease of removal. Seal the two pieces of rope with a spot of hot glue and peel the tape away.

When you are happy with the join and the corners etc. Use the hot glue gun to apply a bead of glue between the binding and the carpet backing, pinching together as you go. Be careful not to get glue on the carpet.



For longer runs try a piece of 3" x 2" to help attach large sections of the binding. Use a glue gun pad when the gun is not in use to avoid glue dripping onto either the floor or carpet.





@stairrods



@StairrodsUK



Search Stairrods UK



@StairrodsUK



Point of sale material



Rods & Trims Sample Display
 £2 per Rod/Trim @ 24"
 Choose a mix of Rods, Trims
 or Both
 Mounting Board not included



**Premier Trim Display
 (for Carpets)**
 £20 inc Carpet Box



**Premier Trim Display
 (for Hard Flooring)**
 £35 inc Floor Box



Stair Rod Box
 - £20



Carpet Trim Box
 - FOC



Floor Trim Box
 -FOC



2 Step LVT Nose Display
 - FOC



Easybind Swatch Box
 - FOC



Jubilee/Homepride Display
 - FOC

ANY QUESTIONS
 Please call 01207 591176
 For friendly expert advice.