

Spring 2026

# Trade list price list & portfolio

[wilsons-group.com](http://wilsons-group.com)



Scan the  
QR code to  
order or call  
01924 451 138

COMMITTED TO  
SAFETY AND QUALITY  
LOW VOC, FORMALDEHYDE IN ALL  
PU, FOAM AND WOOL UNDERLAYS



PROUD  
MEMBER



DESIGNED  
IN THE UK



# Meet (some of!) the team

*Friendly faces providing friendly prices!*

Email, call or even pop in – our team are always ready to help select your perfect underwear.

*If you don't see us here,  
we are out delivering  
or answering calls!*



Alicia



Ruth



Michelle



Josh



Paul



Jamie



Jemma



Georgia



Philip



Diana

# Our ethos

*Redefining quality in every step*

Discover our range of carpet underlays to find the best combination for your carpet projects for commercial and residential applications.

We offer a striking combination of underlay collections manufactured to meet today's requirements for a comfort feel underfoot, minimise noise reductions with high dB ratings and state of the art collections using memory foam technology for improved compression results for wear and comfort performance.

We also strive to give back to our community. We are pleased to support local charities and have raised money for Kirklees Hospice, alongside sponsorships for local sports teams including the North Druffield Dragons. We believe in supporting everyone of all ages to engage in physical exercise and activity to promote active lifestyles – our sponsorship of Sandal Rugby Club and supporting the Under 12s Nunthorpe Football helps us help youngsters do just that!



# Request our Point of Sale Merchandise

*The tools to help you sell –  
ask your sales representative  
for more information*

# Sample Swatch Booklets

*Feel it to believe it*

Choose our Sample Swatch Booklets to allow customers to feel the quality for themselves. Available for all of our underlays, they are the easiest and most cost effective way to engage with your customer.



Each Swatch Booklet contains one underlay sample and displays the specifications for that product.

Products	Availability	Price per Unit
Available for all carpet underlays	Dispatched from our warehouse within 2 working days where possible.	Free of charge.

# Hanging Displays

*Feel it, compare it, want it*

Choose our Hanging Displays to allow your customers to compare the different thicknesses of some of our range and provide a more robust display method.

Each Hanging Display contains all samples for one underlay (e.g. 7mm and 9mm ToughStep in one), and includes details of the specifications and the other underlays available in the same category.



**TOUGHSTEP**  
hangers now available!

Products	Availability	Price per Unit
Plushwalk GrandeWaltz ThermalStream ToughStep	Dispatched from our warehouse within 2 working days where possible.	Free with an order of 1 roll or more of underlay.



# Where the magic happens!

*Our warehouse in operation*

We keep a surplus of over 40,000 rolls of various underlays in stock so no order is too big or too small. Every roll is carefully stored in our zero-emission air quality controlled warehouse achieved by four CAT electric forklifts.

Every day over 800 rolls of underlay leave our warehouse – what's incredible is that means approximately 12,000m<sup>2</sup> of our underlay is being used in homes and businesses worldwide every 24 hours! But only possible thanks to the team as a whole who are able to achieve this milestone – we hope our underlay can be part of your new home, business or modern renovation restyle.



# We were at the Flooring Show!

We let our products do the talking! We were featured at the latest Harrogate Flooring Show where we demonstrated our hero underlays including Plushwalk and ThermalStream. If you missed us, send us an email to request a free sample!





Every day over 800 rolls of underlay leave our warehouse... We can't wait to deliver to you next!

# Delivering on innovation. Globally.

We are proud to deliver on quality worldwide and are always excited to meet new customers from around the globe. Our team will provide a local service no matter your location.

Get in touch today to see how we can bring underlays into your world – we've just not quite worked out how to deliver to the moon yet!



FLOORING INNOVATION WINNER



Up to 46°C at 200W ISO 17025

46 dB (ΔLW) BS EN ISO 10140-3 Impact Sound

Choose an exceptional rate of heat transfer for underfloor heating – at 10mm thick, it feels fantastic underfoot too



FLOORING INNOVATION WINNER



3.0 - 3.5 TOG BS4745

40 - 49 dB (ΔLW) BS EN ISO 10140-3 Impact Sound

Choose a smooth installation that provides the ultimate comfort underfoot



FLOORING INNOVATION WINNER



2.8 - 3.0 TOG BS4745

44 - 47 dB (ΔLW) BS EN ISO 10140-3 Impact Sound

Choose an underlay that provides eco-luxury! Designed to tread lightly on the planet




# Brand partnerships

*Under more feet than you might think!*








We've helped supply a variety of well known commercial brands with our high quality underlay for range of applications.

We are proud to have supplied over 92,000m<sup>2</sup> of underlays to Premier Inn Hotels, and over 150,000m<sup>2</sup> to the UK hotel industry as a whole. We are proud to be a part of the Canada Water project – over 185,000m<sup>2</sup> of sustainable workspace which is a blueprint for a beautiful London – a place where people can work, live, learn, relax, stay fit and belong.

**CANADAWATER**



# Carpet underlays pricing overview

Underlay	SKU Code	Thickness	Density	TOG	dB	Roll Size	1-11 Rolls	12+ Rolls
	PW8	8mm	105kg/m <sup>3</sup>	3.0 TOG	40dB	15m <sup>2</sup>	£55.70 (£3.71/m <sup>2</sup> )	£47.20 (£3.15/m <sup>2</sup> )
	PW10	10mm	105kg/m <sup>3</sup>	3.2 TOG	45dB	15m <sup>2</sup>	£61.00 (£4.06/m <sup>2</sup> )	£52.50 (£3.50/m <sup>2</sup> )
	PW12	12mm	105kg/m <sup>3</sup>	3.5 TOG	49dB	15m <sup>2</sup>	£73.70 (£4.91/m <sup>2</sup> )	£63.10 (£4.21/m <sup>2</sup> )
	GW9	9mm	110kg/m <sup>3</sup>	2.8 TOG	44dB	15m <sup>2</sup>	£61.00 (£4.06/m <sup>2</sup> )	£52.50 (£3.50/m <sup>2</sup> )
	GW11	11mm	110kg/m <sup>3</sup>	3.0 TOG	47dB	15m <sup>2</sup>	£67.40 (£4.49/m <sup>2</sup> )	£58.90 (£3.93/m <sup>2</sup> )
	SV12	12mm	88oz per sq.metre (≈208 kg/m <sup>3</sup> )	3.0 TOG	48dB	10m <sup>2</sup>	£62.10 (£6.21/m <sup>2</sup> )	£53.80 (£5.38/m <sup>2</sup> )
	TS7	7mm	165kg/m <sup>3</sup>	2.2 TOG	39dB	10m <sup>2</sup>	£48.30 (£4.83/m <sup>2</sup> )	£39.80 (£3.98/m <sup>2</sup> )
	TS9	9mm	165kg/m <sup>3</sup>	2.9 TOG	45dB	10m <sup>2</sup>	£50.40 (£5.04/m <sup>2</sup> )	£41.90 (£4.19/m <sup>2</sup> )
	TS10	10mm	95kg/m <sup>3</sup>	0.87 TOG	46dB	15m <sup>2</sup>	£92.80 (£6.19/m <sup>2</sup> )	£84.40 (£5.62/m <sup>2</sup> )
	SS6	6.5mm	400kg/m <sup>3</sup>	1.38 TOG	31dB	10m <sup>2</sup>	£60.00 (£6.00/m <sup>2</sup> )	£51.70 (£5.17/m <sup>2</sup> )
	SM9	9mm	165kg/m <sup>3</sup>	2.38 TOG	45dB	10m <sup>2</sup>	£79.00 (£7.90/m <sup>2</sup> )	£68.40 (£6.84/m <sup>2</sup> )



Trade pricing

# Carpet underlays

[wilsons-group.com](http://wilsons-group.com)



Scan the  
QR code to  
order or call  
01924 451 138



Nothing makes us happier than seeing our underlays doing what they do best! Check out some of our recent installation case studies.

Send us your install shots to [development@wilsons-group.com](mailto:development@wilsons-group.com) and feature in our next edition!



Installing ThermalStream gives your underfloor heating the perfect partner! The innovative perforations allow a quicker rate of heat transfer (up to 46°C at 200W), yet the 10mm thickness enables an excellent underfoot feel. No more compromising on comfort to enable efficiency!



*Knowledge centre*

A lot of research and development goes into our products. Did you know there are many methods of testing TOG to BS4745, BS12664 and DIN 4108? They are great for testing the TOG of the material itself, but for measuring ThermalStream's heat air-perforation pockets, the correct method of testing is ISO17025, which gives a truer targeted value of TOG.



All underlay joins must be bonded with our Wilsons Bonding Tape to ensure the warranty is valid. It has been manufactured to work exclusively with our underlays.



Scan the QR code to view more underlays in action.



**plushwalk**  
*memory foam*

With a feeling of walking on air, Plushwalk is the perfect way to brighten any space. By incorporating memory foam, Plushwalk provides the ultimate comfort underfoot. With fantastic compression recovery and a Damp Proof Membrane, this is a great choice for luxury residential and commercial installations.





**Choose Plushwalk®**  
for luxury installs  
where you're  
looking for ultimate  
comfort underfoot

**3.0 - 3.5 TOG**  
BS4745

**40 - 49 dB (ΔLW)**  
BS EN ISO 10140-3 Impact Sound

**Low VOC and Formaldehyde**

**A+ Indoor Air Quality Test**  
Tested to ISO 16000

# Plushwalk®

*The best-seller, incorporating memory foam*

## Our No. 1 bestseller for a reason.

Plushwalk® is our No. 1 best selling underlay in the UK which incorporates memory foam giving excellent performance all round. When tested to the BS14499 for 1000 impacts, Plushwalk recovers 92% from compression which makes it outstanding for all areas of high traffic, especially on the stairs.

Plushwalk®	8mm	10mm	12mm
Construction	PU & Viscoelastic Foams		
Density	105 kg/m³		
Thickness	8mm	10mm	12mm
Tog Rating*	3.0 TOG	3.2 TOG	3.5 TOG
Noise Reduction**	40 dB (ΔLW)	45 dB (ΔLW)	49 dB (ΔLW)
R Value	0.30m² K/W	0.32m² K/W	0.35m² K/W
U-Value	3.33W/m²K	3.12W/m²K	2.85W/m²K
Thermal Conductivity	0.026W/mK		
Comfort Rating	Luxury	Luxury	Super Luxury
Area Coverage	15m² (1.37m x 11m)		
Roll Dimensions	140 x 35 x 35 cm	140 x 37 x 37 cm	140 x 40 x 40 cm
Roll Weights	13 kg	16 kg	19 kg
Double Stick Applications?	No		
Recommended End Use Classification	Class L/U: Luxury use, domestic/contract, where high energy absorption is desirable		
Product Materials	Top Surface: Smooth fit 80g/m² DPM PE Backing Bottom Surface: Fibrelux 40g/m² Non-Woven Black Backing		
Guarantee	Lifetime of initial carpet installation – Wilsons bonding tape must be used		
Recommendation	All luxury domestic areas of the home		
Installation Method	Install using Bonding Tape. Read instructions on full specification sheet†. †Specification Sheet available at <a href="http://wilsons-underlays.co.uk/knowledge-centre/testing-and-specifications">wilsons-underlays.co.uk/knowledge-centre/testing-and-specifications</a>		
Environmental Credentials	100% recycled foam content, which is 100% recyclable after use.		

\* Tested to BS4745 / \*\* Tested to BS EN ISO 10140-3 Impact Sound



Suitable for stretch fitting



Suitable for stairs



High traffic



Double stick applications



Residential or Commercial

## Pricing structure

SKU Code	Thickness	Density	TOG BS4745	dB BS EN ISO 10140-3	Roll Size	1-11 Rolls	12+ Rolls
PW8	8mm	105kg/m <sup>3</sup>	3.0 TOG	40dB	15m <sup>2</sup>	£55.70 (£3.71/m <sup>2</sup> )	£47.20 (£3.15/m <sup>2</sup> )
PW10	10mm	105kg/m <sup>3</sup>	3.2 TOG	45dB	15m <sup>2</sup>	£61.00 (£4.06/m <sup>2</sup> )	£52.50 (£3.50/m <sup>2</sup> )
PW12	12mm	105kg/m <sup>3</sup>	3.5 TOG	49dB	15m <sup>2</sup>	£73.70 (£4.91/m <sup>2</sup> )	£63.10 (£4.21/m <sup>2</sup> )

\*Includes free delivery anywhere to UK mainland. Prices are + VAT.



Scan me to download the Specifications





Choose  
**GrandeWaltz®**  
 for luxury  
 eco-conscious  
 installations



**2.8 - 3.0 TOG**  
 BS4745



**44 - 47 dB (ΔLW)**  
 BS EN ISO 10140-3 Impact Sound



Low VOC and Formaldehyde



**A+ Indoor Air Quality Test**  
 Tested to ISO 16000

# GrandeWaltz®

*Eco-conscious underlay*

GrandeWaltz® is part of our luxury eco-conscious range which features a recycled based brown paper backing with no bleaching processes compared to white paper.

It's manufactured with 100% recycled foams and makes it ideal for those looking to tread softer on the planet (no pun intended) and comes in a choice of 9mm or 11mm thickness. GrandeWaltz® is now a great high performance underlay consisting of comfort and durability whilst being sustainable for a greener future.

GrandeWaltz®	9mm	11mm
Construction	PU & Viscoelastic Foams	
Density	110 kg/m <sup>3</sup>	
Thickness	9mm	11mm
Tog Rating*	2.8 TOG	3.0 TOG
Noise Reduction**	44 dB (ΔLW)	47 dB (ΔLW)
R Value	0.28m <sup>2</sup> K/W	0.30m <sup>2</sup> K/W
U-Value	3.57W/m <sup>2</sup> K	3.33W/m <sup>2</sup> K
Thermal Conductivity	0.032W/mK	
Comfort Rating	Luxury	
Area Coverage	15m <sup>2</sup> (1.37m x 11m)	
Roll Dimensions	140 x 35 x 35 cm	140 x 37 x 37 cm
Double Stick Applications?	No	
Recommended End Use Classification	Class L/U: Luxury use, domestic/contract, where high energy absorption is desirable	
Product Materials	Top Surface: Spun bonded stitched paper backing Bottom Surface: White dual-layered non-woven backing	
Guarantee	Lifetime of initial carpet installation – Wilsons bonding tape must be used	
Recommendation	All luxury domestic areas of the home	
Installation Method	Install using Bonding Tape. Read instructions on full specification sheet! <small>*Specification Sheet available at <a href="http://wilsons-underlays.co.uk/knowledge-center/testing-and-specifications">wilsons-underlays.co.uk/knowledge-center/testing-and-specifications</a></small>	
Environmental Credentials	100% recycled foam content, which is 100% recyclable after use.	

\* Tested to BS4745 / \*\* Tested to BS EN ISO 10140-3 Impact Sound



Suitable for stretch fitting



Suitable for stairs



High traffic



Double stick applications



Residential or Commercial

## Pricing structure

SKU Code	Thickness	Density	TOG BS4745	dB BS EN ISO 10140-3	Roll Size	1-11 Rolls	12+ Rolls
GW9	9mm	110kg/m <sup>3</sup>	2.8 TOG	44dB	15m <sup>2</sup>	£61.00 (£4.06/m <sup>2</sup> )	£52.50 (£3.50/m <sup>2</sup> )
GW11	11mm	110kg/m <sup>3</sup>	3.0 TOG	47dB	15m <sup>2</sup>	£67.40 (£4.49/m <sup>2</sup> )	£58.90 (£3.93/m <sup>2</sup> )

\*Includes free delivery anywhere to UK mainland. Prices are + VAT.



Scan me to download the Specifications



# TOUGHSTEP®

WHEN THE GOING GETS TOUGH

Choose ToughStep® for double-stick applications that require exceptional durability or installs requiring a firmer feel



2.2 - 2.9 TOG  
BS4745



39 - 45 dB (ΔLW)  
BS EN ISO 10140-3 Impact Sound



Low VOC and Formaldehyde



A+ Indoor Air Quality Test  
Tested to ISO 16000

# ToughStep®

The double-stick underlay

ToughStep® has been specifically engineered as a double-stick underlay for commercial applications, or for natural floor coverings such as sisal, where a firmer underlay is essential.

Its structure is stronger and denser than standard foam underlays, providing greater stability and resilience. This delivers superior performance for natural carpets like sisal, which are rigid and have almost no elasticity compared to wool or synthetic carpets. A firmer underlay helps keep these floor coverings stable and prevents rippling or distortion. In addition, ToughStep's firmness allows office chairs, wheeled furniture, and wheelchairs to move with less resistance.

ToughStep®	7mm	9mm
Construction	PU & Viscoelastic Foams	
Density	165 kg/m <sup>3</sup>	
Thickness	7mm	9mm
Tog Rating*	2.2 TOG	2.9 TOG
Noise Reduction**	39 dB (ΔLW)	45 dB (ΔLW)
R Value	0.22m <sup>2</sup> K/W	0.29m <sup>2</sup> K/W
U-Value	4.54W/m <sup>2</sup> K	3.44W/m <sup>2</sup> K
Thermal Conductivity	0.031W/mK	
Area Coverage	10m <sup>2</sup> (1.37m x 7.3m)	
Roll Dimensions	30 x 30 x 137cm	
Double Stick Applications?	Yes	
Recommended End Use Classification	Class HC/U: Heavy contract use, suitable for heavy foot/wheel traffic and castor chairs	
Product Materials	Top Surface: FibreTex 40g/m <sup>2</sup> Non-Woven backing suitable for permanent bond glue. Bottom Surface: Dynamic 80g/m <sup>2</sup> printed PE Backing suitable for slow release glue.	
Guarantee	Lifetime of initial carpet installation – Wilsons bonding tape must be used	
Installation Method	Install using Bonding Tape. Read instructions on full specification sheet! <small>†Specification sheet available at <a href="http://wilsons-underlays.co.uk/knowledge-center/testing-and-specifications">wilsons-underlays.co.uk/knowledge-center/testing-and-specifications</a></small>	
Environmental Credentials	100% recycled foam content, which is 100% recyclable after use.	

\* Tested to BS4745 / \*\* Tested to BS EN ISO 10140-3 Impact Sound



Suitable for stretch fitting



Suitable for stairs



High traffic



Double stick applications




Residential or Commercial



## Pricing structure

SKU Code	Thickness	Density	TOG BS4745	dB BS EN ISO.10140-3	Roll Size	1-11 Rolls	12+ Rolls
TS7	7mm	165kg/m <sup>3</sup>	2.2 TOG	39dB	10m <sup>2</sup>	£48.30 (£4,833/m <sup>2</sup> )	£39.80 (£3,980/m <sup>2</sup> )
TS9	9mm	165kg/m <sup>3</sup>	2.9 TOG	45dB	10m <sup>2</sup>	£50.40 (£5,040/m <sup>2</sup> )	£41.90 (£4,190/m <sup>2</sup> )

\*Includes free delivery anywhere to UK mainland. Prices are + VAT.



Scan me to download the Specifications



**Choose ThermalStream®**  
for luxury underfloor  
heating installations,  
with maximum heat  
transfer without  
compromising  
on comfort

**0.87 TOG**  
ISO 17025 (UKAS Accredited)

**46 dB (ΔLW)**  
BS EN ISO 10140-3 Impact Sound

Low VOC and  
Formaldehyde

ThermalStream  
is B<sub>FL</sub> s1 certified.

**A+ Indoor Air Quality Test**  
Tested to ISO 16000

# ThermalStream®

## Underfloor heating underlay

ThermalStream® is a new revolutionary carpet underlay for underfloor heating systems.

Featuring punched air pockets, it speeds up the heat transfer rate between the underfloor heating system and your carpets. It is now flame retardant to a European B<sub>FL</sub> s1 classification to EN 13501-1: 2018 for advanced safety measures and its 10mm thickness makes any carpet feel soft underfoot. From an installation perspective, it's lighter, easy to fit and won the Innovation Award for 2022.

ThermalStream®	
Construction	Flame Retardant PU & Viscoelastic Foams
Density	95 kg/m <sup>3</sup>
Thickness	10mm
Tog Rating*	0.87 TOG
Noise Reduction**	46 dB (ΔLW)
Heat Transfer***	Up to 46°C (achieved on a 200w electric UFH system)
R Value	0.087m <sup>2</sup> K/W
U-Value	11.49W/m <sup>2</sup> K
Thermal Conductivity	0.114W/mK
Area Coverage	15m <sup>2</sup> (1.37m x 11m)
Roll Dimensions	140 x 35 x 35 cm
Double Stick Applications?	No
Recommended End Use Classification	Class L/U: Luxury use, domestic/contract, where high energy absorption is desirable
Product Materials	<b>Top Surface:</b> Smooth fit 80g/m <sup>2</sup> PE Backing <b>Bottom Surface:</b> Fibretex 40g/m <sup>2</sup> Non-Woven White Backing
Guarantee	Lifetime of initial carpet installation – Wilsons bonding tape must be used
Installation Method	Lay ThermalStream logo face side upwards, all corners must have spray adhesive applied. Install using Bonding Tape. Read instructions on full specification sheet. <small>†Specification Sheet available at wilsons-underlays.co.uk/knowledge-centre/testing-and-specifications</small>
Heat Source	ThermalStream works seamlessly for all electric (dry), Hydronic (water) or forced air inductions based systems for either concrete or timber subfloors
Environmental Credentials	100% recycled foam content, which is 100% recyclable after use.

\* Tested to ISO 17025 (UKAS Accredited) / \*\* Tested to BS EN ISO 10140-3 Impact Sound / \*\*\* Tested to ISO 17025 (UKAS Accredited)  
Manufactured by Wilsons Underlays Ltd, West Yorkshire, UK. To view our full terms and conditions, visit [wilsons-underlays.co.uk/terms-conditions](http://wilsons-underlays.co.uk/terms-conditions)



Suitable for stretch fitting



Suitable for stairs



High traffic



Double stick applications




Residential or Commercial


## Pricing structure

SKU Code	Thickness	Density	TOG ISO17025	Heat Transfer ISO17025	dB BS EN ISO 10140-3	R-Value K/W	Thermal Conductivity	Roll Size	1-11 Rolls	12+ Rolls
TS10	10mm	95kg/m <sup>3</sup>	0.87 TOG	Up to 46°C at 200W	46dB	0.087m <sup>2</sup> K/W	0.114W/mK	15m <sup>2</sup>	£92.80 (£6.19/m <sup>2</sup> )	£84.40 (£5.62/m <sup>2</sup> )

\*Includes free delivery anywhere to UK mainland. Prices are + VAT.



Scan me to download the Specifications



# SMARTSTEP®

UNDERLAY FOR ALMOST EVERY APPLICATION

**Choose SmartStep®**  
for specialist  
commercial  
applications

 **2.38 TOG**  
BS4745

 **45 dB (ΔLW)**  
BS EN ISO 10140-3 Impact Sound

 **SmartStep is B<sub>FL</sub> s1 certified.**

 **Low VOC and Formaldehyde**

 **A+ Indoor Air Quality Test**  
Tested to ISO 16000

# SmartStep®

*The flame-retardant double-stick underlay*

SmartStep® is a specialist flame-retardant double-stick underlay engineered for the European markets, where compliance with EN 13501-1:2018 is essential.

With its B<sub>FL</sub> s1 classification, SmartStep® stands out as the perfect solution for these high-demand environments.

<b>SmartStep®</b>	<b>9mm</b>
Construction	Flame Retardant PU & Viscoelastic Foams
Density	165 kg/m <sup>3</sup>
Thickness	9mm
Tog Rating*	2.38 TOG
Noise Reduction**	45 dB (ΔLW)
R Value	0.24m <sup>2</sup> K/W
U-Value	4.20W/m <sup>2</sup> K
Thermal Conductivity	0.038W/mK
Area Coverage	10m <sup>2</sup>
Roll Dimensions	1.37m x 7.3m
Double Stick Applications?	Yes
Recommended End Use Classification	Class L/U: Luxury use, domestic/contract, where high energy absorption is desirable
Product Materials	Top Surface: FibreTex 40g/m <sup>2</sup> Non-Woven backing suitable for permanent bond glue. Bottom Surface: Dynamic 80g/m <sup>2</sup> printed PE Backing suitable for slow release glue.
Guarantee	Lifetime of initial carpet installation – Wilsons bonding tape must be used
Installation Method	Install using Bonding Tape. Read instructions on full specification sheet! †Specification Sheet available at <a href="http://wilsons-underlays.co.uk/knowledge-centre/testing-and-specifications">wilsons-underlays.co.uk/knowledge-centre/testing-and-specifications</a>
Environmental Credentials	100% recycled foam content, which is 100% recyclable after use.

\* Tested to BS4745 / \*\* Tested to BS EN ISO 10140-3 Impact Sound



Suitable for stretch fitting



Suitable for stairs



High traffic



Double stick applications



Residential or Commercial

## Pricing structure

SKU Code	Thickness	Density	TOG BS4745	dB BS EN ISO 10140-3	Roll Size	1-11 Rolls	12+ Rolls
SM9	9mm	165kg/m <sup>3</sup>	2.38 TOG	45 dB	10m <sup>2</sup>	£79.00 (£7.90/m <sup>2</sup> )	£68.40 (£6.84/m <sup>2</sup> )

\*Includes free delivery anywhere to UK mainland. Prices are + VAT.



Scan me to download the Specifications



# Super velvet

Choose **SuperVelvet®** if you're looking for a luxury combination underlay



**3.0 TOG**  
BS4745



**48 dB (ΔLW)**  
BS EN ISO 10140-3 Impact Sound



**Low VOC and Formaldehyde**



**A+ Indoor Air Quality Test**  
Tested to ISO 16000

# Super Velvet®

*Our combination underlay*

Super Velvet® is a traditional combination carpet underlay consisting of richly textured velvet fibres joined to a deluxe rubber crumb base.

It's combination of wool provides heat insulation and the rubber for sound proofing. The two materials combined excel in reducing acoustic & impact noise; so it's ideal for those noisy people upstairs!

<b>Super Velvet®</b>	<b>12mm</b>
<b>Construction</b>	Felt and Rubber
<b>Density</b>	88oz per sq.metre (≈208 kg/m <sup>3</sup> )
<b>Thickness</b>	12mm
<b>Tog Rating*</b>	3.0 TOG
<b>Noise Reduction**</b>	48 dB (ΔLW)
<b>R Value</b>	0.30m <sup>2</sup> K/W
<b>U-Value</b>	3.33W/m <sup>2</sup> K
<b>Thermal Conductivity</b>	0.040W/mK
<b>Area Coverage</b>	10m <sup>2</sup> (1.37m x 7.3m)
<b>Roll Dimensions</b>	137 x 33 x 33 cm
<b>Double Stick Applications?</b>	No
<b>Recommended End Use Classification</b>	Class L/U: Luxury use, domestic/contract, where high energy absorption is desirable
<b>Product Materials</b>	<b>Top Surface:</b> Textured Fibre <b>Appearance</b> <b>Bottom Surface:</b> Rubber Crumb
<b>Guarantee</b>	Lifetime of initial carpet installation
<b>Installation Method</b>	Lay fibre side upwards, rubber crumb side to the subfloor. All corners must have spray adhesive applied. Always use a fresh, sharp blade/heavy duty shears when cutting.
<b>Environmental Credentials</b>	Made using recycled 80/20 wool nylon topping joined with recycled rubber crumb.

\* Tested to BS4745 / \*\* Tested to BS EN ISO 10140-3 Impact Sound



Suitable for stretch fitting



Suitable for stairs



High traffic



Double stick applications



Residential or Commercial

## Pricing structure

SKU Code	Thickness	Density	TOG BS4745	dB BS EN ISO 10140-3	Roll Size	1-11 Rolls	12+ Rolls
SV12	12mm	88oz per sq.metre (≈208 kg/m <sup>3</sup> )	3.0 TOG	48dB	10m <sup>2</sup>	£62.10 (£6.21/m <sup>2</sup> )	£53.80 (£5.38/m <sup>2</sup> )

\*Includes free delivery anywhere to UK mainland. Prices are + VAT.



Scan me to download the Specifications

# STRONGSTEP®

A STRONG UNDERLAY FOR SOLID FOUNDATIONS

Choose **StrongStep®** for heavy contract, durable double-stick applications



**1.38 TOG**  
BS4745



**31 dB (ΔLW)**  
BS EN ISO 10140-3 Impact Sound



Low VOC and Formaldehyde



**A+ Indoor Air Quality Test**  
Tested to ISO 16000

# StrongStep®

Heavy contract double-stick underlay

StrongStep® is 6.5mm thick highly durable & robust underlay designed for contract installations requiring a double-stick installation method.

StrongStep® has a retention of work compression of approximately 95J/m<sup>2</sup>, which means it can withstand very heavy footfall traffic: ideal for hotels, bars, pubs or any commercial sector buildings.

<b>StrongStep®</b>	<b>6.5mm</b>
Construction	Rubber Crumb
Density	400 kg/m <sup>3</sup>
Thickness	6.5mm
Tog Rating*	1.38 TOG
Noise Reduction**	31 dB (ΔLW)
R Value	0.138m <sup>2</sup> K/W
U-Value	7.24W/m <sup>2</sup> K
Thermal Conductivity	0.047W/mK
Area Coverage	10m <sup>2</sup> (1.37m x 7.3m)
Roll Dimensions	137 x 33 x 33 cm
Double Stick Applications?	Yes
Recommended End Use Classification	Class HC/U: Heavy contract use, suitable for heavy foot/wheel traffic and castor chairs
Product Materials	<b>Top Surface:</b> Woven PP Backing <b>Bottom Surface:</b> Rubber Crumb
Guarantee	Lifetime of initial carpet installation – Wilsons bonding tape must be used
Installation Method	Install using Bonding Tape. Read instructions on full specification sheet. <small>†Specification Sheet available at <a href="http://wilsons-underlays.co.uk/knowledge-centre/testing-and-specifications">wilsons-underlays.co.uk/knowledge-centre/testing-and-specifications</a></small>
Environmental Credentials	Made with 100% recycled rubber crumb.

\* Tested to BS4745 / \*\* Tested to BS EN ISO 10140-3 Impact Sound



Suitable for stretch fitting



Suitable for stairs



High traffic



Double stick applications




Residential or Commercial

## Pricing structure

SKU Code	Thickness	Density	TOG BS4745	dB BS EN ISO 10140-3	Roll Size	1-11 Rolls	12+ Rolls
SS6	6.5mm	400kg/m <sup>3</sup>	1.38 TOG	31dB	10m <sup>2</sup>	£60.00 (£6.00/m <sup>2</sup> )	£51.70 (£5.17/m <sup>2</sup> )

\*Includes free delivery anywhere to UK mainland. Prices are + VAT.



Scan me to  
download the  
Specifications

# HeatStream®

The upcoming underfloor heating underlay that is defying science

Underfloor Heating Underlays give innovators a headache – how do you make an underlay perform specific tasks whilst still allowing a terrific rate of heat transfer? Well. We don't want to start turning heads too quickly... But we've done just that.



**TOG**  
Rating revealing soon



**dB**  
Rating revealing soon



**Density**  
Rating revealing soon



**Scan me** to be the first to hear more!



# Secure joins secure your warranty

*Benefit from the Wilsons Underlays lifetime\* warranty*

With our underlays, you get peace of mind warranty for the lifetime of the initial carpet installation providing that bonding tape, which is tested and approved to use with British Standards BS5325 installations, is used according to the manufacturer specifications.

Choose Wilsons Underlays Bonding Tape – at 60mm thick, it offers a wider surface area than standard bonding tapes. Not only that, the unique, high-strength adhesive, ensures this bonding tape is designed to last as long as the underlay and help prevent underlay movement so you can rest assured no part of your installation will let you down.

Name	SKUs	Size	1 Box	2-9 Boxes	10+ Boxes
Wilsons Bonding Tape (25m x 60mm)	WBT-12	Box of 12	£51.00	£45.80	£40.70



\*Lifetime of the initial carpet installation. Wilsons Bonding Tape must be used – underlay and tape must be installed according to the manufacturer guidelines and specifications.



ROYALE™


Trade pricing

# Hardfloor underlays & accessories

[wilsons-group.com](http://wilsons-group.com)



Scan the  
QR code to  
order or call  
01924 451 138






ROYALE

# Royale® 2mm Acoustic White

*For residential applications*

SKU Code	Thickness	dB	TOG	Size	1 Roll	2-9 Rolls	10+ Rolls
AW2	2mm	12dB	0.56 TOG	15m <sup>2</sup> (1 x 15m)	£15.80 per roll	£8.40 per roll	£7.40 per roll



White PE foam underlay designed for wood and laminate flooring suitable for domestic installations.

- ✓ Wood floors
- ✓ Solid wood floors
- ✓ Laminate floors  
(above 8mm thickness)
- ✗ LVT floors
- ✗ DPM (Damp Proof Membrane)
- Residential applications



Residential applications




# Royale® 3mm Acoustic Silver

For residential applications



SKU Code	Thickness	dB	TOG	Size	1 Roll	2-9 Rolls	10+ Rolls
AS3	3mm	22dB	1.39 TOG	15m <sup>2</sup> (1 x 15m)	£22.10 per roll	£14.70 per roll	£13.70 per roll



Silver foil backed PE foam underlay designed for wood and laminate, suitable for domestic installations.

- ✓ Wood floors
- ✓ Solid wood floors
- ✓ Laminate floors  
(above 8mm thickness)
- ✗ LVT floors
- ✓ DPM (Damp Proof Membrane)
- Residential applications



ROYALE

# Royale® 3mm Acoustic Gold

*For residential applications*



SKU Code	Thickness	dB	TOG	Size	1 Roll	2-9 Rolls	10+ Rolls
AG3	3mm	22dB	1.39 TOG	15m <sup>2</sup> (1 x 15m)	£24.20 per roll	£16.80 per roll	£15.80 per roll



Gold foil backed PE foam underlay designed for wood and laminate, suitable for domestic installations.



Wood floors



Solid wood floors



Laminate floors  
(above 8mm thickness)



LVT floors



DPM (Damp Proof Membrane)



Residential applications



Residential applications

No minimum order, free delivery. Prices are equal and fair for all customers, there are no volume discounts. Manufactured by Wilsons Underlays Ltd, West Yorkshire, UK. To view our full terms and conditions, visit [wilsons-underlays.co.uk/terms-conditions](https://www.wilsons-underlays.co.uk/terms-conditions)



# Royale® 3mm Moisture Barrier

For residential applications



SKU Code	Thickness	dB	TOG	Size	1 Roll	2-9 Rolls	10+ Rolls
BP3	3mm	22dB	1.39 TOG	15m <sup>2</sup> (1 x 15m)	£23.60 per roll	£16.30 per roll	£15.20 per roll



PE foam underlay designed for wood and laminate, suitable for domestic installations.



Wood floors



Solid wood floors



Laminate floors  
(above 8mm thickness)



LVT floors



DPM (Damp Proof Membrane)



Residential applications



Residential applications





# Royale® 5mm Sonic Gold

*For residential applications*

SKU Code	Thickness	dB	TOG	Size	1 Roll	2-9 Rolls	10+ Rolls
SG5	5mm	24dB	1.69 TOG	15m <sup>2</sup> (1 x 15m)	£25.70 per roll	£20.50 per roll	£19.40 per roll



Gold foil backed PE foam underlay designed for wood and laminate, suitable for domestic installations.



Wood floors



Solid wood floors



Laminate floors  
(above 8mm thickness)



LVT floors



DPM (Damp Proof Membrane)



Residential applications



Residential applications





ROYALE

# Royale® XPS

*For residential applications*



Residential applications



SKU Code	Thickness	dB	TOG	Size	1 Pack	2-9 Packs	10+ Packs
XP55	5mm	21dB	1.56 TOG	9.78m <sup>2</sup> pack	£22.60 per pack	£16.00 per pack	£14.90 per pack



XPS foam underlay designed for wood and laminate flooring suitable for domestic installations.

- ✓ Wood floors
- ✓ Solid wood floors
- ✓ Laminate floors  
(above 8mm thickness)
- ✗ LVT floors
- ✗ DPM (Damp Proof Membrane)
- ✓ Residential applications

**No minimum order, free delivery.** Prices are equal and fair for all customers, there are no volume discounts. Manufactured by Wilsons Underlays Ltd, West Yorkshire, UK. To view our full terms and conditions, visit [wilsons-underlays.co.uk/terms-conditions](http://wilsons-underlays.co.uk/terms-conditions)



# Royale® Fibreboard

*For residential or commercial applications*

SKU Code	Thickness	dB	TOG	Size	1-10 Packs	1 Pallet	2 Pallets
FB5	5mm	23dB	0.7 TOG	7m <sup>2</sup> per pack	£14.30 per pack	£11.80 per pack (1 pallet = 26 packs)	£10.60 per pack (2 pallets = 52 packs)
FB7	7mm	26dB	1.0 TOG	7m <sup>2</sup> per pack	£17.40 per pack	£15.00 per pack (1 pallet = 20 packs)	£13.80 per pack (2 pallets = 40 packs)



Fibreboard underlay designed for wood and laminate flooring suitable for domestic and contract installations.

- ✓ Wood floors
- ✓ Solid wood floors
- ✓ Laminate floors
- ✗ LVT floors
- ✗ DPM (Damp Proof Membrane)
- Contract & Residential applications



# Royale® TimberHush

*For residential or commercial applications*

SKU Code	Thickness	dB	TOG	Size	1 Roll	2-9 Rolls	10+ Rolls
TH3	3mm	22dB	0.13 TOG	10m <sup>2</sup> (1 x 10m)	£36.20 per roll	£27.80 per roll	£26.30 per roll



Flat rubber and foil underlay designed for wood and laminate, suitable for domestic and contract installations.

- ✓ Wood floors
- ✓ Solid wood floors
- ✓ Laminate floors
- ✓ LVT floors
- ✓ DPM (Damp Proof Membrane)
- Contract & Residential applications


**No minimum order, free delivery.** Prices are equal and fair for all customers, there are no volume discounts. Manufactured by Wilsons Underlays Ltd, West Yorkshire, UK. To view our full terms and conditions, visit [wilsons-underlays.co.uk/terms-conditions](http://wilsons-underlays.co.uk/terms-conditions)



# Royale® ThermoProX

*For residential or commercial applications*

SKU Code	Thickness	dB	TOG	Size	1 Roll	2-9 Rolls	10+ Rolls
TPX	1.8mm	21dB	0.30 TOG	10m <sup>2</sup>	£31.00 per roll	£23.60 per roll	£22.60 per roll



Underlay designed for underfloor heating systems, suitable for domestic and contract installations.

- Wood floors
- Solid wood floors
- Laminate floors
- LVT floors
- DPM (Damp Proof Membrane)
- Contract & Residential applications



Residential & commercial applications





# Royale® grippers




Traditional Grippers		SKU Code	1 Box	2-9 Boxes	10+ Boxes	Pallet (50 Boxes)	Mixed Pallet (50 Boxes)
500ft	20.5mm	TMW	£30.50 / box	£25.50 / box	£22.50 / box	£19.50 / box	£20.50 / box
500ft	20.5mm	TMD	£30.50 / box	£25.50 / box	£22.50 / box	£19.50 / box	£20.50 / box
500ft	20.5mm	TMC	£30.50 / box	£25.50 / box	£22.50 / box	£19.50 / box	£20.50 / box
500ft	20.5mm	TSD	£32.50 / box	£27.50 / box	£24.50 / box	£21.50 / box	£22.50 / box
500ft	20.5mm	TLD	£32.50 / box	£27.50 / box	£24.50 / box	£21.50 / box	£22.50 / box
500ft	20.5mm	TBD	£32.50 / box	£27.50 / box	£24.50 / box	£21.50 / box	£22.50 / box

Traditional Gripper Sizes

Thick Base Gripper Sizes


Mechanical Gripper Sizes

Mechanical Grippers				SKU Code	1 Box	2-9 Boxes	10+ Boxes	Pallet (40 Boxes)
Size	Width	Pin	Nail	MMD	£32.50 / box	£27.50 / box	£26.50 / box	£23.50 / box
400ft	30mm	Medium	Dual					
Thick Base Grippers				SKU Code	1 Box	2-9 Boxes	10+ Boxes	Pallet (35 Boxes)
Size	Width	Pin	Nail	TBDN	£32.50 / box	£27.50 / box	£26.50 / box	£23.50 / box
500ft	22mm	Medium	Dual					






# Royale® doorbars

Standard doorbars




Name	Length	Quantity	Silver	Gold	Grey	Bronze	Black	Price per Individual Doorbar
01 Cover Strip	0.9m	45pcs	£44.30 SKU: CS-S3	£46.60 SKU: CS-G03	£102.90 SKU: CS-GY3	£102.90 SKU: CS-BZ3	£102.90 SKU: CS-BL3	<b>£8.00 (0.9m)</b> To order an individual doorbar, add '-IND' to the SKU (eg. CS-S3-IND)
	2.7m	15pcs	£44.30 SKU: CS-S9	£46.60 SKU: CS-G09	£102.90 SKU: CS-GY9	£102.90 SKU: CS-BZ9	£102.90 SKU: CS-BL9	<b>£34.50 (2.7m)</b> To order an individual doorbar, add '-IND' to the SKU (eg. CS-S9-IND)
02 Dual Edge	0.9m	45pcs	£55.80 SKU: DE-S3	£59.00 SKU: DE-G03	£102.90 SKU: DE-GY3	£102.90 SKU: DE-BZ3	£102.90 SKU: DE-BL3	<b>£8.00 (0.9m)</b> To order an individual doorbar, add '-IND' to the SKU (eg. DE-S3-IND)
	2.7m	15pcs	£55.80 SKU: DE-S9	£58.10 SKU: DE-G09	£102.90 SKU: DE-GY9	£102.90 SKU: DE-BZ9	£102.90 SKU: DE-BL9	<b>£34.50 (2.7m)</b> To order an individual doorbar, add '-IND' to the SKU (eg. DE-S9-IND)
03 Single Edge	0.9m	45pcs	£45.40 SKU: SE-S3	£47.70 SKU: SE-G03	£102.90 SKU: SE-GY3	£102.90 SKU: SE-BZ3	£102.90 SKU: SE-BL3	<b>£8.00 (0.9m)</b> To order an individual doorbar, add '-IND' to the SKU (eg. SE-S3-IND)
	2.7m	15pcs	£45.40 SKU: SE-S9	£47.70 SKU: SE-G09	£102.90 SKU: SE-GY9	£102.90 SKU: SE-BZ9	£102.90 SKU: SE-BL9	<b>£34.50 (2.7m)</b> To order an individual doorbar, add '-IND' to the SKU (eg. SE-S9-IND)






# Royale® doorbars

Standard doorbars





Name	Length	Quantity	Silver	Gold	Grey	Bronze	Black	Price per Individual Doorbar
04 Lino Cover	0.9m	45pcs	£35.10 SKU: LC-S3	£39.70 SKU: LC-GO3	£102.90 SKU: LC-GY3	£102.90 SKU: LC-BZ3	£102.90 SKU: LC-BL3	<b>£8.00 (0.9m)</b> To order an individual doorbar, add '-IND' to the SKU (e.g. DE-S3-IND)
	2.7m	15pcs	£35.10 SKU: LC-S9	£39.70 SKU: LC-GO9	£102.90 SKU: LC-GY9	£102.90 SKU: LC-BZ9	£102.90 SKU: LC-BL9	<b>£34.50 (2.7m)</b> To order an individual doorbar, add '-IND' to the SKU (e.g. DE-S9-IND)
05 Lino Edge	0.9m	45pcs	£35.10 SKU: LE-S3	£39.70 SKU: LE-GO3	£102.90 SKU: LE-GY3	£102.90 SKU: LE-BZ3	£102.90 SKU: LE-BL3	<b>£8.00 (0.9m)</b> To order an individual doorbar, add '-IND' to the SKU (e.g. LE-S3-IND)
	2.7m	15pcs	£35.10 SKU: LE-S9	£39.70 SKU: LE-GO9	£102.90 SKU: LE-GY9	£102.90 SKU: LE-BZ9	£102.90 SKU: LE-BL9	<b>£34.50 (2.7m)</b> To order an individual doorbar, add '-IND' to the SKU (e.g. LE-S9-IND)
06 Z Edge	0.9m	45pcs	£56.90 SKU: ZE-S3	£59.20 SKU: ZE-GO3	£102.90 SKU: ZE-GY3	£102.90 SKU: ZE-BZ3	£102.90 SKU: ZE-BL3	<b>£8.00 (0.9m)</b> To order an individual doorbar, add '-IND' to the SKU (e.g. ZE-S3-IND)
	2.7m	15pcs	£56.90 SKU: ZE-S9	£59.20 SKU: ZE-GO9	£102.90 SKU: ZE-GY9	£102.90 SKU: ZE-BZ9	£102.90 SKU: ZE-BL9	<b>£34.50 (2.7m)</b> To order an individual doorbar, add '-IND' to the SKU (e.g. ZE-S9-IND)



# Royale® doorbars


Specialist doorbars




Name	Length	Quantity	Silver	Gold	Grey	Bronze	Black	Price per Individual Doorbar
<b>01</b> Stick Down Cover	0.9m	30pcs	£65.60 SKU: SDC-S3	£69.00 SKU: SDC-GO3	£116.20 SKU: SDC-GY3	£116.20 SKU: SDC-BZ3	£116.20 SKU: SDC-BK3	£9.20 (0.9m) To order an individual doorbar, add '-IND' to the SKU (e.g. SDC-S3-IND)
	2.7m	10pcs	£65.60 SKU: SDC-S9	£69.00 SKU: SDC-GO9	£116.20 SKU: SDC-GY9	£116.20 SKU: SDC-BZ9	£116.20 SKU: SDC-BK9	£36.80 (2.7m) To order an individual doorbar, add '-IND' to the SKU (e.g. SDC-S9-IND)
<b>02</b> Extra Wide Cover	0.9m	30pcs	£63.30 SKU: EWC-S3	£67.90 SKU: EWC-GO3	£116.20 SKU: EWC-GY3	£116.20 SKU: EWC-BZ3	£116.20 SKU: EWC-BK3	£9.20 (0.9m) To order an individual doorbar, add '-IND' to the SKU (e.g. EWC-S3-IND)
	2.7m	10pcs	£63.30 SKU: EWC-S9	£67.90 SKU: EWC-GO9	£116.20 SKU: EWC-GY9	£116.20 SKU: EWC-BZ9	£116.20 SKU: EWC-BK9	£36.80 (2.7m) To order an individual doorbar, add '-IND' to the SKU (e.g. EWC-S9-IND)
<b>03</b> Angle Edge 7mm	0.9m	30pcs	£59.80 SKU: AE7-S3	£64.40 SKU: AE7-GO3	£116.20 SKU: AE7-GY3	£116.20 SKU: AE7-BZ3	£116.20 SKU: AE7-BK3	£9.20 (0.9m) To order an individual doorbar, add '-IND' to the SKU (e.g. AE7-S3-IND)
	2.7m	10pcs	£59.80 SKU: AE7-S9	£64.40 SKU: AE7-GO9	£116.20 SKU: AE7-GY9	£116.20 SKU: AE7-BZ9	£116.20 SKU: AE7-BK9	£36.80 (2.7m) To order an individual doorbar, add '-IND' to the SKU (e.g. AE7-S9-IND)
<b>04</b> Angle Edge 15mm	0.9m	30pcs	£64.40 SKU: AE15-S3	£67.90 SKU: AE15-GO3	£116.20 SKU: AE15-GY3	£116.20 SKU: AE15-BZ3	£116.20 SKU: AE15-BK3	£9.20 (0.9m) To order an individual doorbar, add '-IND' to the SKU (e.g. AE15-S3-IND)
	2.7m	10pcs	£64.40 SKU: AE15-S9	£67.90 SKU: AE15-GO9	£116.20 SKU: AE15-GY9	£116.20 SKU: AE15-BZ9	£116.20 SKU: AE15-BK9	£36.80 (2.7m) To order an individual doorbar, add '-IND' to the SKU (e.g. AE15-S9-IND)

# Royale® doorbars

Specialist doorbars






Name	Length	Quantity	Silver	Gold	Grey	Bronze	Black	Price per Individual Doorbar
<b>05</b> Stair Nosing 9mm	0.9m	30pcs	£58.70 SKU: SN9-S3	£63.30 SKU: SN9-GO3	£116.20 SKU: SN9-GY3	£116.20 SKU: SN9-BZ3	£116.20 SKU: SN9-BK3	£9.20 (0.9m) To order an individual doorbar, add -IND to the SKU (e.g. SN9-S3-IND)
	2.7m	10pcs	£58.70 SKU: SN9-S9	£63.30 SKU: SN9-GO9	£116.20 SKU: SN9-GY9	£116.20 SKU: SN9-BZ9	£116.20 SKU: SN9-BK9	£36.80 (2.7m) To order an individual doorbar, add -IND to the SKU (e.g. SN9-S9-IND)
<b>06</b> Stair Nosing 15mm	0.9m	30pcs	£63.30 SKU: SN20-S3	£67.90 SKU: SN20-GO3	£116.20 SKU: SN20-GY3	£116.20 SKU: SN20-BZ3	£116.20 SKU: SN20-BK3	£9.20 (0.9m) To order an individual doorbar, add -IND to the SKU (e.g. SN20-S3-IND)
	2.7m	10pcs	£63.30 SKU: SN20-S9	£67.90 SKU: SN20-GO9	£116.20 SKU: SN20-GY9	£116.20 SKU: SN20-BZ9	£116.20 SKU: SN20-BK9	£36.80 (2.7m) To order an individual doorbar, add -IND to the SKU (e.g. SN20-S9-IND)
<b>07</b> V1 Stair Nosing	0.9m	15pcs	£97.70 SKU: V1SN-S	-	£103.50 SKU: V1SN-GY	-	£103.50 SKU: V1SN-BK	£10.30 (Silver) SKU: V1SN-S-IND £10.90 (Grey) SKU: V1SN-GY-IND £10.90 (Black) SKU: V1SN-BK-IND
<b>08</b> V2 Stair Nosing	0.9m	15pcs	£86.20 SKU: V2SN-S	-	£92.00 SKU: V2SN-GY	-	£92.00 SKU: V2SN-BK	£9.20 (Silver) SKU: V2SN-S-IND £9.80 (Grey) SKU: V2SN-GY-IND £9.80 (Black) SKU: V2SN-BK-IND



# Royale® doorbars




Prestige doorbars



Name	Length	Quantity	Bright Silver	Matte Silver	Brushed Silver	Bright Grey	Brushed Grey	Brushed Black	Price per Individual Doorbar
01 Prestige Cover	0.9m	15pcs	£126.00 SKU: PC-BTS3	£126.00 SKU: PC-MSS	£126.00 SKU: PC-BDS3	£126.00 SKU: PC-BTG3	£126.00 SKU: PC-BDG3	£126.00 SKU: PC-BB3	£12.60 (0.9m) To order an individual doorbar, add -IND to the SKU (e.g. PC-BTS3-IND)
	2.7m	5pcs	£126.00 SKU: PC-BTS9	£126.00 SKU: PC-MS9	£126.00 SKU: PC-BDS9	£126.00 SKU: PC-BTG9	£126.00 SKU: PC-BDG9	£126.00 SKU: PC-BB9	£36.70 (2.7m) To order an individual doorbar, add -IND to the SKU (e.g. PC-BTS9-IND)
02 Prestige Dual	0.9m	15pcs	£126.00 SKU: PD-BTS3	£126.00 SKU: PD-MSS	£126.00 SKU: PD-BDS3	£126.00 SKU: PD-BTG3	£126.00 SKU: PD-BDG3	£126.00 SKU: PD-BB3	£12.60 (0.9m) To order an individual doorbar, add -IND to the SKU (e.g. PD-BTS3-IND)
	2.7m	5pcs	£126.00 SKU: PD-BTS9	£126.00 SKU: PD-MS9	£126.00 SKU: PD-BDS9	£126.00 SKU: PD-BTG9	£126.00 SKU: PD-BDG9	£126.00 SKU: PD-BB9	£36.70 (2.7m) To order an individual doorbar, add -IND to the SKU (e.g. PD-BTS9-IND)
03 Prestige Single	0.9m	15pcs	£126.00 SKU: PS-BTS3	£126.00 SKU: PS-MSS	£126.00 SKU: PS-BDS3	£126.00 SKU: PS-BTG3	£126.00 SKU: PS-BDG3	£126.00 SKU: PS-BB3	£12.60 (0.9m) To order an individual doorbar, add -IND to the SKU (e.g. PS-BTS3-IND)
	2.7m	5pcs	£126.00 SKU: PS-BTS9	£126.00 SKU: PS-MS9	£126.00 SKU: PS-BDS9	£126.00 SKU: PS-BTG9	£126.00 SKU: PS-BDG9	£126.00 SKU: PS-BB9	£36.70 (2.7m) To order an individual doorbar, add -IND to the SKU (e.g. PS-BTS9-IND)

# Royale® doorbars

Prestige doorbars



Name	Length	Quantity	Bright Silver	Matte Silver	Brushed Silver	Bright Grey	Brushed Grey	Brushed Black	Price per Individual Doorbar
04 Prestige Square Edge	0.9m	15pcs	£126.00 SKU: PSE-BTSS	£126.00 SKU: PSE-MS3	£126.00 SKU: PSE-BDS3	£126.00 SKU: PSE-BTG3	£126.00 SKU: PSE-BDG3	£126.00 SKU: PSE-BB3	£126.00 (0.9m) To order an individual doorbar, add -IND to the SKU (e.g. PSE-BTSS-IND)
			£126.00 SKU: PSE-BTS9	£126.00 SKU: PSE-MS9	£126.00 SKU: PSE-BDS9	£126.00 SKU: PSE-BTG9	£126.00 SKU: PSE-BDG9	£126.00 SKU: PSE-BB9	£36.70 (2.7m) To order an individual doorbar, add -IND to the SKU (e.g. PSE-BTSS-IND)
	2.7m	5pcs	£126.00 SKU: PZ-BTSS	£126.00 SKU: PZ-MS3	£126.00 SKU: PZ-BDS3	£126.00 SKU: PZ-BTG3	£126.00 SKU: PZ-BDG3	£126.00 SKU: PZ-BB3	£126.00 (0.9m) To order an individual doorbar, add -IND to the SKU (e.g. PZ-BTSS-IND)
			£126.00 SKU: PZ-BTS9	£126.00 SKU: PZ-MS9	£126.00 SKU: PZ-BDS9	£126.00 SKU: PZ-BTG9	£126.00 SKU: PZ-BDG9	£126.00 SKU: PZ-BB9	£36.70 (2.7m) To order an individual doorbar, add -IND to the SKU (e.g. PZ-BTSS-IND)

# Secure your joins for a professional installation!

With *Barrier Pro X Tape*


When fitting correctly to British Standards (BS8203, BS8425 or BS8201), it's important to use barrier tape to secure your joins in order to ensure optimum performance, longevity and moisture lock. That's where Barrier Pro X Tape comes in – each roll is 25m long and extra wide at 75mm width, so it's the perfect partner to Royale Underlays.


Even better, when you pair Barrier Pro X Tape with a Royale underlay, you benefit from a lifetime warranty of the initial installation\*.



Tapes/Adhesives	SKUs	Size	1 Box	2-9 Boxes	10-24 Boxes	25+ Boxes
Barrier Pro X Tape (75mm x 25m)	BPTX-24	Box of 24	£123.60	£103.00	£91.70	£88.60
FastGrip Super Gripper Adhesive (310ml)	FGA-12	Box of 12	£53.00	£48.20	£46.60	£44.40
Spray Adhesive - Heavy Duty (500ml)	SAHD-12	Box of 12	£36.90	£31.60	£26.20	£20.90

\*To qualify for our Lifetime Warranty, Barrier Pro X tape must be used during the original installation of the flooring. This warranty covers the lifetime of the initial underlay installation, ensuring consistent performance and secure joins throughout.





Contact us to place  
an order or enquire  
about our samples  
and display hangers

---

[sales@wilsons-group.com](mailto:sales@wilsons-group.com)



part of  
**wilsons**  
**group.**

**Committed to safety  
and quality**

Low VOC/Formaldehyde  
in all PU foam and wool  
underlays. Rated A+  
for Air Quality.

Email [sales@wilsons-group.com](mailto:sales@wilsons-group.com)  
or call **01924 451 138** to place an order

[wilsons-group.com](http://wilsons-group.com)

**Wilsons Underlays Ltd**  
Thornhill Road  
West Yorkshire, UK  
WF12 9QF  
**01924 451 138**  
[sales@wilsons-group.com](mailto:sales@wilsons-group.com)