

ABINGDON FLOORING

WILTON ROYAL

Royal Charter Deluxe

Style Codes
12795



WILTON ROYAL

Royal Charter Deluxe

- AVAILABLE IN 25|4|5 METRE WIDTHS
- MOTH RESISTANT
- 80/20 WOOL BLEND
- GUARANTEED 12 YEAR WEAR WARRANTY
- PROUD TO BE MADE IN BRITAIN

LIVING ROOM, DINING ROOM	BEDROOM	HALLWAY, STAIRS & LANDING	BATHROOM
✓	✓	✓	✓

ROYAL CHARTER DELUXE



A TIMELESS CLASSIC

Create a beautiful natural space.

Royal Charter Deluxe brings a sense of natural beauty and elegance to any interior space. The collection of exquisite cut-pile twist carpet from our **Wilton Royal** brand is the perfect partner for homeowners looking for quality and longevity in a **wool mix** carpet.

Manufactured in the UK using the highest quality yarn, we have achieved a **fine velvet touch finish** to deliver value without compromising on wools remarkable **resilience** and unique natural look and feel.

Available in a choice of widths from 2.5 - 5m with super soft fleece backing for underfoot comfort and easy fitting.

This plush heavyweigh **50oz 80/20 wool blend** provides greater resistance to flattening and compression, making it suitable for high traffic areas. We are so confident in its manufacture, we offer a confidence giving **12 year wear warranty** when your customers order this range.

The colour palette is effortlessly sophisticated and elegant with a wide selection of **22 colours** - from bold shades of red and green to more subtle and subdued neutrals.

Style and luxury are assured with this classic collection of wool carpets which commands it place in the modern home.



22
Luxurious hues

Get in Touch

Sales@abingdonflooring.co.uk

01274 655 694

www.abingdonflooring.co.uk

WILTON ROYAL

ROYAL CHARTER DELUXE

CONSTRUCTION	SPECIFICATION		STANDARD
PILE CONTENT	80% Wool 15%PP 5% Polyester plain		BS4407 73/44/EEC
GAUGE	1/8		BS 4223 ISO 8543
PILE HEIGHT	8.0	mm	BS 4223 ISO 1766
TOTAL THICKNESS	11.0	mm	BS 4051 ISO 1765
TOTAL WEIGHT	2559	grms sq mtr	BS 4223 ISO 8543
PRODUCT WIDTH	2.5/4.00/ 5.00	Mtrs	BS EN ISO 14159
PRIMARY BACKING	Woven Polypropylene		
SECONDARY BACKING	Woven Polypropylene	Fleece	
LUXURY RATING	LC5		
THERMAL RESISTANCE	1.65	Tog	BS 4745 ISO 5085
TUFT DENSITY	1575	tuft/dm ²	












COLOUR FASTNESS	SPECIFICATION		STANDARD
LIGHT	5		BS EN 105-BO2
RUBBING	4-5		BS ISO 105 - X12
WATER	4		BS EN ISO 105-E01/D02 BS1006:UK-TB
STATIC LOADING	88%	Recovery	BS 4939 ISO 3416
DYNAMIC LOADING	82%	Recovery	BS ISO 2094

FLAMMABILITY	SPECIFICATION		STANDARD
METHENAMINE PILL	Pass		BS 6307 ISO 6925
HOT NUT	Low		BS 4790
EURO CLASS RADIANT PANEL	Class D		EN 13501-1

PERFORMANCE	SPECIFICATION		STANDARD
CLASSIFICATION	Heavy Domestic	23	BS EN 1307
	General Commercial	32	BS EN 1307
APPEARANCE RETENTION	4000 Cycles Hexapod	4.0	BS ISO 10361
	12000 Cycles Hexapod	3.5	

WARRANTY	
WEAR	12
STAIN	None

SUITABILITY					
LIVING ROOM, DINING ROOM	BEDROOM	HALLWAY / ENTRANCE	STAIRS / LANDING	BATHROOM	UNDER FLOOR HEATING
✓	✓	✓	✓	✓	✓

					
EN 14041:2004 13	WOOL	CLASS 23 DOMESTIC HEAVY	CLASS 32 COMMERCIAL GENERAL	REACTION TO FIRE CLASS D	NPD
					
THERMAL CONDUCTIVITY	LUXURY CLASS LC5	LIGHT FASTNESS	PCP BELOW DETECTION LIMIT	FORMALDEHYDE HAS NOT BEEN ADDED	

* All results are produced from testing of representative production samples and as such are subject to normal tolerances within manufacturing

WILTON ROYAL

Get in Touch

Sales@abingdonflooring.co.uk

01274 655 694

www.abingdonflooring.co.uk

ROYAL CHARTER DELUXE

22 AVAILABLE COLOURS



01 HAGUE BLUE




02 CARDINAL RED



03 POLISHED STEEL



04 SHEER ROCKFACE



05 ROSE TEA



06 REFLECTION



07 CHARCOAL



08 SILVER SHADOW



09 SILVER BIRCH



10 RAINDROP



11 PEARL



12 GLACIAL PEAK



13 SNOWDROP



14 JASMINE WHITE



15 IVORY



16 NATURAL CALICO



17 DROP CLOTH



18 MOCCASIN



19 OATMEAL



20 STRING



21 SAGE GREEN



22 PASTEL BLUE



WILTON ROYAL

Get in Touch

Sales@abingdonflooring.co.uk

01274 655 694

www.abingdonflooring.co.uk

ABINGDON FLOORING

Get in Touch

Sales@abingdonflooring.co.uk

01274 655 694

www.abingdonflooring.co.uk