

Contact (/contact-us) |

Newsletter (/wood-floor-news-sign-up)

[f \(https://www.facebook.com/v4woodflooring\)](https://www.facebook.com/v4woodflooring)

[t \(https://twitter.com/V4Woodflooring\)](https://twitter.com/V4Woodflooring)

[p \(https://uk.pinterest.com/V4Woodflooring\)](https://uk.pinterest.com/V4Woodflooring)

g+

[g+ \(https://plus.google.com/u/1/115576681373702169987\)](https://plus.google.com/u/1/115576681373702169987)

[i \(https://www.instagram.com/v4woodflooring/\)](https://www.instagram.com/v4woodflooring/)

Natural Oiled Floor Maintenance

Natural Oiled Floor Maintenance

- Prevent accumulation of grit and abrasive dust which can scratch and dull the surface. Do this with regular sweeping and vacuuming and by installing barrier mats such as coir matting inside and outside all external door ways.
- Protect all furniture with felt pads to avoid any scratching with movement.
- Wipe up any spilt liquids and avoid any standing water or liquid as wood will absorb liquid and expand which could affect the stability of the floor. Any stains should be removed while wet with a clean damp cloth.
- Avoid use of any household cleaners. These can be abrasive and damage or dull the surface and can leave a dangerous slippery film.

Initial Maintenance Care With Maintenance Oil & Wood's Good Natural Floor Care Refresher

Natural oiled floors should always receive a commissioning coat of maintenance oil after installation and before the floor is used. This should be buffed into the surface and is usually done with a machine buffer.

The floor should be used with care avoiding spillages for the next 7 days while the oil fully cures and should not be washed during this period.

Once the floor is ready a coat of undiluted Natural Floor Care Refresher which is a natural way to add a protective sheen to the floor. can be applied using a damp mop or Wood's Good applicator.

Natural Floor Care Refresher adds protection to oiled, waxed and lacquered wooden surfaces, ideal for floors and furniture. With nurturing waxes, including sustainably sourced Brazilian Carnauba palm wax, it revives and refreshes dull and scratched surfaces and is perfect for areas that require extra resistance to water and spillages.

NOTE: Always test on a small area in order to check the surface and the compatibility of the product. Do not apply to newly oiled surfaces for at least 7 days. Aftercare: Re-apply undiluted Natural Floor Care Refresher periodically as required. To clean use Refresher as a water additive or Wood's Good Natural Floor Care Spray.

Regular Cleaning With Wood's Good Natural Floor Care

Natural Floor Care is designed to clean and protect oiled, waxed and lacquered wooden floors. The soap solution works to clean the surface removing ground in dirt while nurturing waxes(including responsibly sourced Brazilian Palm Wax) coat the surface with a water resistant protective film which also works perfectly many other surfaces including laminate, vinyl, linoleum, cork, natural stone, unglazed tiles and polished concrete!

Instructions:

1. Vacuum clean to remove loose dirt.
2. The floor must be dry.
3. Shake the spray well before & during use.
4. Working in sections spray the surface.
5. Wipe the surface with the grain using a Wood's Good® Applicator Mop Pad or lint free cloth/mop.
6. When finished allow to dry for 30 – 60 mins. 7. Rinse applicator pad with clean water. NOTE:

Always test on a small area in order to check the surface and the compatibility of the product.

Natural Floor Care

Coverage: 75 – 150 m²

Storage: Store safely, out of reach of children.

Do expose to heat(eg. Sunlight) Store above 5°C Low VOC: 2004/42IIA(i)(140)22

Components: Water, wax based on acryl, Brazilian Carnauba wax, tensides.

Refresh & Protect with Wood's Good Natural Floor Care

Refresher

Designed to be used with oiled and waxed wood flooring, it is also suitable for lacquered wood, laminate, vinyl, linoleum, cork, natural stone, unglazed tiles and polished concrete! Instructions:

(Tools: Wood's Good® Applicator Mop Pad or lint free mop/cloth)

1. Vacuum clean to remove loose dirt.
2. Freshly sealed surfaces should be fully cured and dry.
3. Shake or stir thoroughly before and during use.
4. Working in sections apply undiluted Refresher with the grain working wet on wet. (Avoid working on areas that have already dried)
5. Wipe onto the surface following the grain.
6. When finished allow drying for 30 – 60 mins.
7. Protect surface from water for 24 hrs after application.
8. Rinse applicator pad with clean water.

NOTE: Always test on a small area in order to check the surface and the compatibility of the product. Do not apply to newly oiled surfaces for at least 7 days. Aftercare: Re-apply undiluted Natural Floor Care Refresher periodically as required. To clean use Refresher as a water additive or Wood's Good Natural Floor Care Spray.

Clean & Maintain with Wood's Good Natural Floor Care Refresher

Natural Floor Care Refresher contains mild detergents and nurturing natural waxes and can be diluted with water and used to clean and refresh floors and surfaces.

Cleaning Instructions:

(Tools: Lint free mop/cloth, Bucket)

1. Vacuum clean to remove loose dirt.
2. Add Refresher to cleaning water.(1 part Refresher to 20 parts water or 1 part Natural Floor Care Refresher to 10 parts water for areas subject to heavy wear)
3. Shake or stir Natural Floor Care Refresher solution thoroughly before and during use.
4. Using a well wrung mop wipe the floor with the grain to remove dirt.
5. When finished allow to dry for 30 – 60 mins.
6. Rinse mop with clean water.

NOTE: Avoid using too much water. For very dirty floors use two buckets one with Natural Floor Care Refresher solution and one for rinse water. Do not store and use solution after 1 month.(As may form algae)