


Seam location



LEGEND

- — — — — Indicates Structural Steel
- — — — — Indicates C24 Floor joists @ 400mm c/c
- — — — — Fault Drainage
- — — — — Surface Water Drainage
- — — — — Manhole
- MEH Mech. Extractor Fan
- SWP Soil Vent Pipe
- RPWP Rainwater Pipe
- IC Inspection Chamber
- SD Smoke Detector
- HO Heat Detector
- Indicates External Wall - 102.5mm Red facing brickwork, 125mm cavity insulation with 115mm Celotex insulation with a 10mm thermal break gap; 100mm Lightweight blockwork, 12.5mm plasterboard
- Indicates non load bearing timber internal wall - 12.5mm plasterboard either side of 38x75mm timber studs
- Indicates load bearing blockwork internal wall - 12.5mm plasterboard either side of 100mm blockwork
- Indicates Brickwork



Do not scale from this drawing, except for adjusting purposes. Any discrepancies are to be referred to the Planning & Architecture. This drawing is a contract document and shall prevail over all other drawings. This drawing is the property of WS Planning & Architecture.

| | |
|--|---|
| | |
| WS PLANNING & ARCHITECTURE 10004177 - TD-03 | 27/10/23 1:50 @ A2 Window Details Century Window Cooper & Co Ltd, England Green |
| Title: Window Details Date: 27/10/23 Scale: 1:50 @ A2 Author: [Name] Checker: [Name] Approver: [Name] | Project: 10004177 - TD-03 Drawing: Window Details Revision: 1 |