


Job No: (5) 31375

Name: ROTHERA

Address:

Tel:


Sheet: (1) OF (2)



Plan 1 3.50 x 5m


Plan 2 4.80 x 5m

Plan 3 4.60 x 5m






12.90 x 5m

64.52



5.00

Job No: (5) 31375
 Name: ROTHERA
 Address: _____
 Tel: _____
 Sheet: (1) OF (2)





- Plan (1) 3.50 x 5m
- Plan (2) 4.80 x 5m
- Plan (3) 4.60 x 5m

12.90 x 5m
64.5m²

Customer Name:	ROTHERA
Job No:	(S) 31375
Branch Contact	ANDY

STAIR RUNNER ORDER FORM



10CM GAP ALL ROUND

Left: the runner has a fixed width, which means the distance from the carpet to the edge varies around corners and bends. The line marked **A** is the width of the runner.

~~X~~ 60CM WIDE RUNNER

Right: the runner has a fixed perimeter from the edge, which means the width of the carpet varies around corners and bends. The line marked **B** is the width of the perimeter between the runner and the edge.

DETAILS	
Flight:	
Style:	<input checked="" type="checkbox"/> Fixed Width <input checked="" type="checkbox"/> Fixed Perimeter
Runner Width (A):	
Perimeter Width (B):	
Edge Finish:	<input checked="" type="checkbox"/> Whipped Edge <input checked="" type="checkbox"/> Taped Edge
Stair rods to be fitted:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No
MATERIALS	
Carpet Range:	ARABICA
Carpet Colour:	PLATINUM
Edging Colour Code:	X
Stair Rods:	X

WHIPPED EDGE IN BLACK YARN

IMPORTANT NOTE

The process of fitting stair runners to a staircase requires the gripper fixings to be nailed and the carpet is hammered into the gripper to tension the carpet. This process can cause minor cracks in the painted edges. Whilst every care is taken by our installers we cannot be held responsible if the paint at the edges requires touching up after installation.